

**Organization Information**

EMS Agency: Yes  
Organization Name: BLAIRS VOLUNTEER FIRE & RESCUE INC  
Address Line1: 7100 US HWY 29  
Address Line2:  
City: BLAIRS State: VA Zip: 24527  
City/County: PITTSYLVANIA Phone Number: (434)836-3065  
Regional Council: Western Virginia EMS Council FIN#: 541647981  
Organization Structure: EMS - Volunteer Organization Type: Non-Governmental

**Personnel Information****Number of Certified Personnel**

First Responder: 0 EMT: 19 Paramedic: 4 Advance EMT: 3 Enhanced: 0  
Intermediate: 3 Advanced Life Support Coordinator: 0 Education Coordinator: 0

**Certification**

First Responder: 0 EMT: 19 Paramedic: 4 Advance EMT: 3 Enhanced: 0  
Intermediate: 3 Advanced Life Support Coordinator: 0 Education Coordinator: 3  
Driver Only: 19 Other: 5 **Total: 56**

**Personnel**

Career: 14 Volunteer: 42 **Total: 56**

**Comments:**

Blairs Fire and Rescue is a mixture of volunteer and career staff. We currently have 42 volunteers and 14 part time employees. We are in the process of getting our drivers in to the portal and affiliated with Blairs Fire and Rescue.

**Call Activity and Demographics**

BLS Calls: 740 ALS Calls: 250 Calls Unable To Respond: 42  
Calls Outside Primary Service Area: 24 Avg Call Time(minutes): 5,319 Average Round Trip Mileage: 24  
Avg Mileage To Nearest Hospital: 20  
Square Miles of Service Area: 109 Population of Service Area: 9,377 Total Number of Stations: 1

**Comments:**

The Blairs fire and Rescue is considered the second busiest agency in Pittsylvania County. Our agency has a mixture of Volunteers and Career staff. We are the primary agency for our area and are at 97 percent call coverage from Pittsylvania County for our primary area. Blair's Fire and Rescue covers approximately 109 square miles for the primary area with approximately 9377 in population. Our territories vary from rural to suburban territory. We have 2 ambulances and a QRV that responds to our primary area and also our second due area. We have had multiple occasions this past year where our dodge ambulance had mechanical issues and was out of service for weeks at a time. When this unit is down it creates issues with

**Call Activity and Demographics**

being able to answers a 2nd call which occurs often. If we were awarded this grant, it would ensure that we have a newer ambulance that would be more dependable when responding to calls.

**Statement of Need:**

Currently we have 2 ambulances that serve our primary area and also our second due area. Our 2009 Dodge Ambulance has had a great deal of mechanical problems. In the last 6 months it has been out of service for weeks at a time having something mechanically replaced. If we were awarded this grant, we would be able to purchase a more reliable apparatus that would allow us to better serve our community. We provide EMS service to one of the busier areas of the county. Our call volume is the 2nd busiest in the county and a large portion of our citizens are low-income and elderly. Our county as a whole has a large population of elderly, people living in poverty and with disabilities. Over past couple years our department has invested in bettering our apparatus and equipment.

**Agency Vehicle Information**

This Organization has additional ambulances not listed: No

Are any vehicles used by other jurisdictions? No

Unit#	VIN	Chassis Box Year	Make	Model	Vehicle Type	Class Permit	4WD	Mileage	Engine Hours
341	1FDUF5HT06EC75968	2016/2016	FORD	F-550	TYPE I AMBULANCE	Ambulance	Y	40325	
349	1FT7W2BT4DEB58737	2013/2013	FORD	F-250	QUICK RESPONSE	Quick Response Vehicle (QRV)	Y	124411	
343	3D6WD66L99G520400	2009/2009	DODGE	RAM 4500	TYPE I AMBULANCE	Ambulance	Y	102578	

**Financial Information****Assets**

Cash Balance:	\$106,871.00
Real Estate:	\$904,939.00
Investments (unrestricted):	\$106,871.00
Equipments, Vehicles, etc:	\$2,752,612.00
Restricted Funds:	\$5,009,315.00

Restricted Funds Description:

This money is set by the board as emergency funds for major repairs on vehicles or assist with purchasing newer vehicles.

**Liabilities**

Balance of Open Accounts:	\$678,126.00
Notes or Mortgages Owed:	\$0.00
Indebtedness / Obligations:	\$0.00

Description of Indebtedness / Obligations:

The notes are owed on the following apparatuses 2019 Peirce Engine 2019 Chevy Tahoe 2012 Peirce Ladder Truck

**Other Fees**

Amount received from EMS Fee for Service for Last Fiscal Year: \$0.00

Service Fee Charged: N Service Fee per Call: \$0.00 Cost Recovery: 0.00%



**Financial Information**

Receipts/Revenue		Expenditures	
Local Government:	\$110,693.00	Operational Expenses:	\$336,269.00
26% Return to Locality:	\$65,029.00	Personnel Costs:	\$64,637.00
Donations:	\$42,997.00	Capital Expenditures:	\$4,300.00
EMS Fee for Service:	\$189,115.00	Other Expenses:	\$1,590.00
Fund Raising:	\$20,690.00	Non Operational:	\$1,751.00
Interest Dividends:	\$34,634.00		
Grants:	\$17,643.00		
Other Revenue:	\$14,665.00		
<u>Description of Receipts/ Revenue:</u>  Received \$65,029 for the 26% return. EMS billing funds \$189,115 Received \$42,997 in donations from the community Fundraising (Stew, Tractor raffle, Money Raffle, \$20,690.00 Interest Dividends off of CD is \$34,634.00 Grants from private grant of \$17,643 Other revenue from sell of property that was donated to FD \$14,665. Our revenue is mainly supported from EMS billing, donations, and fundraising efforts.		<u>Definition of Capital Expenditures:</u>  Operation Expenses is personal protective equipment, safety equipment, small tools, training, stipend for EMS coverage. Personnel Cost is stipends for EMS responses Capital Expenditures: 2012 Pierce Ladder Truck Other Expenses: Deprecation Non Operational: Building and Ground and repairs, maintenance. Vehicle maintenance and	

**Finance Summary**

<b>Total Assets:</b>	<b>\$8,880,608.00</b>	<b>Net Worth:</b>	<b>\$8,202,482.00</b>
<b>Total Liabilities:</b>	<b>\$678,126.00</b>	<b>Beginning Balance:</b>	<b>\$106,871.00</b>
<b>Total Receipts:</b>	<b>\$495,466.00</b>	<b>Cash Difference:</b>	<b>\$86,919.00</b>
<b>Total Expenditures:</b>	<b>\$408,547.00</b>	<b>Ending Balance:</b>	<b>\$193,790.00</b>

**Budget Narrative:**

We have attached our Financial statement that should reflect the above numbers listed.

**Requested Items Information****Item Name: Power Load and FasteningSystem**

Item Type:	BLS Equipment	Requested Quantity:	1
Funding Level:	50 / 50	Action:	Add
Total Price:	\$30,250.00	Matching Funds:	\$15,125.00
Comments:	Applying for the county to release funds to cover this units replacement. We will also pay the rest.		
		Current Quantity:	1
		State Funds:	\$15,125.00

Requested Items Information			
<b>Item Name: Power Load and FasteningSystem</b>			
Supporting Documents			
Name	Type	Description	Size
f-567196366/blairs-fire-and-rescue-...	Quote	Quote for Power Load and FasteningSystem	6503 KB
<b>Item Name: Power Stretcher</b>			
Item Type:	Other	Requested Quantity: 1	
Funding Level:	50 / 50	Action: Add	Current Quantity: 1
Total Price:	\$21,260.00	Matching Funds: \$10,630.00	State Funds: \$10,630.00
Comments:	Replacement of stretcher in Unit 343. That stretcher is 13 years old and unable to be upgraded for the power load system. We have applied to the county for assistance with purchasing the ambulance, power load, and also power stretcher.		
Supporting Documents			
Name	Type	Description	Size
f-499838416/blairs-fire-and-rescue-...	Quote	Power Stretcher Quote	6503 KB
<b>Item Name: Type I Ambulance Ford F550</b>			
Item Type:	Vehicle - Type I Ambulance	Requested Quantity: 1	
Funding Level:	50 / 50	Action: Replace	Current Quantity: 2
Total Price:	\$264,811.00	Matching Funds: \$132,405.50	State Funds: \$132,405.50
Comments:	We have requested for \$125,000 from Pittsylvania County in the FY23 budget and will also use additional funding from fundraising and available funds. The truck we wish to replace has over 100,000 miles and continues to have mechanical issues.		
Vehicle Location: At Blairs Fire and Rescue Station 7100 US Hwy 29 Blairs VA. 24527.			
Maintenance Program: Our fleet is maintained on a regular bases at every 6,000 miles. Our units are checked daily to ensure all equipment is working correctly and all supplies are in date.			
Average service length of all agency vehicles: 10 Years 49148 Miles			
Rechassis / Refurbish:	No	Unit Number: 343	VIN: 3D6WD66L99G520400
Current Condition:			
2009 Dodge 4500 with 102,578 miles that's in poor condition. Truck has been in and out of the shop for mechanical issues for the past 6 months. Both Cylinder heads have been replaced, other things that had to be replaced are 2 turbos, EGR system 3 times, Lift suspension, the alternator has been replaced five times, the electrical system had to be replaced due to a shortage. ECM has had to be replaced.			
Replacement Purpose:			
The plan is to sell the unit once the new requested apparatus is in service. When this unit is down we have not been able to answer 2nd calls or provide back up to surrounding agencies.			
Rechassis / Refurbish Explanation: Calls Unable to Respond: 42			

**Requested Items Information****Item Name: Type I Ambulance Ford F550**

The apparatus is in need of necessary upgrades in order to continue to provide high quality emergency care to our area. We looked to see if we could rechassis this unit and the box also has issues that would not make that a good option.

**Supporting Documents**

<b>Name</b>	<b>Type</b>	<b>Description</b>	<b>Size</b>
f1672526043/blairs-fire-and-rescue-...	Quote	Apparatus Quote	6503 KB
f-968010200/blairs-fire-and-rescue-...	Quote	Apparatus Quote	6503 KB

**Affirmation****Brief Project Description:**

This project involves the replacement of our 2009 Dodge Type I ambulance with a new Ford F55 4x4 Custom Classic 170" ambulance. In the last year the 2009 Dodge Ambulance has had numerous mechanical issues that have caused a strain on the maintenance budget as well as caused a disruption in the response capabilities of Blairs Fire and Rescue. This new ambulance will allow our department o to increase our capabilities and will provide a more reliable transport to serve our community.

**Project /Equipment Sustainability:**

This apparatus will be serviced regularly per our department policy and checked off daily to ensure all equipment is in working conditions and all supplies are within date. Service fees will be paid out by the department?s maintenance budget.

**Supporting Documents**

<b>Name</b>	<b>Type</b>	<b>Description</b>	<b>Size</b>
f1914511493/letter-of-support-blair...	Other	Pittsylvania County support letter	688.52 KB
f-988524611/blairs-fire-and-rescue-...	Budget	Blairs Fire and Rescue Budget	1157.91 KB
f-1680158155/blairs-fire-and-rescue...	Quote	Blairs Fire and Rescue Ambulance Quote	6503.26 KB

**Comments by Financial Officer, OMD and OEMS**

<b>Comments</b>	<b>Reviewer</b>	<b>Date Created</b>
The Restricted funds should be \$50,093 not \$5,009,315. This was noticed after we submitted the grant. The department was not able to change it. The restricted funds are set for emergencies if needed.	Financial Officer	03/04/2022

**Authorized Agent**

First Name: KASEY Last Name: SEAY Phone#: (434)713-1734  
Email: KASEY.SEAY@PITGOV.ORG Signature: Kasey Seay

**Financial Officer**

First Name: TIMOTHY Last Name: DUFFER Phone#: (434)799-5226  
Email: TIM.DUFFER@DANVILLEVA.GOV Signature: Tim Duffer

**Operational Medical Director**

First Name: KAYLA Last Name: LONG Phone#: (540)797-4322  
Email: KAYLA.W.LONG@GMAIL.COM Signature: Kayla Long, D.O.

March 11, 2022

Virginia Office of EMS  
RSAF/FARC  
1041 Technology Park Drive  
Glen Allen, VA 23059

Re: RSAF grant for Blairs Fire and Rescue

To whom it may concern:


Please accept this letter of support for the RSAF application for Blairs Fire and Rescue Department's attempt to get a replacement ambulance funded. Blairs is the second busiest agency in our county and covers close to 1000 "first due" EMS calls annually. Additionally, Blairs covers a large amount of "second due" calls for our county and they commonly have two ambulances out covering calls at a time. The ambulance they seek to replace has had many known mechanical issues and at times has been out of service for weeks causing them and the community negative impacts.

Blairs is a well-managed agency and covers close to 100% of their EMS call volume. In recent years they have worked to improve all their apparatus and equipment in the station. They are in need of this grant to assist with the purchase. \$125,000 has been requested in next year's budget from the County to assist with this purchase as well; however, it is unknown at this time if that request will be funded. Typically, the County assist with funding two ambulances a year for the volunteers. Blairs does meet the County's criteria for funding in next year's budget if said funds are available. Funding this ambulance is a priority for the Public Safety Department.

Any assistance the RSAF can give them will be greatly appreciated.

Thank you.

Sincerely,



Christopher Slempe, NFA-EFO, IAAC-CFI  
Director



**Blairs Fire and Rescue, Inc.**  
**Balance Sheet**  
**August 31, 2021**

Assets

Current assets		
ANB - general fund	\$	56,778.65
ANB - CD (restricted) <sup>1</sup>		<u>50,093.15</u>
Total current assets		106,871.80
Property and equipment		
Vehicles and equipment	2,752,612.47	
Buildings	590,308.18	
Land	246,343.11	
Land improvements	51,917.66	
Building improvements	16,371.00	
Furniture and fixtures	1,100.00	
Accumulated depreciation	<u>(1,514,679.57)</u>	
Total property and equipment		<u>2,143,972.85</u>
Total assets	\$	<u><u>2,250,844.65</u></u>
Liabilities and net assets		
Current liabilities		
Payroll liabilities	\$	<u>1,963.32</u>
Total current liabilities		1,963.32
Long-term liabilities		
ANB - loan - 2019 pumper	245,079.06	
ANB - loan - tahoe	20,691.02	
ANB - ladder truck	<u>412,355.95</u>	
Total long-term liabilities		<u>678,126.03</u>
Total liabilities		680,089.35
Net assets		
Net assets - unrestricted	1,622,568.96	
Net assets - restricted (CD) <sup>1</sup>	50,093.15	
Net income	<u>(101,906.81)</u>	
Total net assets		<u>1,570,755.30</u>
Total liabilities & net assets	\$	<u><u>2,250,844.65</u></u>

\*No assurance is provided

\*\*Substantially all disclosures have been omitted

<sup>1</sup> Restricted for apparatus purchase or major repairs

**Blairs Fire and Rescue, Inc.**  
**Income Statement**  
**For the Eight Months Ended August 31, 2021**

Revenues	
Donations	\$ 42,997.01
EMAC	124,600.10
Grant Income	17,643.81
Miscellaneous income	1,825.00
Pitt. Co. reimbursement	110,693.98
Raffle income	<u>20,690.00</u>
Total revenues	318,449.90
Expenses	
Annual fees	400.00
Advertising	139.50
Bank fees	75.00
Building cleaning supplies	1,503.18
Depreciation expense	159,031.84
EMS supplies	9,177.66
Equipment maintenance expense	2,003.50
Equipment rental expense	483.15
Fire extinguisher expense	1,424.45
Food expense	978.60
Fundraising expense	2,166.85
Garbage/waste expense	326.84
Interest expense	16,104.23
Member recognition expense	1,282.47
Memorial flowers expense	526.50
Miscellaneous expense	745.22
Office expense	4,821.59
Payroll tax expense	5,130.37
Personal protective equipment expense	15,320.00
Postage expense	213.50
Professional fees	3,173.41
Repairs & maintenance	29,924.24
R&M - F342	3,929.65
R&M - F343	34,890.25
R&M - F346	1,000.40
R&M - R341	780.90
R&M - R343	4,092.59
R&M - R349	652.66
R&M - RF345	853.40
R&M - tahoe	752.13
R&M - ladder 34	331.79
Raffle expense	10,178.27
Safety equipment expense	14,238.34
Service charges	39.00
Small tools and equipment	7,104.43
Stew expense	42.53
Subscriptions	55.00
Training expense	2,874.84
Uniform expense	621.86
Utilities & phone	4,010.18
Wages expense	<u>64,637.50</u>
Total expenses	<u>406,037.82</u>

\*No assurance is provided

\*\*Substantially all disclosures have been omitted

1. Restricted for apparatus purchase or major repair

**Blairs Fire and Rescue, Inc.**  
**Income Statement**  
**For the Eight Months Ended August 31, 2021**

Operating income	(87,587.92)
Other income/(expenses)	
Gain/(loss) on sale of asset	(14,665.23)
Interest income	346.34
Total other income/(expenses)	(14,318.89)
Net income/(loss)	<u>\$ (101,906.81)</u>

\*No assurance is provided

\*\*Substantially all disclosures have been omitted

1. Restricted for apparatus purchase or major repair



**Blairs Fire and Rescue, Inc.**  
**Statement of Cash Receipts and Disbursements**  
**For the Eight Months Ended August 31, 2021**

Beginning cash summary	
Checking account	\$ 120,657.24
Certificate of deposit	<u>99,754.84</u>
Total cash - December 31, 2020:	220,412.08
Receipts	
County Reimbursements	110,693.98
Donations	42,997.01
EMAC	124,600.10
Grants	17,643.81
Fundraising receipts	20,690.00
Interest Income	346.34
Loan proceeds	430,000.00
Other income	1,825.00
Proceeds from sale of asset	<u>45,000.00</u>
Total receipts	793,796.24
Disbursements	
Annual fees/dues	455.00
Advertising	139.50
Bank fees	114.00
Bereavement	526.50
Building cleaning supplies	1,503.18
Equipment repairs	49,770.42
Fixed asset purchases	602,992.10
Food expense	978.60
Fundraising expense	12,387.65
Garbage and waste expense	326.84
Grounds and maintenance	29,924.24
Interest expense	16,104.23
Loan principal payments	56,540.98
Member recognition	1,282.47
Miscellaneous	745.22
Office	5,035.09
Professional expense	3,173.41
Payroll tax liability payments	5,927.83
Supplies	17,706.54
Training	2,874.84
Uniforms and protective equipment	30,180.20
Utilities and telephone	4,010.18
Wages	<u>64,637.50</u>
Total disbursements	<u>907,336.52</u>
Excess receipts/(disbursements)	<u>(113,540.28)</u>
Total cash - August 31, 2021:	<u><u>\$ 106,871.80</u></u>

\*No assurance is provided

\*\*Substantially all disclosures have been omitted

1. Restricted for apparatus purchase or major repair



**Blairs Fire and Rescue, Inc.**  
**Statement of Cash Receipts and Disbursements**  
**For the Eight Months Ended August 31, 2021**

Ending cash summary	
Checking account	\$ 56,778.65
Certificate of deposit	<u>50,093.15</u>
 Total cash - August 31, 2021:	 \$ <u><u>106,871.80</u></u>

\*No assurance is provided

\*\*Substantially all disclosures have been omitted

1. Restricted for apparatus purchase or major repair



February 4, 2022

Blairs Volunteer Fire and Rescue  
Dean Fowler, Chief  
1777 Snakepath Road  
Blairs, VA 24527

Dear Chief Fowler:

On behalf of Goodman Specialized Vehicles, LLC I am happy to provide you with the following proposal for one (1) PL Custom Classic 170" ambulance mounted on a Ford F550 4x4 chassis.

We are able to offer this unit at a price of: **\$316,321.00**

This pricing is an estimate based on your current specifications, to be used for your budget planning.

Included in this proposal is one (1) Stryker Power-Load cot retention system and one (1) Stryker Power-Pro XT cot.

Some potential price increases that could arise between now and your grant award date are:

1. Chassis model year change.
2. Raw materials price increase.
3. Component manufacturer price increases (such as Whelen, Stryker, etc.).

Thank you again for the opportunity to provide you with this quote. We look forward to having the opportunity to work with Blairs Vol. Fire and Rescue. As always, if you have any questions about the information that I have given you, feel free to contact me.

*Porter Carden*

Porter Carden  
Regional Account Manager  
Goodman Specialized Vehicles, LLC  
804-517-8411



GOODMAN SPECIALIZED VEHICLES  
17020 PATRICK HENRY HIGHWAY • PO Box 840 • AMELIA VA 23002  
PH: 804-873-2067 • TOLL FREE: 877-904-2008 • FAX: 804-561-4823  
[WWW.GOODMANSV.COM](http://WWW.GOODMANSV.COM)







## QUOTATION

Blairs Volunteer Fire and Rescue  
Dean Fowler  
1777 Snakepath Road  
Blairs, VA 24527  
434-709-3687  
deanfowler02@yahoo.com

Goodman Specialized Vehicles, LLC.  
Porter Carden  
17202 Patrick Henry Highway  
Amelia, VA 23002  
pcarden@goodmansv.com

Exp. Date: / /  
Quote No: A5792-0004  
BODY: CLSC170 Type 1 Classic, 170" 108"CA

02/04/2022		Page 1	
PART NO	S	DESCRIPTION	QTY ID
== Type 1 Classic, 170" 108"CA - 33.940 01/06/22 ==			
00-00-0100		PL Ambulance - Release 33.94 effective 01/06/22	1 PLG
00-11-7065	<	170" CLASSIC BODY, 72" Headroom, w/Drop Skirt	1 PLG
		Overall Vehicle Dimensions:	
		Length: 308"	
		Width: 99"	
		Height: 112" (+/- 2")	
		Exterior Modular Body Dimensions:	
		Length: 170"	
		Width: 97"	
		Height: 91"	
		Interior Modular Body Dimensions:	
		Length: 165"	
		Width: 90 3/4"	
		Height: 72"	
03-00-1060	< >	Chassis Type -Ford F-Series	1 PLG
		Chassis paint must be reviewed/edited when changing chassis type	
EXTERIOR			1 PLG
10-10-1100	<	Modular Body Construction	1 PLG
		SAE J3057 Compliant	
10-10-2000	<	Structural Integrity Warranty	1 PLG
		The structural integrity of the body shall be guaranteed for the life of the unit, as long as the original purchaser shall own it.	
10-10-2070		Finite Element Analysis	1 PLG
10-10-2100		Compartments, Aluminum Diamond Plate, welded	1 PLG
10-12-2020		Type I, Classic, Cab to body Walk-thru	1 PLG
10-15-4000		Body mounting, Type I, rubber donuts, L-Duty	1 PLG
10-20-3300		Lowered Body Skirts, with Intermediate Step	1 PLG
EXTERIOR DOORS, AMBULANCE			
11-10-1060	<	Trimark 1875 Paddle Handle Power Locking, Entrance. Doors Qty(3)	1 PLG
		The door system shall include emergency override latch levers in upper and lower locations of each entrance door. Levers are visible with red coating and intended for emergency use in the event of a non-functioning handle.	
11-10-3850	>	Sliding Side Entrance Door -(Classic & Titan)	1 PLG
11-10-3920	<	* Attention: Please see shop note below for Grab Rail selection, w/Sliding Door	1 PLG
		To ease entrance into the side door, please select either of the following 18"	



02/04/2022

PART NO	S	DESCRIPTION	QTY	ID
grab-rails.				
25-10-3420 - (use with "traditional" style squadbench).				
25-10-3570 - (use with "Medic-In-Mind style squad seating).				
(both are add/browse options)				
11-10-4060	<	Trimark 1875 Paddle Handle Power Locking, Std Compt Doors (6) Tied to OEM Power Door Lock Switch	1	PLG
11-20-1800	>	Gas Spring Pneumatic Door Checks -Classic & Titan	1	PLG
11-20-2020		Compartment "A" Door to Check Past 90 Degrees	1	PLG
11-20-2030		Compartment "C" Door to Check Past 90 Degrees	1	PLG
11-20-2050		Compartment "E" Door to Check Past 90 Degrees	1	PLG
11-20-3000		Compartment "D" Door to Check Past 90 Degrees	1	PLG
11-20-5000	<	Cast Products Grabber Rear Doors Hold Open, Top Mount, Polished Aluminum	1	PLG
<b>COMPARTMENT LAYOUT</b>				
Exterior compartment dimensions reflect wall to wall measurements.				
12-10-2035		"A" Left Front - 20w x 86h x 21d -(w/Oxygen window)	1	PLG
12-15-100B		"B" Left Side 1/2 High -43w x 42h x 20d	1	PLG
12-20-1220	>	"C" Left Rear, 3/4 High, Upper In-Out -26w x 59h x 20d	1	PLG
12-25-100A		"D" Right Front, In-Out Access -20w x 55h x 33d above floor -20d below floor	1	PLG
12-30-150B		"E" Right Rear, with In/out to Center Aisle -24w x 83h x 21d	1	PLG
<b>COMPARTMENT DOOR PANELS, MATS, DECKING</b>				
13-20-1000		Compartment Door Panels, Alum, Diamond Plate	1	PLG
13-30-1P10		Polycoated Compt & Entrance Door Sills, Compt Floors, Area Behind Rub Rails, Black	1	PLG
13-30-2000		Vent Compartments to Exterior of Vehicle	1	PLG
13-40-1000		Dri-Dek, Floors of Compartment, Black	1	PLG
13-40-2500		Rubber Mat, Shelves, Exterior Compartment	1	PLG
13-40-2800		Turtle Tile Non-skid Stepwell Mat (removable)	1	PLG
<b>COMPARTMENT CONFIGURATIONS AND EQUIPMENT</b>				
13-41-0100		Oxygen Bracket located in Compartment A	1	PLG
13-42-0250		(1) Adjustable Shelf, for compartment "B"	1	PLG
13-43-0300		(2) Adjustable Shelves, for compartment C	1	PLG
13-47-0450	<	Full Height Divider w/(2) Adjustable Shelves, Compartment "E" Long Equipment Storage Compartment "E" Divider to be 12" off front wall w/10" shelves.	1	PLG
13-55-2000	<	(3) Glove box storage boxed into compt. "C" Single depth (3) Glove box storage boxed into compt. "C"	1	PLG
13-60-V019	X <	Refrigerator, AC/DC, free-standing, Norcold 1.7 cu. ft. Norcold NR740 1.7 cu.ft. AC/DC free-standing refrigerator unit to be installed. No enclosure to be made.  Will operate on AC when plugged into shoreline.  Location: To be installed in the "B" compartment, forward of the divider	1	
13-70-0200		Bulbous mounts for (2) backboards Compt. "E"	1	PLG
13-70-0700		Hanger for Ferno EXL or #65 Scoop Compartment "E"	1	PLG
<b>REAR STEP BUMPER</b>				
14-10-2700		Lift-up Rear Step, Recessed, -Lic. plate left body	1	PLG
14-20-1000		Rear Dock Bumpers, Bolted to Bumper Ends	1	PLG
<b>ALUMINUM DIAMOND PLATE ACCESSORIES</b>				
15-10-1000		Front Corner Stone Guards, Polished Diamond Plate	1	PLG
15-15-1000		Front Body Stone Guard, Polished Diamond Plate	1	PLG
15-20-1050	>	Rub-Rails, C-Channel, Offset, Bright-Finish	1	PLG

Page 2



02/04/2022		Page 3		
PART NO	S	DESCRIPTION	QTY	ID
15-30-2000		Running Boards, Flare type, Non-Slip Diamond Plate (F450/F550 2-Door)	1	PLG
15-52-0100		Rear Diamond Plate Panel & Corner Guards	1	PLG
EXTERIOR TRIM				
16-10-1000		Fenderettes, Rolled, Polished Stainless Steel	1	PLG
16-30-1500		License Plate Holder w/LED Lt, Cast Prod Polish, Lt Side Body	1	PLG
16-35-1010		Fuel Fill Housing, Cast products, Polished (F-Series)	1	PLG
16-36-1010		DEF Fill Housing, Cast products, Polished (F-Series)	1	PLG
EXTERIOR, MISCELLANEOUS				
17-50-1000		Undercoat Body - AudioGuard	1	PLG
BODY WINDOWS				
18-10-1000	<	Window, Side Door (18"W x 22"H), Sliding, 31% Tint Transportation Products Inc. Window.	1	PLG
18-20-2000	<	Windows, Rear Doors, (15"W x 22"H), Fixed 31% tint Transportation Products Inc. Windows.	1	PLG
18-50-1000		Privacy Tint, Mylar, Side and Rear Doors	1	PLG
INTERIOR CONSTRUCTION				
20-00-1000		Interior Construction Type - Standard Cabinets	1	PLG
INSULATION				
20-10-1200		Super Insulation Package, additional Radiant Barrier to Interior Body	1	PLG
20-10-2000		Sound Deadened Insulation, Entrance Doors	1	PLG
20-10-3000		Sound Deadened, Compartment Doors	1	PLG
20-10-5000		Sub-Floor, Expanded PVC Polymer	1	PLG
FRONT BULKHEAD				
21-10-3020	<	Type I, Classic, Walk-Thru opening (No Door) Walk-Thru Opening option only. No Walk-thru door installed	1	PLG
21-30-1000		Climate Control Unit Over Cab to Body Passage	1	PLG
21-40-1500	<	Electrical Power Distribution Cabinet, Access Panels, Black Polycoat Black polycoat cover with an access panel with flush locking trigger latches	1	PLG
RIGHT FRONT CABINET				
21-45-1015	<	Right front, upper storage w/Life Defender lift-up restocking door, 1 shelf Includes Austin Life Defender Lift Up Restocking Door.	1	PLG
21-50-1000		Right front Lower, inside/outside storage	1	PLG
21-50-2000	<	Right front Lower, (2) adjustable shelves Shelves to be lined with ribbed rubber mat.	1	PLG
21-60-1000		Right front cabinet Lower, 1/2" acrylic doors	1	PLG
RIGHT SIDE BENCH LAYOUT				
22-00-1000		Squad Bench, Right side	1	PLG
22-21-0100		Backrest, Indiv., 2-pc. Upper & Lower, used w/ 6-pt seat belt	1	PLG
22-24-0420	>	Armrest, No vinyl pouch - Recessed storage, below - (for Sliding Door)	1	PLG
22-30-2000		Squad bench lid, Positive hold down device	1	PLG
22-35-3010		Drop in sharps/trash at head of squad bench	1	PLG
22-45-0500	< >	Overhead cabinet 9 1/4" OAH-Life Defender sliding doors For KKK Rev. F, compliance - Compliance based on 72" headroom with standard seating height only. Lift-up restocking not available. Glove box storage not available. Shelf not available.	1	PLG



02/04/2022

Page 4

PART NO	S	DESCRIPTION	QTY	ID
<b>LEFT SIDE MIDDLE (Base Cabinet)</b>			<b>1</b>	<b>PLG</b>
23-10-1000		Left side attendant seat-(CPR Seat)	1	PLG
23-10-3060	>	Backrest, Individ., 2-pc. Upper & Lower, used w/ 6-pt seat belt	1	PLG
23-10-5000		Seat cushion, fixed- (Single CPR Seat)	1	PLG
<b>LIFE SUPPORT STATION</b>			<b>1</b>	<b>PLG</b>
23-30-2000		Switch pod, above counter, vinyl covered	1	PLG
23-30-2010		Rear Main Switch Panel Located in Life Support Station Switch Pod	1	PLG
23-30-2300	< >	Cut (1) Hole for Customer/Dealer supplied Radio, in Life Support Station Specify Radio Model This radio cut-out, will be on the right, lowermost area of the LSS	1	PLG
23-31-1500		Cabinet head of switch pod, hinged door, 1 shelf	1	PLG
23-32-1030	< >	(Reduced Hgt)Uppr cab.-squad off, w/Life Defender lift-up,restock door, 1 shelf The Interior Height of this cabinet will approximately be 14-1/2" High Pass thru opening approx. 11-1/2".	1	PLG
23-34-1500	>	Solid Surface counter, 1" lip, Left front, Color: Steel Gray Tempest 9194TM	1	PLG
23-34-2200		SSCOR Suction recessed below L/S/S counter (ILO above counter wall mount)	1	PLG
23-36-7000	< >	Pull-out writing surface/storage drawer, L/S/S Not Available with in/out to Compt. "B"	1	PLG
<b>LEFT REAR STORAGE CABINET</b>			<b>1</b>	<b>PLG</b>
23-40-1010	<	Left rear full cabinet, upper, Life Defender lift-up restocking door, 1 shelf Includes Austin Life Defender Lift Up Restocking Door.	1	PLG
23-40-3200	< >	Left rear half cabinet, middle hinged doors (2) in/out access 3/4 high, upper in/out to compartment "C".	1	PLG
23-42-1500	>	Solid Surface counter, 1" lip, Left rear, Color: Steel Gray Tempest 9194TM	1	PLG
23-42-2600	<	ALS Two (2) Drawer Storage Unit, Left Rear Below Counter All drawers utilize Locking Southco Polished Stainless Steel latches.	1	PLG
23-42-5000		Recessed (3) Glove box storage cabinet below counter	1	PLG
<b>RIGHT REAR CABINET</b>			<b>1</b>	<b>PLG</b>
23-70-0850	<	Right Rear In/out to Compartment "E", Facing Center Aisle In / Out: Dimensions: 8" wide 40 1/2" high - (with 72" & 75" Headroom) Dimensions: 8" wide 36 1/2" high - (with 68" Headroom) With Hinged Acrylic Door	1	PLG
<b>INTERIOR CABINET DOORS</b>			<b>1</b>	<b>PLG</b>
24-10-3M00		Cabinet doors, Polycarbonate/Acrylic, Tinted	1	PLG
24-15-1000	<	Handles, full length, sliding doors SAE J3058 Compliant	1	PLG
24-20-1000		Positive closure devices hinged doors	1	PLG
24-25-1000		Unistrut, interior cabinet shelves, "Mini"	1	PLG
<b>ENTRANCE DOORS</b>			<b>1</b>	<b>PLG</b>
24-30-2000		Ent. Door panels, 3 section	1	PLG
<b>ABOVE DOOR HEAD BUMPERS</b>			<b>1</b>	<b>PLG</b>
24-35-0100		Side Door Head Bumper	1	PLG
24-35-0500		Rear Door Head Bumper	1	PLG
<b>GRAB RAILS</b>			<b>1</b>	<b>PLG</b>



PART NO	S	DESCRIPTION	QTY	ID
25-10-1300		Safety Yellow Grab Rail, 72" length, over squad bench	1	PLG
25-10-1700		Safety Yellow Grab Rail, 72" length, over cot	1	PLG
25-10-3800		Safety Yellow Grab rail, 18", at rear entrance doors, (2)	1	PLG
25-11-2200		> Grab rail, 45 deg, Safety Yellow, rear entrance doors, (2)	1	PLG
25-49-S041	X <	Grab Rail, 16, Safety Yellow Location:Side Entrance Door .Rgt Frnt CabineT	1	
<b>SEAT BELTS</b>			1	PLG
25-50-2000		Seat belt, attendant seat, Qty (1)	1	PLG
25-51-1100	< >	Patient restraint strap, squad bench, Qty (3), for use with six point seat belts Feasibility of this option is based on seat positions and options in squad bench face. Patient restraint straps are not provided on bench with length shorter than 72".	1	PLG
25-51-2020	<	(2) Six point Seat Belt Harnesses - Curbside Seating Qty: (2) Loc: (2) Curbside Seating	1	PLG
25-51-2030	<	(1) Six point Seat Belt Harness - Street Side Seat Qty: (1) Loc: Streetside Seating	1	PLG
<b>COT MOUNT and COT MODEL</b>			1	PLG
26-35-1000	<	Power Load Fastening System w/Floor Plate, NO Mini Rail (SAE Compliant) Stryker Power Load All components provided by PL Custom. PL Custom will supply and install a Stryker Power Load Cot Fastening System w/inductive charging, and Floor Plate. Does not include Mini Rail or Mass Casualty Floor Plate for Mini Rail. Does not include cutout in the floor for the installation of a Mini Rail Plate. Requires 15 amp Battery Charging circuit. The Power Load charging circuit will be wired 12V hot unless otherwise specified.	1	PLG
<b>I.V. HOLDER</b>			1	PLG
26-50-1M10		Rubber I.V. holder, dual, recessed, over cot	1	PLG
26-50-2100		Rubber I.V. holder, dual, recessed, over squad bench	1	PLG
<b>INTERIOR COLORS</b>			1	PLG
27-10-1000		Ceiling, white Thermoplastic	1	PLG
27-10-1510		Upper Laminate - High Gloss Fashion Grey D381-01	1	PLG
27-10-4210		Lower Laminate - High Gloss Fashion Grey D381-01	1	PLG
<b>INTERIOR UPHOLSTERY</b>			1	PLG
27-20-5000		Upholstery, Flat-Seamless	1	PLG
27-20-6050		Upholstery Color: Canyon Red	1	PLG
<b>ATTENDANT SEAT</b>			1	PLG
27-36-3130		Canyon Red, Attn Seat, EVS 18703,w/Child Seat,3 Pt. Harness,ABS Back,Swivel,Sewn	1	PLG
27-37-0130		** Confirm Seat color** -CANYON RED is the vehicle upholstery color	1	PLG
<b>FLOORING</b>			1	PLG
27-53-2000		Lonplate II, diamond plate, Gun Metal (#424)	1	PLG
27-55-2000		Flooring rolled up side walls 3"	1	PLG
<b>CAB CONSOLE</b>			1	PLG



PART NO	S	DESCRIPTION	QTY	ID
27-72-1010	<	Type I, Floor Mnt, switches, siren/radio - (2017+ F-Series) NOTE: (2) Cup holders are NOT included in the console. The cupholders are part of the map-box (See PDF)	1	PLG
27-75-0140	< >	Cut (1) Hole for Customer/Dealer suppld Radio, in Radio/Siren Console Specify Radio Model _____	1	PLG
27-75-2050	< >	Map Box, Type I, Behind Cab Console, (2) pockets - (2017+ F-Series) includes (1) lexan divider  See PDF	1	PLG
27-90-S000	X <	Install Customer Supplied MDT Mount Allowances.	1	
<b>MISCELLANEOUS INTERIOR</b>			1	PLG
28-50-1000		Fasten Seat Belt/No Smoking Sign	1	PLG
<b>OXYGEN AND SUCTION</b>			1	PLG
30-10-1000		Oxygen Outlet, Amico, dual, Life Support Station Switch Pod	1	PLG
30-10-2000		Oxy Outlet, Amico, single, right side- In Overhead Cabinet	1	PLG
30-10-4500	>	Oxygen Outlet, Amico, single, ceiling raceway, front (additional)	1	PLG
30-20-1000		Oxygen Solenoid, Amico, w/ manual override & switch	1	PLG
30-30-1000		Suction pump, electric, Sscor, Switch in Rear Main Switch Panel	1	PLG
30-30-2400		Collection Bottle, SSCOR Disp.w/ canister clip, White Regulator (KKK Compliant)	1	PLG
30-50-3005	< >	O2 Carrier, ZICO, Quick-Release Oxygen Tank Lift System With ZICO hand-held switch mounted in compartment. ZICO tank lift comes with hydraulic ram that can be "back driven." This prevents the ram from being damaged if it is extended, and the air ride is lowered	1	PLG
30-50-3850	<	***Attention: Please Specify Tank Letter Size used within this shop note Oxygen Tank Size is: M  (example; M tank steel, M tank aluminum, H tank steel)  This will allow the factory to preset the mounts for your customer.	1	PLG
30-60-4000		Regulator, Oxygen, Large Tank, (PLC-9662)	1	PLG
30-80-1100	<	Wrench, Oxy Cylinder -(for EZE Loader) Oxygen wrench to be attached to compartment door	1	PLG
<b>ELECTRICAL</b>			1	PLG
40-00-0500	<	Electrical System Warranty The Electrical System shall be warranted for the life of the unit, as long as the original purchaser shall own it.	1	PLG
40-00-1200		Electrical 12 VDC, Classic-Series	1	PLG
40-00-1900		Electrical 12 VDC Specifications	1	PLG
<b>CAB ELECTRICAL</b>			1	PLG
41-10-0100		Alternator, Dual with 355 amp combined output, OEM Ford F-Series	1	PLG
41-20-0800		Batteries, Dual Ford OEM, 1500CCA -(under hood)	1	PLG
41-30-3750		Module Activation, Ignition Switch	1	PLG
41-50-1000		Cab Under hood & Fender Electrical Connectors - Deutsch Type	1	PLG
<b>SWITCH PANEL</b>			1	PLG
42-10-1000		Voltmeter, Analog, 8 to 18 volt, lighted	1	PLG
42-10-2400		Low Voltage Alarm & Indicator	1	PLG
42-15-2500	>	Rocker Switches, Carling Contura V	1	PLG
42-20-0500		Battery On indicator light	1	PLG
42-20-1000		Warning Indicator, Door open, Red	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
42-20-2000		Warning Indicator, Compt open, Amber	1	PLG
42-20-3000		Warning Indicator, Audible alarm, Door/Compt	1	PLG
42-20-4200		Warning Ind/Audible, Parking Brake, Dual-Mode Alarm	1	PLG
42-21-0900		** Gooseneck Light Not Included with Vehicle **	1	PLG
42-25-6000	<	High Idle Activation, Ford OEM - F-Series Activated by front console switch, requires park brake to be applied	1	PLG
42-30-1000		Back-up alarm, w/resetting cancel switch	1	PLG
42-45-2200	< >	Load Manager/Sequencer, PL Custom/Kussmaul (full time) RESPONSE AND SCENE AMPS CANNOT EXCEED 230 AMP  FULL TIME Load Management of Emergency Lights	1	PLG
42-60-2400		Air Horn, (2) Buell 1062, bumper valance mount, 1/4 hp compressor	1	PLG
42-60-5000	<	Air Horn activation, Carling Momentary in Front Switch Panel Switch will have white rocker for easy identification.  Requires PL provided air horn system or 42-60-2800 PL Activation of chassis supplied air horns.	1	PLG
42-65-1300		Pwr Lock Switch, Entrance, OEM Door switch- (if applicable)	1	PLG
42-65-1310		Door Lock Interface Module for F-Series	1	PLG
42-65-1500	< >	Remote Keyless Entry w/Chassis Power Door Lock Control OEM door switches control cab & body doors.	1	PLG
42-65-2200	< >	Pwr Door Lock Concealed Override Switch, Grille-(KKK) Located in front grille area. This switch location is KKK compliant	1	PLG
EMERGENCY WARNING EQUIPMENT			1	PLG
43-01-1000	<	Install Customer Supplied 3M Opticom, surface mount Provide circuitry and install customer supplied equipment. Location: Front of body  The Opticom is to be tied into the sequencer and NOT the load manager. It will have its own switch in the front console and is to deactivate when not in a drive gear.  The Opticom will be surface mounted, not recessed.	1	PLG
SIREN			1	PLG
43-20-4G50	>	Siren, Whelen 295SLSA1, w/diag.	1	PLG
43-20-5000		Siren-Horn Switch	1	PLG
SIREN SPEAKERS			1	PLG
43-31-4300		Thru Bumper Speakers, CPI SAD/P 3800 Series, (2) F-Series, 2020-on	1	PLG
FRONT LIGHT BAR			1	PLG
43-40-0500		-No front Lightbar required-	1	PLG
REAR LIGHT BAR			1	PLG
43-50-1000		-No rear Lightbar required-	1	PLG
43-50-8000	< >	Whelen Traffic Advisor, Low Profile TAL85 (8) LED (46") Rear Body Lights to be 700 Series w/No Rear Light Bar	1	PLG
CAB MOUNTED LIGHTS			1	PLG
43-68-A200	>	Whelen Independent CAB Flashing Lights, CLEAR Lens package	1	PLG
43-68-A210		** (4) Whelen 500/TIR6/WION Grille Lights Package	1	PLG
43-71-1300		(2) Upper Whelen WION LED Grille Light-(2)Red, CLEAR LENS, Chrome Flange	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
43-71-1623	<	*** Flange included with WION Light *** No Grille Flange Provided	1	PLG
43-71-3610		(2) Lower Whelen ION LED Grille Light-(2)Red, CLEAR LENS, Chrome Flange	1	PLG
43-71-3627	<	*** Flange included with WION Light *** No Grille Flange Provided	1	PLG
43-71-432C		(2) Whelen M7 Sup-LED, Red -Fender	1	PLG
43-71-7501	<	*** Flange included with WION Light *** No Fender Flange Provided	1	PLG
43-72-0000		* Please Verify Correct Grille/Fender Light Housing For Appropriate Light Size * BODY LIGHTING -(Full Catalog PDF here)>	1	PLG
43-A2-0050		* FRONT BODY LIGHTING -w/NO LIGHTBAR (PDF>)	1	PLG
43-A2-0200	<	** (7) Front Upper Lights The (4) lights, outboard of the Center light position, shall operate from (1) console switch.	1	PLG
43-A4-2440		*** M9 -Whelen Independent Front & Side Body Flashing Lights, CLEAR Lens package	1	PLG
43-A5-0030	< >	Independent - Flash - No Vehicle Flasher All lightheades are flashed randomly using internal flashing program, without light to light synchronization.	1	PLG
43-A5-0060	<	Program Flashing Lights to "Action Scan" Whelen flash pattern Lighthead will scroll through all available patterns and repeat	1	PLG
	>	<b>FRONT BODY WARNING LIGHTS</b>	1	PLG
43-A7-1100	<	All Whelen M9 Flanges, Chrome -(M9FC) M9 vehicle lights shall be equipped with a Whelen M9FC Chrome flange	1	PLG
43-B0-A100		M9-Whelen, Sup-LED, Red, Front - (Loc: F1)	1	PLG
43-B0-A900		M9-Whelen, Sup-LED, Red, Front - (Loc: F2)	1	PLG
43-B0-B250		M9-Whelen, Sup-LED, Red, Front - (Loc: F3)	1	PLG
43-B0-B500		M9-Whelen, Sup-LED, White, Front - (Loc: F4)	1	PLG
43-B0-C600		M9-Whelen, Sup-LED, Red, Front - (Loc: F5)	1	PLG
43-B0-C850		M9-Whelen, Sup-LED, Red, Front - (Loc: F6)	1	PLG
43-B0-D200		M9-Whelen, Sup-LED, Red, Front - (Loc: F7) M9 -Whelen Primary Side Light package-(Clear Lens) (PDF>)	1	PLG
43-F0-C100		M9-Whelen, Sup-LED, Red, Left Side - (Loc: LS1)	1	PLG
43-F0-D100		M9-Whelen, Sup-LED, Red, Left Side - (Loc: LS4)	1	PLG
43-F4-C100		M9-Whelen, Sup-LED, Red, Right Side - (Loc: RS1)	1	PLG
43-F4-D100		M9-Whelen, Sup-LED, Red, Right Side - (Loc: RS4)	1	PLG
		<b>REAR BODY WARNING (Flashing) LIGHTS</b>	1	PLG
43-H1-0500		**M9 -Whelen Independent, Rear Body Flashing Lights - CLEAR Lens	1	PLG
		<b>M9 -REAR LIGHT LAYOUT -(w/Traffic Advisor)-No Lightbar (PDF&gt;)</b>	1	PLG
43-L4-C120		(3) Rear Upper Lights & Traffic Advisor & (2) Window Level Lights	1	PLG
43-S1-0100		M9-Whelen, Sup-LED, Red, Rear - (Loc: R1)	1	PLG
43-S1-1150		M7-Whelen, Sup-LED, Amber, Rear - (Loc: R4B)	1	PLG
43-S1-1850		M9-Whelen, Sup-LED, Red, Rear - (Loc: R7)	1	PLG
		<b>M9 -Rear Lights at Window Level</b>	1	PLG
43-S1-C350		M9-Whelen Sup-LED, Red, Rear - (Loc: R10B)	1	PLG
43-S1-D100		M9-Whelen Sup-LED, Red, Rear - (Loc: R11B)	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
<b>SECONDARY (miscellaneous) BODY MOUNTED WARNING LIGHTS</b>			<b>1</b>	<b>PLG</b>
43-T5-1930		M7 -Whelen, Red, Super LED, w/Flange, (2) Over Rear Wheel, CLEAR LENS	1	PLG
43-T5-3400	<	Whelen LED Strip Lights (6) Red - In "C" Channel Rub-Rails - (See Photo)	1	PLG
		Three on each side, Red with Red Lens		
		Whelen PSR00FRR		
<b>REAR NON-EMERGENCY LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-10-1000	< >	Stop/Tail and Turn Signal -Light heads with color lenses	1	PLG
		Exterior vehicle Rear Stop/Tail & Turn light heads will have Color Lenses.		
44-26-0100		Stop/Tail, (2) M6 -Whelen Super LED -(color Lens) w/Flange	1	PLG
44-26-0300		Back-up, (2) M6 - Whelen Super LED w/Flange	1	PLG
44-26-0500		Directional, (2) Whelen M6 Super LED -(color Lens) Populated Arrow	1	PLG
44-27-1000		Exterior lights, vertical stack I/L/O standard layout	1	PLG
<b>AUXILIARY NON-EMERGENCY LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-30-1000	>	HD Mini Oval Marker/Clearance Lts, LED Front, Rear, (2) Sides	1	PLG
44-30-3000	>	Lower Side Marker, Flash w/Directionals, (2) ea side	1	PLG
<b>FLOOD LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-50-22B0		(2) M9 - Whelen, Super LED Scenelight, (2) , Left side-(Loc:LS2, LS3)	1	PLG
44-50-24B0		(2) M9 - Whelen, Super LED Scenelight, (2) , Right side-(Loc:RS2, RS3)	1	PLG
<b>REAR FLOOD LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-52-0300		(2) M6 -Whelen Sup-LED- Scene Lights, w/15 degree Bezel, Rear (Loc: R12B, R13B)	1	PLG
44-60-1000		Right Side Scene Lights on with Side Door & Switch in Console	1	PLG
44-60-2000		Left Side Scene Lights w/On-Off Switch Console	1	PLG
44-60-3000		Rear Scene Lights on w/Rear Door Open/Reverse	1	PLG
44-60-4000	<	Rear Scene Lights, On-Off Switch in Console	1	PLG
		Rear floods switch shall also activate reverse lights.		
44-60-5000		Right Side Scene Light Cancel Switch	1	PLG
44-60-6000		Rear Door Scene Light Cancel Switch	1	PLG
44-60-7000		Left/Right & Rear Flood Lights, On In Reverse	1	PLG
<b>CLIMATE CONTROL</b>			<b>1</b>	<b>PLG</b>
45-10-1000		Ventilation, Flow-Thru, (2) Speed, Cast Products Rear Cowl	1	PLG
45-20-3550	< >	Model 109 Auxiliary Air Conditioning Condenser 12V, Front body -(MED/CLSC)	1	PLG
		For use with 12V, Heat A/C unit.		
45-30-1Q00	<	Ducted Heater/Air Cond, Digital Thermostat -F-Series	1	PLG
		System ties into Ford OEM A/C Compressor.		
		Includes Intermotive Module B-CVC502-A which allows the rear A/C to operate independent of cab A/C.		
		For best performance it is recommended to run front A/C when rear A/C is active.		
45-35-1100		Auxiliary Coolant Pump Climate Control System	1	PLG
45-38-1050		109 Condenser Front Body Mounted on Standard PL Tray Bracket ( no lights)	1	PLG
45-39-1010		** Front Body Condenser to be Painted to Match Body Color	1	PLG
<b>CEILING CONFIGURATION</b>			<b>1</b>	<b>PLG</b>
45-99-0100		Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers	1	PLG
<b>INTERIOR LIGHTS</b>			<b>1</b>	<b>PLG</b>



02/04/2022

Page 10

PART NO	S	DESCRIPTION	QTY	ID
46-10-1L00		(6) Dome Lights, Whelen Multi-LED, Hi-Lo, Qty (#80C0EHCR)	1	PLG
46-10-2000		Dome Lights Switched to LOW Mode w/Door Open	1	PLG
<b>EXTERIOR COMPARTMENT LIGHTS</b>			1	PLG
46-20-1075	<	Lghts, Ext. Compartments, TecNiq LED E44 Strip Lights (Vertical Linear Lights)	1	PLG
46-20-1350		Oxygen Compartment Light Switch, Located in Rear Main Switch Panel	1	PLG
<b>AUXILIARY INTERIOR LIGHTING</b>			1	PLG
46-20-2000		Heavy Duty LED panel Light, (Life Support Station Area)	1	PLG
46-20-2550		Panel Light (Life Support Station) Switch, Located in Rear Main Switch Panel	1	PLG
46-30-1100		Stepwell Light, LED, Located at Side Entrance Door	1	PLG
46-40-1P00		TecNiq E30, 42 LED Rectangular Ceiling Lights Qty (4)	1	PLG
46-40-3M00	<	Windup "checkout" Timer, Side Door, Shoreline only 60 minute windup timer at side door, active with shoreline only	1	PLG
46-40-4000		Rectangular Lights on "Checkout" Timer Circuit	1	PLG
46-50-1000		Dome Light Switch, (1) Left, (1) Right	1	PLG
<b>MEDICAL OUTLETS</b>			1	PLG
47-20-1000		12 volt Medical Outlet, Power Point, Loc: LSS Wall	1	PLG
47-20-2000		12 volt Medical Outlet, Power Point, Loc: Right Front In/out	1	PLG
47-20-2600		Delete 12 volt Medical Outlet, Power Point, Loc: Left Rear	1	PLG
<b>ANTENNA/COMMUNICATION RADIO</b>			1	PLG
47-60-0300	<	(3) Antenna Leads, Body Roof - (See PDF) Unless otherwise specified, lead will route to: (1) Front console (1) LSS (1) Behind Driver's Seat	1	PLG
47-60-6200	< >	Radio Power Lead, Rear Main Switch Panel Includes: (1) Red 10 gauge marked radio 12 volt Hot, 30 amp, (1) Black 10 gauge marked radio ground, (1) Orange 12 gauge marked 12 volt switched, 20 amp.	1	PLG
47-60-6500	< >	Radio Power Lead 30 Amp, 10 ga. Cab Console Includes: (1) 12 volt Hot wire with 30 amp circuit protection, (1) 12 volt switched wire with 20 amp circuit protection.	1	PLG
47-60-7000	< >	Radio Power Lead w/40 Amp Fuse, 8 ga. Behind driver seat Includes: (1) 12 volt Hot wire w/fuse holder & 40 amp fuse, (1) 12 volt switched wire w/fuse holder and 40 amp fuse.	1	PLG
<b>MISCELLANEOUS 12 VOLT ELECTRICAL</b>			1	PLG
48-15-V044	X <	Hanscom K One (1) Camera Backup System HK-7211 Backup camera system, with 7" monitor.  To be mounted on windshield, with rear view mirror removed.	1	
48-20-2000	>	Speakers, Stereo Volume Control Rear Sw Panel	1	PLG
48-40-2250	< >	Stream Lite, Vulcan, Halogen, Orange Qty: (2)  Location: Compartment B	2	PLG
48-50-3050	<	Intellitec, Clock over rear doors i/o LSS Location: Above rear entry doors, centered under raceway.	1	PLG
48-60-3690		Liquid Spring Control Left Rear Door Open w/ NO Override switch	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
<b>ELECTRICAL 115 VOLT AC</b>			<b>1</b>	<b>PLG</b>
51-20-5000		Shoreline, Super Auto-Eject 20 amp, Left Side, Above Compt. "B", WHITE	1	PLG
51-30-1500	<	Shoreline/ Battery Charging Dual Indicator Lights	1	PLG
		Shoreline - Amber Indicator		
		Battery Charger - Green Indicator		
51-32-2000		Power Distr Box, 115v, w/20 amp Circuit Bkr	1	PLG
52-10-1400	>	Hospital Grade 115V Outlet with (2) USB Ports, Location: L/S/S Wall	1	PLG
52-10-2000	< >	Hospital Grade Lighted Outlet, Location: Left Rear	1	PLG
		Outlet mounted 14" above the rear counter		
52-10-3000		Hospital Grade Lighted Outlet, Location: Right Front In/out	1	PLG
52-10-5500	< >	Hospital Grade Lighted Outlet, Exterior Compt., Location:	1	PLG
		Qty: (1)		
		Loc: Compartment B		
<b>BATTERY CHARGER / INVERTER CHARGER</b>			<b>1</b>	<b>PLG</b>
55-10-1225	< >	Inverter/ Charger, Vanner LSC12-1100 Pure Sine Inverter/ 55A Battery Charger	1	PLG
		Deletes standard battery charger		
		Deletes GFCI receptacle at LSS (GFCI is integral to inverter)		
		Includes activation switch in rear switch panel (Standard Electric)) or Button on rear Vista Screen (VMUX Electric)		
<b>PAINT LUSTRE</b>			<b>1</b>	<b>PLG</b>
60-00-0005		Ten Year Paint Warranty (Paint Lustre)	1	PLG
60-00-0007		Paint Adhesion Testing	1	PLG
<b>BODY AND CAB PRIMARY PAINT</b>			<b>1</b>	<b>PLG</b>
60-10-0210		*Body and Cab Same Single Color	1	PLG
60-10-1800	<	**Modular Body Paint Color Other Than Unit Standard White	1	PLG
		Provide Paint Code _____		
60-10-1995	< >	Paint Rear Body Primary Color Only (for Chevron Application)	1	PLG
		Note: With "Chevron" striping selected, the rear of the vehicle will be painted, the solid single, primary color. -(for Chevron application)-		
60-13-0900	<	Modular Body Paint Color Red	1	PLG
		Provide Paint Code _____		
60-15-100B	<	Re-Paint Cab, Single Color, w/ Door Jambs (Classic 2 door)	1	PLG
		Provide Paint Code _____		
60-15-1505		Cab Paint Color Same as Body	1	PLG
60-20-1010		** Front Body Condenser to be Painted to Match Body Color	1	PLG
<b>ADDITIONAL VEHICLE PAINT, SECONDARY</b>			<b>1</b>	<b>PLG</b>
61-05-0008		No Additional Paint Required	1	PLG
61-80-2210		Polycoated Compt & Entr Door Sills, Compt Floors, Area Behind Rub Rails (*Note*)	1	PLG
<b>LETTERING</b>			<b>1</b>	<b>PLG</b>
65-15-2000	S	Imitation Gold Leaf Lettering	1	PLG
<b>REFLECTIVE VINYL BELTLINE STRIPING</b>			<b>1</b>	<b>PLG</b>
65-39-0300		6" Vinyl Beltline Stripe	1	PLG
65-40-1080		Vinyl Main Stripe Color, Gold -(reflective)	1	PLG
65-40-2020		Vinyl Beltline Stripe to have Z on Body	1	PLG
65-40-3200	S < >	Vinyl Beltline Location Other	1	PLG
		Location: Lower Cab Door		



PART NO	S	DESCRIPTION	QTY	ID
<b>REFLECTIVE VINYL STRIPING MISC.</b>			<b>1</b>	<b>PLG</b>
65-50-0050	S	< > Reflective Tape Stripe 1/2" Location: Each side of 6" beltline stripe. Qty (2)  Color: Gold, reflective.	2	PLG
65-50-4020		< > Reflective White Tape Stripe, 3/4" Outline, on interior of Entrance Doors Reflective White 3/4" Outline  This provides the 60 sq.inch required for both general safety and KKK.	1	PLG
<b>REFLECTIVE CHEVRONS</b>			<b>1</b>	<b>PLG</b>
65-65-0320		< > Reflexite 6" Chevron Rear Body +Upper CTR panel, no doors. Red & Fluor Lime The two colors are V-98 for red and fluor green. Note: **does not include any curved surfaces, such as the coves, or door trim	1	PLG
<b>TECHNICAL RADIO INSTALLATION</b>			<b>1</b>	<b>PLG</b>
70-10-0500		No Technical Radio Installation	1	PLG
<b>CHASSIS EQUIPMENT</b>			<b>1</b>	<b>PLG</b>
75-10-1110		Stainless Steel Wheel Inserts, DELETE	1	PLG
75-30-1100	<	Liquid Spring Suspension System (F550) Liq Spring for F550 with 18,000 GVW - DS147FS3	1	PLG
75-45-3550	>	Reserve Air Tank 5 Gallon	1	PLG
75-55-1200	<	Mirrors, Ford OEM F-Series Trailer Tow w/Power-Heated Glass Include Integrated clearance lights and turn signals.	1	PLG
75-60-1000		Mud Flaps, Rear, Light Duty Chassis	1	PLG
75-95-2500		Ford Series Front End-Caster Camber Align	1	PLG
79-90-S001	X <	Grill Guard, Full Width, Go Industries, Stainless Finish Ref: 79-90-V013	1	
<b>EQUIPMENT</b>			<b>1</b>	<b>PLG</b>
80-35-2K30	<	Fire Extinguisher, ABC, 5lb, Qty:(2) w/Amerex #861 H Bracket (SAEJ3043 Comp)  Shipped loose. Includes #861H Amerex Mounts	1	PLG
80-42-3400	< >	INSTALL- Customer Supplied - Defib. Bracket (Non SAE) Specify: Make _____ Model _____ Bracket, Dimensions _____ Location: _____	1	PLG
80-43-4250	< >	Bottle Brackets, Zico-Quick-Release, Strapless (2) , (D Bottle) Model QR-D-2 Located in the recessed stepwell area Qty (2)	1	PLG
80-50-1000		Prep, Clean & Detail Vehicle for Delivery	1	PLG
<b>CHASSIS</b>			<b>1</b>	<b>PLG</b>
95-12-225L	<	2022 FORD F550-Super Duty, 4x4, 108" CA, XLT - Diesel Ford F550 Chassis Cab Four Wheel Drive Wheelbase 193" - 108" CA Dual Rear G.V.W. 18,000 lbs.  Powertrain/Functional: Engine: 6.7L "Powerstroke" Turbo Diesel V8 300 hp @2800 RPM, 660 lbs torque @1600 RPM	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
		<p>Single Stage Turbo Charger</p> <p>Instant Start Glow Plugs for quick engine starts</p> <p>Diesel Emissions Fluid 6 gallon tank - mounted behind frame rail on drivers side</p> <p>Intelligent Oil Life Monitor</p> <p>Engine block heater</p> <p>Water Pump with 125 gallons per minute flow rate</p> <p>Transmission: Heavy Duty "TorqShift" Ten Speed Automatic with selectable drive modes; Normal, Tow Haul, Eco, Deep Sand/Snow</p> <p>Electronic Shift on the Fly with automatic locking front hubs with manual override.</p> <p>Brakes - 4 wheel Anti-lock Braking System</p> <p>Traction Control - DRW Models</p> <p>Fuel Capacity: 40 gallon single tank (aft axle)</p> <p>Front Axle: 7,000 lb. Monobeam, Dana Super 60</p> <p>Rear Axle: 13,660lb. Full Floating Dana S110</p> <p>Suspension:</p> <p>Heavy Duty Front Coil Springs</p> <p>Rear Leaf Springs, main &amp; auxiliary</p> <p>Shock absorbers, front &amp; rear 1.38"</p> <p>Stabilizer bar, front and rear</p> <p>Power Steering</p> <p>Steering Damper</p> <p>Instrumentation: multifunction switch message center -</p> <p>Gauges: Oil Pressure, Coolant Temperature, Trans Temp, w/Indicator Lights, Tachometer, Trip Odometer, Turbo boost, water in fuel warning light, low/contaminated diesel exhaust fluid warning lights, glow plug preheat indicator</p> <p>Ambulance Prep Package with EPA Special Emergency Vehicle Emissions - 47L</p> <p>Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO mode</p> <p>Operator Commanded regen allowed down to 30% of DPF filter full instead of 100%</p> <p>Stationary elevated idle control (SEIC) is built into the engine control module</p> <p>Must meet definition of Emergency Vehicle; ambulance or fire truck in the federal register</p> <p>Rear axle 4.10 Limited Slip</p> <p>Dual OEM HD Alternators (total 397 amps) 67B</p> <p>Dual 750 CCA Batteries</p> <p>Operated Commanded Regeneration (OCR) #98R</p> <p>Safety/Security:</p> <p>Driver/Passenger frontal and side air bag/curtain</p> <p>Passenger side air bag deactivation switch</p> <p>Belt-Minder - chime &amp; flashing warning light on instrument panel if belts not buckled</p> <p>Safety Belts - color coordinated with height adjustment (front outboard seating positions only)</p> <p>SOS Post-Crash Alert System</p> <p>Securi-lock Anti Theft Ignition</p> <p>Tires:</p> <p>Front &amp; Rear LT225/70R 19.5G All Position (6) #THB</p> <p>Spare Tire: LT225/70R 19.5G (All Position)</p>		



PART NO	S	DESCRIPTION	QTY	ID
		Wheels; 10 hole Disc, 19.5" x 6" Steel		
		Exterior Trim:		
		Dual Electric Horns		
		Chrome Front Bumper & Grille Surround		
		Front Tow Hooks		
		Lights - roof/marker clearance lights		
		Dual Beam Jewel Effect Headlights		
		High Mount Stop Light		
		Mirrors: Black POWER Telescoping Trailer Tow with		
		Power Heated Glass, Integrated clearance lights,		
		Turn signals, LED security approach lights,		
		Utility lighting System (LED side mirror spotlights) #54F		
		XLT Interior Cab Trim: #663A		
		Air Conditioning		
		Cloth Headliner, Map Pockets		
		AM/FM Radio w /MP3 /Clock		
		SYNC 3 8" LCD Productivity Screen in IP Cluster #913		
		Overhead Console with dual storage bin and map lights		
		Outside Temperature Display		
		Interval Windshield Wipers		
		Tilt Steering Wheel/Speed Control - steering wheel mounted		
		Power Windows/Door Locks		
		Black Vinyl Floor (No Floor Mats)		
		Headlights on audible alarm		
		Dual overhead Map Light		
		Daytime Running Lights		
		Front seats, high series cloth - 40/20/40 #3S		
		Driver Assist Technology		
		Audible Lane Departure Warning		
		Pre-Collision Assist with Automatic Emergency Braking and forward collision		
		warning		
		Automatic High Beam Headlights		
		Adjustable Pedals: gas and brake		
		Color Scheme:		
		Exterior Color: Oxford White #Z1		
		Interior Color: MEDIUM EARTH GRAY		
95-12-6100	< >	F450/F550 Aluminum Wheels Option (#64D)	1	PLG
		This option, when selected, takes precedence over the option in the standard		
		chassis spec:		
		WHEELS; 10 HOLE DISC, 19.5" x 6" POLISHED ALUMINUM #64D		
		REQUIRES SPECIAL ORDER CHASSIS		
95-12-6190		F350/F450/F550 Sync3 - Std. on XLT	1	PLG
96-32-1500		Fuel "Full Tank" -F-Series	1	PLG
		<b>COOPERATIVE PRICING</b>	1	PLG
97-10-1000	<	HGAC Cooperative Pricing Spreadsheet	1	PLG
		An HGAC STS spreadsheet to be provided with the spec		





February 4, 2022

Blairs Volunteer Fire and Rescue  
Dean Fowler, Chief  
1777 Snakepath Road  
Blairs, VA 24527

Dear Chief Fowler:

On behalf of Goodman Specialized Vehicles, LLC I am happy to provide you with the following proposal for one (1) PL Custom Classic 170" ambulance mounted on a Ford F550 4x4 chassis.

We are able to offer this unit at a price of: **\$316,321.00**

This pricing is an estimate based on your current specifications, to be used for your budget planning.

Included in this proposal is one (1) Stryker Power-Load cot retention system and one (1) Stryker Power-Pro XT cot.

Some potential price increases that could arise between now and your grant award date are:

1. Chassis model year change.
2. Raw materials price increase.
3. Component manufacturer price increases (such as Whelen, Stryker, etc.).

Thank you again for the opportunity to provide you with this quote. We look forward to having the opportunity to work with Blairs Vol. Fire and Rescue. As always, if you have any questions about the information that I have given you, feel free to contact me.

*Porter Carden*

Porter Carden  
Regional Account Manager  
Goodman Specialized Vehicles, LLC  
804-517-8411



GOODMAN SPECIALIZED VEHICLES  
17020 PATRICK HENRY HIGHWAY • PO Box 840 • AMELIA VA 23002  
PH: 804-873-2067 • TOLL FREE: 877-904-2008 • FAX: 804-561-4823  
[WWW.GOODMANSV.COM](http://WWW.GOODMANSV.COM)





## QUOTATION

Blairs Volunteer Fire and Rescue  
Dean Fowler  
1777 Snakepath Road  
Blairs, VA 24527  
434-709-3687  
deanfowler02@yahoo.com

Goodman Specialized Vehicles, LLC.  
Porter Carden  
17202 Patrick Henry Highway  
Amelia, VA 23002  
pcarden@goodmansv.com

Exp. Date: / /  
Quote No: A5792-0004  
BODY: CLSC170 Type 1 Classic, 170" 108"CA

02/04/2022		Page 1	
PART NO	S	DESCRIPTION	QTY ID
== Type 1 Classic, 170" 108"CA - 33.940 01/06/22 ==			
00-00-0100		PL Ambulance - Release 33.94 effective 01/06/22	1 PLG
00-11-7065	<	170" CLASSIC BODY, 72" Headroom, w/Drop Skirt	1 PLG
		Overall Vehicle Dimensions:	
		Length: 308"	
		Width: 99"	
		Height: 112" (+/- 2")	
		Exterior Modular Body Dimensions:	
		Length: 170"	
		Width: 97"	
		Height: 91"	
		Interior Modular Body Dimensions:	
		Length: 165"	
		Width: 90 3/4"	
		Height: 72"	
03-00-1060	< >	Chassis Type -Ford F-Series	1 PLG
		Chassis paint must be reviewed/edited when changing chassis type	
EXTERIOR			1 PLG
10-10-1100	<	Modular Body Construction	1 PLG
		SAE J3057 Compliant	
10-10-2000	<	Structural Integrity Warranty	1 PLG
		The structural integrity of the body shall be guaranteed for the life of the unit, as long as the original purchaser shall own it.	
10-10-2070		Finite Element Analysis	1 PLG
10-10-2100		Compartments, Aluminum Diamond Plate, welded	1 PLG
10-12-2020		Type I, Classic, Cab to body Walk-thru	1 PLG
10-15-4000		Body mounting, Type I, rubber donuts, L-Duty	1 PLG
10-20-3300		Lowered Body Skirts, with Intermediate Step	1 PLG
EXTERIOR DOORS, AMBULANCE			
11-10-1060	<	Trimark 1875 Paddle Handle Power Locking, Entrance. Doors Qty(3)	1 PLG
		The door system shall include emergency override latch levers in upper and lower locations of each entrance door. Levers are visible with red coating and intended for emergency use in the event of a non-functioning handle.	
11-10-3850	>	Sliding Side Entrance Door -(Classic & Titan)	1 PLG
11-10-3920	<	* Attention: Please see shop note below for Grab Rail selection, w/Sliding Door	1 PLG
		To ease entrance into the side door, please select either of the following 18"	



02/04/2022

PART NO	S	DESCRIPTION	QTY	ID
grab-rails. 25-10-3420 - (use with "traditional" style squadbench). 25-10-3570 - (use with "Medic-In-Mind style squad seating). (both are add/browse options)				
11-10-4060	<	Trimark 1875 Paddle Handle Power Locking, Std Compt Doors (6) Tied to OEM Power Door Lock Switch	1	PLG
11-20-1800	>	Gas Spring Pneumatic Door Checks -Classic & Titan	1	PLG
11-20-2020		Compartment "A" Door to Check Past 90 Degrees	1	PLG
11-20-2030		Compartment "C" Door to Check Past 90 Degrees	1	PLG
11-20-2050		Compartment "E" Door to Check Past 90 Degrees	1	PLG
11-20-3000		Compartment "D" Door to Check Past 90 Degrees	1	PLG
11-20-5000	<	Cast Products Grabber Rear Doors Hold Open, Top Mount, Polished Aluminum	1	PLG
<b>COMPARTMENT LAYOUT</b>				
		Exterior compartment dimensions reflect wall to wall measurements.	1	PLG
12-10-2035		"A" Left Front - 20w x 86h x 21d -(w/Oxygen window)	1	PLG
12-15-100B		"B" Left Side 1/2 High -43w x 42h x 20d	1	PLG
12-20-1220	>	"C" Left Rear, 3/4 High, Upper In-Out -26w x 59h x 20d	1	PLG
12-25-100A		"D" Right Front, In-Out Access -20w x 55h x 33d above floor -20d below floor	1	PLG
12-30-150B		"E" Right Rear, with In/out to Center Aisle -24w x 83h x 21d	1	PLG
<b>COMPARTMENT DOOR PANELS, MATS, DECKING</b>				
13-20-1000		Compartment Door Panels, Alum, Diamond Plate	1	PLG
13-30-1P10		Polycoated Compt & Entrance Door Sills, Compt Floors, Area Behind Rub Rails, Black	1	PLG
13-30-2000		Vent Compartments to Exterior of Vehicle	1	PLG
13-40-1000		Dri-Dek, Floors of Compartment, Black	1	PLG
13-40-2500		Rubber Mat, Shelves, Exterior Compartment	1	PLG
13-40-2800		Turtle Tile Non-skid Stepwell Mat (removable)	1	PLG
<b>COMPARTMENT CONFIGURATIONS AND EQUIPMENT</b>				
13-41-0100		Oxygen Bracket located in Compartment A	1	PLG
13-42-0250		(1) Adjustable Shelf, for compartment "B"	1	PLG
13-43-0300		(2) Adjustable Shelves, for compartment C	1	PLG
13-47-0450	<	Full Height Divider w/(2) Adjustable Shelves, Compartment "E" Long Equipment Storage Compartment "E" Divider to be 12" off front wall w/10" shelves.	1	PLG
13-55-2000	<	(3) Glove box storage boxed into compt. "C" Single depth (3) Glove box storage boxed into compt. "C"	1	PLG
13-60-V019	X <	Refrigerator, AC/DC, free-standing, Norcold 1.7 cu. ft. Norcold NR740 1.7 cu.ft. AC/DC free-standing refrigerator unit to be installed. No enclosure to be made.  Will operate on AC when plugged into shoreline.  Location: To be installed in the "B" compartment, forward of the divider	1	
13-70-0200		Bulbous mounts for (2) backboards Compt. "E"	1	PLG
13-70-0700		Hanger for Ferno EXL or #65 Scoop Compartment "E"	1	PLG
<b>REAR STEP BUMPER</b>				
14-10-2700		Lift-up Rear Step, Recessed, -Lic. plate left body	1	PLG
14-20-1000		Rear Dock Bumpers, Bolted to Bumper Ends	1	PLG
<b>ALUMINUM DIAMOND PLATE ACCESSORIES</b>				
15-10-1000		Front Corner Stone Guards, Polished Diamond Plate	1	PLG
15-15-1000		Front Body Stone Guard, Polished Diamond Plate	1	PLG
15-20-1050	>	Rub-Rails, C-Channel, Offset, Bright-Finish	1	PLG

Page 2



02/04/2022		Page 3		
PART NO	S	DESCRIPTION	QTY	ID
15-30-2000		Running Boards, Flare type, Non-Slip Diamond Plate (F450/F550 2-Door)	1	PLG
15-52-0100		Rear Diamond Plate Panel & Corner Guards	1	PLG
EXTERIOR TRIM				
16-10-1000		Fenderettes, Rolled, Polished Stainless Steel	1	PLG
16-30-1500		License Plate Holder w/LED Lt, Cast Prod Polish, Lt Side Body	1	PLG
16-35-1010		Fuel Fill Housing, Cast products, Polished (F-Series)	1	PLG
16-36-1010		DEF Fill Housing, Cast products, Polished (F-Series)	1	PLG
EXTERIOR, MISCELLANEOUS				
17-50-1000		Undercoat Body - AudioGuard	1	PLG
BODY WINDOWS				
18-10-1000	<	Window, Side Door (18"W x 22"H), Sliding, 31% Tint Transportation Products Inc. Window.	1	PLG
18-20-2000	<	Windows, Rear Doors, (15"W x 22"H), Fixed 31% tint Transportation Products Inc. Windows.	1	PLG
18-50-1000		Privacy Tint, Mylar, Side and Rear Doors	1	PLG
INTERIOR CONSTRUCTION				
20-00-1000		Interior Construction Type - Standard Cabinets	1	PLG
INSULATION				
20-10-1200		Super Insulation Package, additional Radiant Barrier to Interior Body	1	PLG
20-10-2000		Sound Deadened Insulation, Entrance Doors	1	PLG
20-10-3000		Sound Deadened, Compartment Doors	1	PLG
20-10-5000		Sub-Floor, Expanded PVC Polymer	1	PLG
FRONT BULKHEAD				
21-10-3020	<	Type I, Classic, Walk-Thru opening (No Door) Walk-Thru Opening option only. No Walk-thru door installed	1	PLG
21-30-1000		Climate Control Unit Over Cab to Body Passage	1	PLG
21-40-1500	<	Electrical Power Distribution Cabinet, Access Panels, Black Polycoat Black polycoat cover with an access panel with flush locking trigger latches	1	PLG
RIGHT FRONT CABINET				
21-45-1015	<	Right front, upper storage w/Life Defender lift-up restocking door, 1 shelf Includes Austin Life Defender Lift Up Restocking Door.	1	PLG
21-50-1000		Right front Lower, inside/outside storage	1	PLG
21-50-2000	<	Right front Lower, (2) adjustable shelves Shelves to be lined with ribbed rubber mat.	1	PLG
21-60-1000		Right front cabinet Lower, 1/2" acrylic doors	1	PLG
RIGHT SIDE BENCH LAYOUT				
22-00-1000		Squad Bench, Right side	1	PLG
22-21-0100		Backrest, Indiv., 2-pc. Upper & Lower, used w/ 6-pt seat belt	1	PLG
22-24-0420	>	Armrest, No vinyl pouch - Recessed storage, below - (for Sliding Door)	1	PLG
22-30-2000		Squad bench lid, Positive hold down device	1	PLG
22-35-3010		Drop in sharps/trash at head of squad bench	1	PLG
22-45-0500	< >	Overhead cabinet 9 1/4" OAH-Life Defender sliding doors For KKK Rev. F, compliance - Compliance based on 72" headroom with standard seating height only. Lift-up restocking not available. Glove box storage not available. Shelf not available.	1	PLG



02/04/2022

Page 4

PART NO	S	DESCRIPTION	QTY	ID
<b>LEFT SIDE MIDDLE (Base Cabinet)</b>			<b>1</b>	<b>PLG</b>
23-10-1000		Left side attendant seat-(CPR Seat)	1	PLG
23-10-3060	>	Backrest, Individ., 2-pc. Upper & Lower, used w/ 6-pt seat belt	1	PLG
23-10-5000		Seat cushion, fixed- (Single CPR Seat)	1	PLG
<b>LIFE SUPPORT STATION</b>			<b>1</b>	<b>PLG</b>
23-30-2000		Switch pod, above counter, vinyl covered	1	PLG
23-30-2010		Rear Main Switch Panel Located in Life Support Station Switch Pod	1	PLG
23-30-2300	< >	Cut (1) Hole for Customer/Dealer supplied Radio, in Life Support Station Specify Radio Model This radio cut-out, will be on the right, lowermost area of the LSS	1	PLG
23-31-1500		Cabinet head of switch pod, hinged door, 1 shelf	1	PLG
23-32-1030	< >	(Reduced Hgt)Uppr cab.-squad off, w/Life Defender lift-up,restock door, 1 shelf The Interior Height of this cabinet will approximately be 14-1/2" High Pass thru opening approx. 11-1/2".	1	PLG
23-34-1500	>	Solid Surface counter, 1" lip, Left front, Color: Steel Gray Tempest 9194TM	1	PLG
23-34-2200		SSCOR Suction recessed below L/S/S counter (ILO above counter wall mount)	1	PLG
23-36-7000	< >	Pull-out writing surface/storage drawer, L/S/S Not Available with in/out to Compt. "B"	1	PLG
<b>LEFT REAR STORAGE CABINET</b>			<b>1</b>	<b>PLG</b>
23-40-1010	<	Left rear full cabinet, upper, Life Defender lift-up restocking door, 1 shelf Includes Austin Life Defender Lift Up Restocking Door.	1	PLG
23-40-3200	< >	Left rear half cabinet, middle hinged doors (2) in/out access 3/4 high, upper in/out to compartment "C".	1	PLG
23-42-1500	>	Solid Surface counter, 1" lip, Left rear, Color: Steel Gray Tempest 9194TM	1	PLG
23-42-2600	<	ALS Two (2) Drawer Storage Unit, Left Rear Below Counter All drawers utilize Locking Southco Polished Stainless Steel latches.	1	PLG
23-42-5000		Recessed (3) Glove box storage cabinet below counter	1	PLG
<b>RIGHT REAR CABINET</b>			<b>1</b>	<b>PLG</b>
23-70-0850	<	Right Rear In/out to Compartment "E", Facing Center Aisle In / Out: Dimensions: 8" wide 40 1/2" high - (with 72" & 75" Headroom) Dimensions: 8" wide 36 1/2" high - (with 68" Headroom) With Hinged Acrylic Door	1	PLG
<b>INTERIOR CABINET DOORS</b>			<b>1</b>	<b>PLG</b>
24-10-3M00		Cabinet doors, Polycarbonate/Acrylic, Tinted	1	PLG
24-15-1000	<	Handles, full length, sliding doors SAE J3058 Compliant	1	PLG
24-20-1000		Positive closure devices hinged doors	1	PLG
24-25-1000		Unistrut, interior cabinet shelves, "Mini"	1	PLG
<b>ENTRANCE DOORS</b>			<b>1</b>	<b>PLG</b>
24-30-2000		Ent. Door panels, 3 section	1	PLG
<b>ABOVE DOOR HEAD BUMPERS</b>			<b>1</b>	<b>PLG</b>
24-35-0100		Side Door Head Bumper	1	PLG
24-35-0500		Rear Door Head Bumper	1	PLG
<b>GRAB RAILS</b>			<b>1</b>	<b>PLG</b>



PART NO	S	DESCRIPTION	QTY	ID
25-10-1300		Safety Yellow Grab Rail, 72" length, over squad bench	1	PLG
25-10-1700		Safety Yellow Grab Rail, 72" length, over cot	1	PLG
25-10-3800		Safety Yellow Grab rail, 18", at rear entrance doors, (2)	1	PLG
25-11-2200		> Grab rail, 45 deg, Safety Yellow, rear entrance doors, (2)	1	PLG
25-49-S041	X <	Grab Rail, 16, Safety Yellow Location:Side Entrance Door .Rgt Frnt CabineT	1	
<b>SEAT BELTS</b>			1	PLG
25-50-2000		Seat belt, attendant seat, Qty (1)	1	PLG
25-51-1100	< >	Patient restraint strap, squad bench, Qty (3), for use with six point seat belts Feasibility of this option is based on seat positions and options in squad bench face. Patient restraint straps are not provided on bench with length shorter than 72".	1	PLG
25-51-2020	<	(2) Six point Seat Belt Harnesses - Curbside Seating Qty: (2) Loc: (2) Curbside Seating	1	PLG
25-51-2030	<	(1) Six point Seat Belt Harness - Street Side Seat Qty: (1) Loc: Streetside Seating	1	PLG
<b>COT MOUNT and COT MODEL</b>			1	PLG
26-35-1000	<	Power Load Fastening System w/Floor Plate, NO Mini Rail (SAE Compliant) Stryker Power Load All components provided by PL Custom. PL Custom will supply and install a Stryker Power Load Cot Fastening System w/inductive charging, and Floor Plate. Does not include Mini Rail or Mass Casualty Floor Plate for Mini Rail. Does not include cutout in the floor for the installation of a Mini Rail Plate. Requires 15 amp Battery Charging circuit. The Power Load charging circuit will be wired 12V hot unless otherwise specified.	1	PLG
<b>I.V. HOLDER</b>			1	PLG
26-50-1M10		Rubber I.V. holder, dual, recessed, over cot	1	PLG
26-50-2100		Rubber I.V. holder, dual, recessed, over squad bench	1	PLG
<b>INTERIOR COLORS</b>			1	PLG
27-10-1000		Ceiling, white Thermoplastic	1	PLG
27-10-1510		Upper Laminate - High Gloss Fashion Grey D381-01	1	PLG
27-10-4210		Lower Laminate - High Gloss Fashion Grey D381-01	1	PLG
<b>INTERIOR UPHOLSTERY</b>			1	PLG
27-20-5000		Upholstery, Flat-Seamless	1	PLG
27-20-6050		Upholstery Color: Canyon Red	1	PLG
<b>ATTENDANT SEAT</b>			1	PLG
27-36-3130		Canyon Red, Attn Seat, EVS 18703,w/Child Seat,3 Pt. Harness,ABS Back,Swivel,Sewn	1	PLG
27-37-0130		** Confirm Seat color** -CANYON RED is the vehicle upholstery color	1	PLG
<b>FLOORING</b>			1	PLG
27-53-2000		Lonplate II, diamond plate, Gun Metal (#424)	1	PLG
27-55-2000		Flooring rolled up side walls 3"	1	PLG
<b>CAB CONSOLE</b>			1	PLG



PART NO	S	DESCRIPTION	QTY	ID
27-72-1010	<	Type I, Floor Mnt, switches, siren/radio - (2017+ F-Series) NOTE: (2) Cup holders are NOT included in the console. The cupholders are part of the map-box (See PDF)	1	PLG
27-75-0140	< >	Cut (1) Hole for Customer/Dealer suppld Radio, in Radio/Siren Console Specify Radio Model _____	1	PLG
27-75-2050	< >	Map Box, Type I, Behind Cab Console, (2) pockets - (2017+ F-Series) includes (1) lexan divider  See PDF	1	PLG
27-90-S000	X <	Install Customer Supplied MDT Mount Allowances.	1	
MISCELLANEOUS INTERIOR			1	PLG
28-50-1000		Fasten Seat Belt/No Smoking Sign	1	PLG
OXYGEN AND SUCTION			1	PLG
30-10-1000		Oxygen Outlet, Amico, dual, Life Support Station Switch Pod	1	PLG
30-10-2000		Oxy Outlet, Amico, single, right side- In Overhead Cabinet	1	PLG
30-10-4500	>	Oxygen Outlet, Amico, single, ceiling raceway, front (additional)	1	PLG
30-20-1000		Oxygen Solenoid, Amico, w/ manual override & switch	1	PLG
30-30-1000		Suction pump, electric, Sscor, Switch in Rear Main Switch Panel	1	PLG
30-30-2400		Collection Bottle, SSCOR Disp.w/ canister clip, White Regulator (KKK Compliant)	1	PLG
30-50-3005	< >	O2 Carrier, ZICO, Quick-Release Oxygen Tank Lift System With ZICO hand-held switch mounted in compartment. ZICO tank lift comes with hydraulic ram that can be "back driven." This prevents the ram from being damaged if it is extended, and the air ride is lowered	1	PLG
30-50-3850	<	***Attention: Please Specify Tank Letter Size used within this shop note Oxygen Tank Size is: M  (example; M tank steel, M tank aluminum, H tank steel)  This will allow the factory to preset the mounts for your customer.	1	PLG
30-60-4000		Regulator, Oxygen, Large Tank, (PLC-9662)	1	PLG
30-80-1100	<	Wrench, Oxy Cylinder -(for EZE Loader) Oxygen wrench to be attached to compartment door	1	PLG
ELECTRICAL			1	PLG
40-00-0500	<	Electrical System Warranty The Electrical System shall be warranted for the life of the unit, as long as the original purchaser shall own it.	1	PLG
40-00-1200		Electrical 12 VDC, Classic-Series	1	PLG
40-00-1900		Electrical 12 VDC Specifications	1	PLG
CAB ELECTRICAL			1	PLG
41-10-0100		Alternator, Dual with 355 amp combined output, OEM Ford F-Series	1	PLG
41-20-0800		Batteries, Dual Ford OEM, 1500CCA -(under hood)	1	PLG
41-30-3750		Module Activation, Ignition Switch	1	PLG
41-50-1000		Cab Under hood & Fender Electrical Connectors - Deutsch Type	1	PLG
SWITCH PANEL			1	PLG
42-10-1000		Voltmeter, Analog, 8 to 18 volt, lighted	1	PLG
42-10-2400		Low Voltage Alarm & Indicator	1	PLG
42-15-2500	>	Rocker Switches, Carling Contura V	1	PLG
42-20-0500		Battery On indicator light	1	PLG
42-20-1000		Warning Indicator, Door open, Red	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
42-20-2000		Warning Indicator, Compt open, Amber	1	PLG
42-20-3000		Warning Indicator, Audible alarm, Door/Compt	1	PLG
42-20-4200		Warning Ind/Audible, Parking Brake, Dual-Mode Alarm	1	PLG
42-21-0900		** Gooseneck Light Not Included with Vehicle **	1	PLG
42-25-6000	<	High Idle Activation, Ford OEM - F-Series Activated by front console switch, requires park brake to be applied	1	PLG
42-30-1000		Back-up alarm, w/resetting cancel switch	1	PLG
42-45-2200	< >	Load Manager/Sequencer, PL Custom/Kussmaul (full time) RESPONSE AND SCENE AMPS CANNOT EXCEED 230 AMP  FULL TIME Load Management of Emergency Lights	1	PLG
42-60-2400		Air Horn, (2) Buell 1062, bumper valance mount , 1/4 hp compressor	1	PLG
42-60-5000	<	Air Horn activation, Carling Momentary in Front Switch Panel Switch will have white rocker for easy identification.  Requires PL provided air horn system or 42-60-2800 PL Activation of chassis supplied air horns.	1	PLG
42-65-1300		Pwr Lock Switch, Entrance, OEM Door switch- (if applicable)	1	PLG
42-65-1310		Door Lock Interface Module for F-Series	1	PLG
42-65-1500	< >	Remote Keyless Entry w/Chassis Power Door Lock Control OEM door switches control cab & body doors.	1	PLG
42-65-2200	< >	Pwr Door Lock Concealed Override Switch, Grille-(KKK) Located in front grille area. This switch location is KKK compliant	1	PLG
EMERGENCY WARNING EQUIPMENT			1	PLG
43-01-1000	<	Install Customer Supplied 3M Opticom, surface mount Provide circuitry and install customer supplied equipment. Location: Front of body  The Opticom is to be tied into the sequencer and NOT the load manager. It will have its own switch in the front console and is to deactivate when not in a drive gear.  The Opticom will be surface mounted, not recessed.	1	PLG
SIREN			1	PLG
43-20-4G50	>	Siren, Whelen 295SLSA1, w/diag.	1	PLG
43-20-5000		Siren-Horn Switch	1	PLG
SIREN SPEAKERS			1	PLG
43-31-4300		Thru Bumper Speakers, CPI SAD/P 3800 Series, (2) F-Series, 2020-on	1	PLG
FRONT LIGHT BAR			1	PLG
43-40-0500		-No front Lightbar required-	1	PLG
REAR LIGHT BAR			1	PLG
43-50-1000		-No rear Lightbar required-	1	PLG
43-50-8000	< >	Whelen Traffic Advisor, Low Profile TAL85 (8) LED (46") Rear Body Lights to be 700 Series w/No Rear Light Bar	1	PLG
CAB MOUNTED LIGHTS			1	PLG
43-68-A200	>	Whelen Independent CAB Flashing Lights, CLEAR Lens package	1	PLG
43-68-A210		** (4) Whelen 500/TIR6/WION Grille Lights Package	1	PLG
43-71-1300		(2) Upper Whelen WION LED Grille Light-(2)Red, CLEAR LENS, Chrome Flange	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
43-71-1623	<	*** Flange included with WION Light *** No Grille Flange Provided	1	PLG
43-71-3610		(2) Lower Whelen ION LED Grille Light-(2)Red, CLEAR LENS, Chrome Flange	1	PLG
43-71-3627	<	*** Flange included with WION Light *** No Grille Flange Provided	1	PLG
43-71-432C		(2) Whelen M7 Sup-LED, Red -Fender	1	PLG
43-71-7501	<	*** Flange included with WION Light *** No Fender Flange Provided	1	PLG
43-72-0000		* Please Verify Correct Grille/Fender Light Housing For Appropriate Light Size * BODY LIGHTING -(Full Catalog PDF here)>	1	PLG
43-A2-0050		* FRONT BODY LIGHTING -w/NO LIGHTBAR (PDF>)	1	PLG
43-A2-0200	<	** (7) Front Upper Lights The (4) lights, outboard of the Center light position, shall operate from (1) console switch.	1	PLG
43-A4-2440		*** M9 -Whelen Independent Front & Side Body Flashing Lights, CLEAR Lens package	1	PLG
43-A5-0030	< >	Independent - Flash - No Vehicle Flasher All lightheades are flashed randomly using internal flashing program, without light to light synchronization.	1	PLG
43-A5-0060	<	Program Flashing Lights to "Action Scan" Whelen flash pattern Lighthead will scroll through all available patterns and repeat	1	PLG
	>	<b>FRONT BODY WARNING LIGHTS</b>	1	PLG
43-A7-1100	<	All Whelen M9 Flanges, Chrome -(M9FC) M9 vehicle lights shall be equipped with a Whelen M9FC Chrome flange	1	PLG
43-B0-A100		M9-Whelen, Sup-LED, Red, Front - (Loc: F1)	1	PLG
43-B0-A900		M9-Whelen, Sup-LED, Red, Front - (Loc: F2)	1	PLG
43-B0-B250		M9-Whelen, Sup-LED, Red, Front - (Loc: F3)	1	PLG
43-B0-B500		M9-Whelen, Sup-LED, White, Front - (Loc: F4)	1	PLG
43-B0-C600		M9-Whelen, Sup-LED, Red, Front - (Loc: F5)	1	PLG
43-B0-C850		M9-Whelen, Sup-LED, Red, Front - (Loc: F6)	1	PLG
43-B0-D200		M9-Whelen, Sup-LED, Red, Front - (Loc: F7) M9 -Whelen Primary Side Light package-(Clear Lens) (PDF>)	1	PLG
43-F0-C100		M9-Whelen, Sup-LED, Red, Left Side - (Loc: LS1)	1	PLG
43-F0-D100		M9-Whelen, Sup-LED, Red, Left Side - (Loc: LS4)	1	PLG
43-F4-C100		M9-Whelen, Sup-LED, Red, Right Side - (Loc: RS1)	1	PLG
43-F4-D100		M9-Whelen, Sup-LED, Red, Right Side - (Loc: RS4)	1	PLG
		<b>REAR BODY WARNING (Flashing) LIGHTS</b>	1	PLG
43-H1-0500		**M9 -Whelen Independent, Rear Body Flashing Lights - CLEAR Lens	1	PLG
		<b>M9 -REAR LIGHT LAYOUT -(w/Traffic Advisor)-No Lightbar (PDF&gt;)</b>	1	PLG
43-L4-C120		(3) Rear Upper Lights & Traffic Advisor & (2) Window Level Lights	1	PLG
43-S1-0100		M9-Whelen, Sup-LED, Red, Rear - (Loc: R1)	1	PLG
43-S1-1150		M7-Whelen, Sup-LED, Amber, Rear - (Loc: R4B)	1	PLG
43-S1-1850		M9-Whelen, Sup-LED, Red, Rear - (Loc: R7)	1	PLG
		<b>M9 -Rear Lights at Window Level</b>	1	PLG
43-S1-C350		M9-Whelen Sup-LED, Red, Rear - (Loc: R10B)	1	PLG
43-S1-D100		M9-Whelen Sup-LED, Red, Rear - (Loc: R11B)	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
<b>SECONDARY (miscellaneous) BODY MOUNTED WARNING LIGHTS</b>			<b>1</b>	<b>PLG</b>
43-T5-1930		M7 -Whelen, Red, Super LED, w/Flange, (2) Over Rear Wheel, CLEAR LENS	1	PLG
43-T5-3400	<	Whelen LED Strip Lights (6) Red - In "C" Channel Rub-Rails - (See Photo)	1	PLG
		Three on each side, Red with Red Lens		
		Whelen PSR00FRR		
<b>REAR NON-EMERGENCY LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-10-1000	< >	Stop/Tail and Turn Signal -Light heads with color lenses	1	PLG
		Exterior vehicle Rear Stop/Tail & Turn light heads will have Color Lenses.		
44-26-0100		Stop/Tail, (2) M6 -Whelen Super LED -(color Lens) w/Flange	1	PLG
44-26-0300		Back-up, (2) M6 - Whelen Super LED w/Flange	1	PLG
44-26-0500		Directional, (2) Whelen M6 Super LED -(color Lens) Populated Arrow	1	PLG
44-27-1000		Exterior lights, vertical stack I/L/O standard layout	1	PLG
<b>AUXILIARY NON-EMERGENCY LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-30-1000	>	HD Mini Oval Marker/Clearance Lts, LED Front, Rear, (2) Sides	1	PLG
44-30-3000	>	Lower Side Marker, Flash w/Directionals, (2) ea side	1	PLG
<b>FLOOD LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-50-22B0		(2) M9 - Whelen, Super LED Scenelight, (2) , Left side-(Loc:LS2, LS3)	1	PLG
44-50-24B0		(2) M9 - Whelen, Super LED Scenelight, (2) , Right side-(Loc:RS2, RS3)	1	PLG
<b>REAR FLOOD LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-52-0300		(2) M6 -Whelen Sup-LED- Scene Lights, w/15 degree Bezel, Rear (Loc: R12B, R13B)	1	PLG
44-60-1000		Right Side Scene Lights on with Side Door & Switch in Console	1	PLG
44-60-2000		Left Side Scene Lights w/On-Off Switch Console	1	PLG
44-60-3000		Rear Scene Lights on w/Rear Door Open/Reverse	1	PLG
44-60-4000	<	Rear Scene Lights, On-Off Switch in Console	1	PLG
		Rear floods switch shall also activate reverse lights.		
44-60-5000		Right Side Scene Light Cancel Switch	1	PLG
44-60-6000		Rear Door Scene Light Cancel Switch	1	PLG
44-60-7000		Left/Right & Rear Flood Lights, On In Reverse	1	PLG
<b>CLIMATE CONTROL</b>			<b>1</b>	<b>PLG</b>
45-10-1000		Ventilation, Flow-Thru, (2) Speed, Cast Products Rear Cowl	1	PLG
45-20-3550	< >	Model 109 Auxiliary Air Conditioning Condenser 12V, Front body -(MED/CLSC)	1	PLG
		For use with 12V, Heat A/C unit.		
45-30-1Q00	<	Ducted Heater/Air Cond, Digital Thermostat -F-Series	1	PLG
		System ties into Ford OEM A/C Compressor.		
		Includes Intermotive Module B-CVC502-A which allows the rear A/C to operate independent of cab A/C.		
		For best performance it is recommended to run front A/C when rear A/C is active.		
45-35-1100		Auxiliary Coolant Pump Climate Control System	1	PLG
45-38-1050		109 Condenser Front Body Mounted on Standard PL Tray Bracket ( no lights)	1	PLG
45-39-1010		** Front Body Condenser to be Painted to Match Body Color	1	PLG
<b>CEILING CONFIGURATION</b>			<b>1</b>	<b>PLG</b>
45-99-0100		Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers	1	PLG
<b>INTERIOR LIGHTS</b>			<b>1</b>	<b>PLG</b>



02/04/2022

Page 10

PART NO	S	DESCRIPTION	QTY	ID
46-10-1L00		(6) Dome Lights, Whelen Multi-LED, Hi-Lo, Qty (#80C0EHCR)	1	PLG
46-10-2000		Dome Lights Switched to LOW Mode w/Door Open	1	PLG
<b>EXTERIOR COMPARTMENT LIGHTS</b>			1	PLG
46-20-1075	<	Lghts, Ext. Compartments, TecNiq LED E44 Strip Lights (Vertical Linear Lights)	1	PLG
46-20-1350		Oxygen Compartment Light Switch, Located in Rear Main Switch Panel	1	PLG
<b>AUXILIARY INTERIOR LIGHTING</b>			1	PLG
46-20-2000		Heavy Duty LED panel Light, (Life Support Station Area)	1	PLG
46-20-2550		Panel Light (Life Support Station) Switch, Located in Rear Main Switch Panel	1	PLG
46-30-1100		Stepwell Light, LED, Located at Side Entrance Door	1	PLG
46-40-1P00		TecNiq E30, 42 LED Rectangular Ceiling Lights Qty (4)	1	PLG
46-40-3M00	<	Windup "checkout" Timer, Side Door, Shoreline only 60 minute windup timer at side door, active with shoreline only	1	PLG
46-40-4000		Rectangular Lights on "Checkout" Timer Circuit	1	PLG
46-50-1000		Dome Light Switch, (1) Left, (1) Right	1	PLG
<b>MEDICAL OUTLETS</b>			1	PLG
47-20-1000		12 volt Medical Outlet, Power Point, Loc: LSS Wall	1	PLG
47-20-2000		12 volt Medical Outlet, Power Point, Loc: Right Front In/out	1	PLG
47-20-2600		Delete 12 volt Medical Outlet, Power Point, Loc: Left Rear	1	PLG
<b>ANTENNA/COMMUNICATION RADIO</b>			1	PLG
47-60-0300	<	(3) Antenna Leads, Body Roof - (See PDF) Unless otherwise specified, lead will route to: (1) Front console (1) LSS (1) Behind Driver's Seat	1	PLG
47-60-6200	< >	Radio Power Lead, Rear Main Switch Panel Includes: (1) Red 10 gauge marked radio 12 volt Hot, 30 amp, (1) Black 10 gauge marked radio ground, (1) Orange 12 gauge marked 12 volt switched, 20 amp.	1	PLG
47-60-6500	< >	Radio Power Lead 30 Amp, 10 ga. Cab Console Includes: (1) 12 volt Hot wire with 30 amp circuit protection, (1) 12 volt switched wire with 20 amp circuit protection.	1	PLG
47-60-7000	< >	Radio Power Lead w/40 Amp Fuse, 8 ga. Behind driver seat Includes: (1) 12 volt Hot wire w/fuse holder & 40 amp fuse, (1) 12 volt switched wire w/fuse holder and 40 amp fuse.	1	PLG
<b>MISCELLANEOUS 12 VOLT ELECTRICAL</b>			1	PLG
48-15-V044	X <	Hanscom K One (1) Camera Backup System HK-7211 Backup camera system, with 7" monitor.  To be mounted on windshield, with rear view mirror removed.	1	
48-20-2000	>	Speakers, Stereo Volume Control Rear Sw Panel	1	PLG
48-40-2250	< >	Stream Lite, Vulcan, Halogen, Orange Qty: (2)  Location: Compartment B	2	PLG
48-50-3050	<	Intellitec, Clock over rear doors i/l/o LSS Location: Above rear entry doors, centered under raceway.	1	PLG
48-60-3690		Liquid Spring Control Left Rear Door Open w/ NO Override switch	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
<b>ELECTRICAL 115 VOLT AC</b>			<b>1</b>	<b>PLG</b>
51-20-5000		Shoreline, Super Auto-Eject 20 amp, Left Side, Above Compt. "B", WHITE	1	PLG
51-30-1500	<	Shoreline/ Battery Charging Dual Indicator Lights	1	PLG
		Shoreline - Amber Indicator		
		Battery Charger - Green Indicator		
51-32-2000		Power Distr Box, 115v, w/20 amp Circuit Bkr	1	PLG
52-10-1400	>	Hospital Grade 115V Outlet with (2) USB Ports, Location: L/S/S Wall	1	PLG
52-10-2000	< >	Hospital Grade Lighted Outlet, Location: Left Rear	1	PLG
		Outlet mounted 14" above the rear counter		
52-10-3000		Hospital Grade Lighted Outlet, Location: Right Front In/out	1	PLG
52-10-5500	< >	Hospital Grade Lighted Outlet, Exterior Compt., Location:	1	PLG
		Qty: (1)		
		Loc: Compartment B		
<b>BATTERY CHARGER / INVERTER CHARGER</b>			<b>1</b>	<b>PLG</b>
55-10-1225	< >	Inverter/ Charger, Vanner LSC12-1100 Pure Sine Inverter/ 55A Battery Charger	1	PLG
		Deletes standard battery charger		
		Deletes GFCI receptacle at LSS (GFCI is integral to inverter)		
		Includes activation switch in rear switch panel (Standard Electric)) or Button on rear Vista Screen (VMUX Electric)		
<b>PAINT LUSTRE</b>			<b>1</b>	<b>PLG</b>
60-00-0005		Ten Year Paint Warranty (Paint Lustre)	1	PLG
60-00-0007		Paint Adhesion Testing	1	PLG
<b>BODY AND CAB PRIMARY PAINT</b>			<b>1</b>	<b>PLG</b>
60-10-0210		*Body and Cab Same Single Color	1	PLG
60-10-1800	<	**Modular Body Paint Color Other Than Unit Standard White	1	PLG
		Provide Paint Code _____		
60-10-1995	< >	Paint Rear Body Primary Color Only (for Chevron Application)	1	PLG
		Note: With "Chevron" striping selected, the rear of the vehicle will be painted, the solid single, primary color. -(for Chevron application)-		
60-13-0900	<	Modular Body Paint Color Red	1	PLG
		Provide Paint Code _____		
60-15-100B	<	Re-Paint Cab, Single Color, w/ Door Jambs (Classic 2 door)	1	PLG
		Provide Paint Code _____		
60-15-1505		Cab Paint Color Same as Body	1	PLG
60-20-1010		** Front Body Condenser to be Painted to Match Body Color	1	PLG
<b>ADDITIONAL VEHICLE PAINT, SECONDARY</b>			<b>1</b>	<b>PLG</b>
61-05-0008		No Additional Paint Required	1	PLG
61-80-2210		Polycoated Compt & Entr Door Sills, Compt Floors, Area Behind Rub Rails (*Note*)	1	PLG
<b>LETTERING</b>			<b>1</b>	<b>PLG</b>
65-15-2000	S	Imitation Gold Leaf Lettering	1	PLG
<b>REFLECTIVE VINYL BELTLINE STRIPING</b>			<b>1</b>	<b>PLG</b>
65-39-0300		6" Vinyl Beltline Stripe	1	PLG
65-40-1080		Vinyl Main Stripe Color, Gold -(reflective)	1	PLG
65-40-2020		Vinyl Beltline Stripe to have Z on Body	1	PLG
65-40-3200	S < >	Vinyl Beltline Location Other	1	PLG
		Location: Lower Cab Door		



PART NO	S	DESCRIPTION	QTY	ID
<b>REFLECTIVE VINYL STRIPING MISC.</b>			<b>1</b>	<b>PLG</b>
65-50-0050	S	< > Reflective Tape Stripe 1/2" Location: Each side of 6" beltline stripe. Qty (2)  Color: Gold, reflective.	2	PLG
65-50-4020		< > Reflective White Tape Stripe, 3/4" Outline, on interior of Entrance Doors Reflective White 3/4" Outline  This provides the 60 sq.inch required for both general safety and KKK.	1	PLG
<b>REFLECTIVE CHEVRONS</b>			<b>1</b>	<b>PLG</b>
65-65-0320		< > Reflexite 6" Chevron Rear Body +Upper CTR panel, no doors. Red & Fluor Lime The two colors are V-98 for red and fluor green. Note: **does not include any curved surfaces, such as the coves, or door trim	1	PLG
<b>TECHNICAL RADIO INSTALLATION</b>			<b>1</b>	<b>PLG</b>
70-10-0500		No Technical Radio Installation	1	PLG
<b>CHASSIS EQUIPMENT</b>			<b>1</b>	<b>PLG</b>
75-10-1110		Stainless Steel Wheel Inserts, DELETE	1	PLG
75-30-1100	<	Liquid Spring Suspension System (F550) Liq Spring for F550 with 18,000 GVW - DS147FS3	1	PLG
75-45-3550	>	Reserve Air Tank 5 Gallon	1	PLG
75-55-1200	<	Mirrors, Ford OEM F-Series Trailer Tow w/Power-Heated Glass Include Integrated clearance lights and turn signals.	1	PLG
75-60-1000		Mud Flaps, Rear, Light Duty Chassis	1	PLG
75-95-2500		Ford Series Front End-Caster Camber Align	1	PLG
79-90-S001	X <	Grill Guard, Full Width, Go Industries, Stainless Finish Ref: 79-90-V013	1	
<b>EQUIPMENT</b>			<b>1</b>	<b>PLG</b>
80-35-2K30	<	Fire Extinguisher, ABC, 5lb, Qty:(2) w/Amerex #861 H Bracket (SAEJ3043 Comp)  Shipped loose. Includes #861H Amerex Mounts	1	PLG
80-42-3400	< >	INSTALL- Customer Supplied - Defib. Bracket (Non SAE) Specify: Make _____ Model _____ Bracket, Dimensions _____ Location: _____	1	PLG
80-43-4250	< >	Bottle Brackets, Zico-Quick-Release, Strapless (2) , (D Bottle) Model QR-D-2 Located in the recessed stepwell area Qty (2)	1	PLG
80-50-1000		Prep, Clean & Detail Vehicle for Delivery	1	PLG
<b>CHASSIS</b>			<b>1</b>	<b>PLG</b>
95-12-225L	<	2022 FORD F550-Super Duty, 4x4, 108" CA, XLT - Diesel Ford F550 Chassis Cab Four Wheel Drive Wheelbase 193" - 108" CA Dual Rear G.V.W. 18,000 lbs.  Powertrain/Functional: Engine: 6.7L "Powerstroke" Turbo Diesel V8 300 hp @2800 RPM, 660 lbs torque @1600 RPM	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
		<p>Single Stage Turbo Charger</p> <p>Instant Start Glow Plugs for quick engine starts</p> <p>Diesel Emissions Fluid 6 gallon tank - mounted behind frame rail on drivers side</p> <p>Intelligent Oil Life Monitor</p> <p>Engine block heater</p> <p>Water Pump with 125 gallons per minute flow rate</p> <p>Transmission: Heavy Duty "TorqShift" Ten Speed Automatic with selectable drive modes; Normal, Tow Haul, Eco, Deep Sand/Snow</p> <p>Electronic Shift on the Fly with automatic locking front hubs with manual override.</p> <p>Brakes - 4 wheel Anti-lock Braking System</p> <p>Traction Control - DRW Models</p> <p>Fuel Capacity: 40 gallon single tank (aft axle)</p> <p>Front Axle: 7,000 lb. Monobeam, Dana Super 60</p> <p>Rear Axle: 13,660lb. Full Floating Dana S110</p> <p>Suspension:</p> <p>Heavy Duty Front Coil Springs</p> <p>Rear Leaf Springs, main &amp; auxiliary</p> <p>Shock absorbers, front &amp; rear 1.38"</p> <p>Stabilizer bar, front and rear</p> <p>Power Steering</p> <p>Steering Damper</p> <p>Instrumentation: multifunction switch message center -</p> <p>Gauges: Oil Pressure, Coolant Temperature, Trans Temp, w/Indicator Lights, Tachometer, Trip Odometer, Turbo boost, water in fuel warning light, low/contaminated diesel exhaust fluid warning lights, glow plug preheat indicator</p> <p>Ambulance Prep Package with EPA Special Emergency Vehicle Emissions - 47L</p> <p>Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO mode</p> <p>Operator Commanded regen allowed down to 30% of DPF filter full instead of 100%</p> <p>Stationary elevated idle control (SEIC) is built into the engine control module</p> <p>Must meet definition of Emergency Vehicle; ambulance or fire truck in the federal register</p> <p>Rear axle 4.10 Limited Slip</p> <p>Dual OEM HD Alternators (total 397 amps) 67B</p> <p>Dual 750 CCA Batteries</p> <p>Operated Commanded Regeneration (OCR) #98R</p> <p>Safety/Security:</p> <p>Driver/Passenger frontal and side air bag/curtain</p> <p>Passenger side air bag deactivation switch</p> <p>Belt-Minder - chime &amp; flashing warning light on instrument panel if belts not buckled</p> <p>Safety Belts - color coordinated with height adjustment (front outboard seating positions only)</p> <p>SOS Post-Crash Alert System</p> <p>Securi-lock Anti Theft Ignition</p> <p>Tires:</p> <p>Front &amp; Rear LT225/70R 19.5G All Position (6) #THB</p> <p>Spare Tire: LT225/70R 19.5G (All Position)</p>		



PART NO	S	DESCRIPTION	QTY	ID
		Wheels; 10 hole Disc, 19.5" x 6" Steel		
		Exterior Trim:		
		Dual Electric Horns		
		Chrome Front Bumper & Grille Surround		
		Front Tow Hooks		
		Lights - roof/marker clearance lights		
		Dual Beam Jewel Effect Headlights		
		High Mount Stop Light		
		Mirrors: Black POWER Telescoping Trailer Tow with		
		Power Heated Glass, Integrated clearance lights,		
		Turn signals, LED security approach lights,		
		Utility lighting System (LED side mirror spotlights) #54F		
		XLT Interior Cab Trim: #663A		
		Air Conditioning		
		Cloth Headliner, Map Pockets		
		AM/FM Radio w /MP3 /Clock		
		SYNC 3 8" LCD Productivity Screen in IP Cluster #913		
		Overhead Console with dual storage bin and map lights		
		Outside Temperature Display		
		Interval Windshield Wipers		
		Tilt Steering Wheel/Speed Control - steering wheel mounted		
		Power Windows/Door Locks		
		Black Vinyl Floor (No Floor Mats)		
		Headlights on audible alarm		
		Dual overhead Map Light		
		Daytime Running Lights		
		Front seats, high series cloth - 40/20/40 #3S		
		Driver Assist Technology		
		Audible Lane Departure Warning		
		Pre-Collision Assist with Automatic Emergency Braking and forward collision		
		warning		
		Automatic High Beam Headlights		
		Adjustable Pedals: gas and brake		
		Color Scheme:		
		Exterior Color: Oxford White #Z1		
		Interior Color: MEDIUM EARTH GRAY		
95-12-6100	< >	F450/F550 Aluminum Wheels Option (#64D)	1	PLG
		This option, when selected, takes precedence over the option in the standard		
		chassis spec:		
		WHEELS; 10 HOLE DISC, 19.5" x 6" POLISHED ALUMINUM #64D		
		REQUIRES SPECIAL ORDER CHASSIS		
95-12-6190		F350/F450/F550 Sync3 - Std. on XLT	1	PLG
96-32-1500		Fuel "Full Tank" -F-Series	1	PLG
		<b>COOPERATIVE PRICING</b>	1	PLG
97-10-1000	<	HGAC Cooperative Pricing Spreadsheet	1	PLG
		An HGAC STS spreadsheet to be provided with the spec		



February 4, 2022

Blairs Volunteer Fire and Rescue  
Dean Fowler, Chief  
1777 Snakepath Road  
Blairs, VA 24527

Dear Chief Fowler:

On behalf of Goodman Specialized Vehicles, LLC I am happy to provide you with the following proposal for one (1) PL Custom Classic 170" ambulance mounted on a Ford F550 4x4 chassis.

We are able to offer this unit at a price of: **\$316,321.00**

This pricing is an estimate based on your current specifications, to be used for your budget planning.

Included in this proposal is one (1) Stryker Power-Load cot retention system and one (1) Stryker Power-Pro XT cot.

Some potential price increases that could arise between now and your grant award date are:

1. Chassis model year change.
2. Raw materials price increase.
3. Component manufacturer price increases (such as Whelen, Stryker, etc.).

Thank you again for the opportunity to provide you with this quote. We look forward to having the opportunity to work with Blairs Vol. Fire and Rescue. As always, if you have any questions about the information that I have given you, feel free to contact me.

*Porter Carden*

Porter Carden  
Regional Account Manager  
Goodman Specialized Vehicles, LLC  
804-517-8411



GOODMAN SPECIALIZED VEHICLES  
17020 PATRICK HENRY HIGHWAY • PO Box 840 • AMELIA VA 23002  
PH: 804-873-2067 • TOLL FREE: 877-904-2008 • FAX: 804-561-4823  
[WWW.GOODMANSV.COM](http://WWW.GOODMANSV.COM)







## QUOTATION

Blairs Volunteer Fire and Rescue  
Dean Fowler  
1777 Snakepath Road  
Blairs, VA 24527  
434-709-3687  
deanfowler02@yahoo.com

Goodman Specialized Vehicles, LLC.  
Porter Carden  
17202 Patrick Henry Highway  
Amelia, VA 23002  
pcarden@goodmansv.com

Exp. Date: / /  
Quote No: A5792-0004  
BODY: CLSC170 Type 1 Classic, 170" 108"CA

02/04/2022		Page 1	
PART NO	S	DESCRIPTION	QTY ID
== Type 1 Classic, 170" 108"CA - 33.940 01/06/22 ==			
00-00-0100		PL Ambulance - Release 33.94 effective 01/06/22	1 PLG
00-11-7065	<	170" CLASSIC BODY, 72" Headroom, w/Drop Skirt	1 PLG
		Overall Vehicle Dimensions:	
		Length: 308"	
		Width: 99"	
		Height: 112" (+/- 2")	
		Exterior Modular Body Dimensions:	
		Length: 170"	
		Width: 97"	
		Height: 91"	
		Interior Modular Body Dimensions:	
		Length: 165"	
		Width: 90 3/4"	
		Height: 72"	
03-00-1060	< >	Chassis Type -Ford F-Series	1 PLG
		Chassis paint must be reviewed/edited when changing chassis type	
EXTERIOR			1 PLG
10-10-1100	<	Modular Body Construction	1 PLG
		SAE J3057 Compliant	
10-10-2000	<	Structural Integrity Warranty	1 PLG
		The structural integrity of the body shall be guaranteed for the life of the unit, as long as the original purchaser shall own it.	
10-10-2070		Finite Element Analysis	1 PLG
10-10-2100		Compartments, Aluminum Diamond Plate, welded	1 PLG
10-12-2020		Type I, Classic, Cab to body Walk-thru	1 PLG
10-15-4000		Body mounting, Type I, rubber donuts, L-Duty	1 PLG
10-20-3300		Lowered Body Skirts, with Intermediate Step	1 PLG
EXTERIOR DOORS, AMBULANCE			
11-10-1060	<	Trimark 1875 Paddle Handle Power Locking, Entrance. Doors Qty(3)	1 PLG
		The door system shall include emergency override latch levers in upper and lower locations of each entrance door. Levers are visible with red coating and intended for emergency use in the event of a non-functioning handle.	
11-10-3850	>	Sliding Side Entrance Door -(Classic & Titan)	1 PLG
11-10-3920	<	* Attention: Please see shop note below for Grab Rail selection, w/Sliding Door	1 PLG
		To ease entrance into the side door, please select either of the following 18"	



02/04/2022

PART NO	S	DESCRIPTION	QTY	ID
		grab-rails.		
		25-10-3420 - (use with "traditional" style squadbench).		
		25-10-3570 - (use with "Medic-In-Mind style squad seating).		
		(both are add/browse options)		
11-10-4060	<	Trimark 1875 Paddle Handle Power Locking, Std Compt Doors (6) Tied to OEM Power Door Lock Switch	1	PLG
11-20-1800	>	Gas Spring Pneumatic Door Checks -Classic & Titan	1	PLG
11-20-2020		Compartment "A" Door to Check Past 90 Degrees	1	PLG
11-20-2030		Compartment "C" Door to Check Past 90 Degrees	1	PLG
11-20-2050		Compartment "E" Door to Check Past 90 Degrees	1	PLG
11-20-3000		Compartment "D" Door to Check Past 90 Degrees	1	PLG
11-20-5000	<	Cast Products Grabber Rear Doors Hold Open, Top Mount, Polished Aluminum	1	PLG
		<b>COMPARTMENT LAYOUT</b>	1	PLG
		Exterior compartment dimensions reflect wall to wall measurements.		
12-10-2035		"A" Left Front - 20w x 86h x 21d -(w/Oxygen window)	1	PLG
12-15-100B		"B" Left Side 1/2 High -43w x 42h x 20d	1	PLG
12-20-1220	>	"C" Left Rear, 3/4 High, Upper In-Out -26w x 59h x 20d	1	PLG
12-25-100A		"D" Right Front, In-Out Access -20w x 55h x 33d above floor -20d below floor	1	PLG
12-30-150B		"E" Right Rear, with In/out to Center Aisle -24w x 83h x 21d	1	PLG
		<b>COMPARTMENT DOOR PANELS, MATS, DECKING</b>	1	PLG
13-20-1000		Compartment Door Panels, Alum, Diamond Plate	1	PLG
13-30-1P10		Polycoated Compt & Entrance Door Sills, Compt Floors, Area Behind Rub Rails, Black	1	PLG
13-30-2000		Vent Compartments to Exterior of Vehicle	1	PLG
13-40-1000		Dri-Dek, Floors of Compartment, Black	1	PLG
13-40-2500		Rubber Mat, Shelves, Exterior Compartment	1	PLG
13-40-2800		Turtle Tile Non-skid Stepwell Mat (removable)	1	PLG
		<b>COMPARTMENT CONFIGURATIONS AND EQUIPMENT</b>	1	PLG
13-41-0100		Oxygen Bracket located in Compartment A	1	PLG
13-42-0250		(1) Adjustable Shelf, for compartment "B"	1	PLG
13-43-0300		(2) Adjustable Shelves, for compartment C	1	PLG
13-47-0450	<	Full Height Divider w/(2) Adjustable Shelves, Compartment "E" Long Equipment Storage Compartment "E" Divider to be 12" off front wall w/10" shelves.	1	PLG
13-55-2000	<	(3) Glove box storage boxed into compt. "C" Single depth (3) Glove box storage boxed into compt. "C"	1	PLG
13-60-V019	X <	Refrigerator, AC/DC, free-standing, Norcold 1.7 cu. ft. Norcold NR740 1.7 cu.ft. AC/DC free-standing refrigerator unit to be installed. No enclosure to be made.  Will operate on AC when plugged into shoreline.  Location: To be installed in the "B" compartment, forward of the divider	1	
13-70-0200		Bulbous mounts for (2) backboards Compt. "E"	1	PLG
13-70-0700		Hanger for Ferno EXL or #65 Scoop Compartment "E"	1	PLG
		<b>REAR STEP BUMPER</b>	1	PLG
14-10-2700		Lift-up Rear Step, Recessed, -Lic. plate left body	1	PLG
14-20-1000		Rear Dock Bumpers, Bolted to Bumper Ends	1	PLG
		<b>ALUMINUM DIAMOND PLATE ACCESSORIES</b>	1	PLG
15-10-1000		Front Corner Stone Guards, Polished Diamond Plate	1	PLG
15-15-1000		Front Body Stone Guard, Polished Diamond Plate	1	PLG
15-20-1050	>	Rub-Rails, C-Channel, Offset, Bright-Finish	1	PLG

Page 2



02/04/2022		Page 3		
PART NO	S	DESCRIPTION	QTY	ID
15-30-2000		Running Boards, Flare type, Non-Slip Diamond Plate (F450/F550 2-Door)	1	PLG
15-52-0100		Rear Diamond Plate Panel & Corner Guards	1	PLG
EXTERIOR TRIM				
16-10-1000		Fenderettes, Rolled, Polished Stainless Steel	1	PLG
16-30-1500		License Plate Holder w/LED Lt, Cast Prod Polish, Lt Side Body	1	PLG
16-35-1010		Fuel Fill Housing, Cast products, Polished (F-Series)	1	PLG
16-36-1010		DEF Fill Housing, Cast products, Polished (F-Series)	1	PLG
EXTERIOR, MISCELLANEOUS				
17-50-1000		Undercoat Body - AudioGuard	1	PLG
BODY WINDOWS				
18-10-1000	<	Window, Side Door (18"W x 22"H), Sliding, 31% Tint Transportation Products Inc. Window.	1	PLG
18-20-2000	<	Windows, Rear Doors, (15"W x 22"H), Fixed 31% tint Transportation Products Inc. Windows.	1	PLG
18-50-1000		Privacy Tint, Mylar, Side and Rear Doors	1	PLG
INTERIOR CONSTRUCTION				
20-00-1000		Interior Construction Type - Standard Cabinets	1	PLG
INSULATION				
20-10-1200		Super Insulation Package, additional Radiant Barrier to Interior Body	1	PLG
20-10-2000		Sound Deadened Insulation, Entrance Doors	1	PLG
20-10-3000		Sound Deadened, Compartment Doors	1	PLG
20-10-5000		Sub-Floor, Expanded PVC Polymer	1	PLG
FRONT BULKHEAD				
21-10-3020	<	Type I, Classic, Walk-Thru opening (No Door) Walk-Thru Opening option only. No Walk-thru door installed	1	PLG
21-30-1000		Climate Control Unit Over Cab to Body Passage	1	PLG
21-40-1500	<	Electrical Power Distribution Cabinet, Access Panels, Black Polycoat Black polycoat cover with an access panel with flush locking trigger latches	1	PLG
RIGHT FRONT CABINET				
21-45-1015	<	Right front, upper storage w/Life Defender lift-up restocking door, 1 shelf Includes Austin Life Defender Lift Up Restocking Door.	1	PLG
21-50-1000		Right front Lower, inside/outside storage	1	PLG
21-50-2000	<	Right front Lower, (2) adjustable shelves Shelves to be lined with ribbed rubber mat.	1	PLG
21-60-1000		Right front cabinet Lower, 1/2" acrylic doors	1	PLG
RIGHT SIDE BENCH LAYOUT				
22-00-1000		Squad Bench, Right side	1	PLG
22-21-0100		Backrest, Indiv., 2-pc. Upper & Lower, used w/ 6-pt seat belt	1	PLG
22-24-0420	>	Armrest, No vinyl pouch - Recessed storage, below - (for Sliding Door)	1	PLG
22-30-2000		Squad bench lid, Positive hold down device	1	PLG
22-35-3010		Drop in sharps/trash at head of squad bench	1	PLG
22-45-0500	< >	Overhead cabinet 9 1/4" OAH-Life Defender sliding doors For KKK Rev. F, compliance - Compliance based on 72" headroom with standard seating height only. Lift-up restocking not available. Glove box storage not available. Shelf not available.	1	PLG



02/04/2022

PART NO	S	DESCRIPTION	QTY	ID
<b>LEFT SIDE MIDDLE (Base Cabinet)</b>			<b>1</b>	<b>PLG</b>
23-10-1000		Left side attendant seat-(CPR Seat)	1	PLG
23-10-3060	>	Backrest, Individ., 2-pc. Upper & Lower, used w/ 6-pt seat belt	1	PLG
23-10-5000		Seat cushion, fixed- (Single CPR Seat)	1	PLG
<b>LIFE SUPPORT STATION</b>			<b>1</b>	<b>PLG</b>
23-30-2000		Switch pod, above counter, vinyl covered	1	PLG
23-30-2010		Rear Main Switch Panel Located in Life Support Station Switch Pod	1	PLG
23-30-2300	< >	Cut (1) Hole for Customer/Dealer supplied Radio, in Life Support Station Specify Radio Model This radio cut-out, will be on the right, lowermost area of the LSS	1	PLG
23-31-1500		Cabinet head of switch pod, hinged door, 1 shelf	1	PLG
23-32-1030	< >	(Reduced Hgt)Uppr cab.-squad off, w/Life Defender lift-up,restock door, 1 shelf The Interior Height of this cabinet will approximately be 14-1/2" High Pass thru opening approx. 11-1/2".	1	PLG
23-34-1500	>	Solid Surface counter, 1" lip, Left front, Color: Steel Gray Tempest 9194TM	1	PLG
23-34-2200		SSCOR Suction recessed below L/S/S counter (ILO above counter wall mount)	1	PLG
23-36-7000	< >	Pull-out writing surface/storage drawer, L/S/S Not Available with in/out to Compt. "B"	1	PLG
<b>LEFT REAR STORAGE CABINET</b>			<b>1</b>	<b>PLG</b>
23-40-1010	<	Left rear full cabinet, upper, Life Defender lift-up restocking door, 1 shelf Includes Austin Life Defender Lift Up Restocking Door.	1	PLG
23-40-3200	< >	Left rear half cabinet, middle hinged doors (2) in/out access 3/4 high, upper in/out to compartment "C".	1	PLG
23-42-1500	>	Solid Surface counter, 1" lip, Left rear, Color: Steel Gray Tempest 9194TM	1	PLG
23-42-2600	<	ALS Two (2) Drawer Storage Unit, Left Rear Below Counter All drawers utilize Locking Southco Polished Stainless Steel latches.	1	PLG
23-42-5000		Recessed (3) Glove box storage cabinet below counter	1	PLG
<b>RIGHT REAR CABINET</b>			<b>1</b>	<b>PLG</b>
23-70-0850	<	Right Rear In/out to Compartment "E", Facing Center Aisle In / Out: Dimensions: 8" wide 40 1/2" high - (with 72" & 75" Headroom) Dimensions: 8" wide 36 1/2" high - (with 68" Headroom) With Hinged Acrylic Door	1	PLG
<b>INTERIOR CABINET DOORS</b>			<b>1</b>	<b>PLG</b>
24-10-3M00		Cabinet doors, Polycarbonate/Acrylic, Tinted	1	PLG
24-15-1000	<	Handles, full length, sliding doors SAE J3058 Compliant	1	PLG
24-20-1000		Positive closure devices hinged doors	1	PLG
24-25-1000		Unistrut, interior cabinet shelves, "Mini"	1	PLG
<b>ENTRANCE DOORS</b>			<b>1</b>	<b>PLG</b>
24-30-2000		Ent. Door panels, 3 section	1	PLG
<b>ABOVE DOOR HEAD BUMPERS</b>			<b>1</b>	<b>PLG</b>
24-35-0100		Side Door Head Bumper	1	PLG
24-35-0500		Rear Door Head Bumper	1	PLG
<b>GRAB RAILS</b>			<b>1</b>	<b>PLG</b>



PART NO	S	DESCRIPTION	QTY	ID
25-10-1300		Safety Yellow Grab Rail, 72" length, over squad bench	1	PLG
25-10-1700		Safety Yellow Grab Rail, 72" length, over cot	1	PLG
25-10-3800		Safety Yellow Grab rail, 18", at rear entrance doors, (2)	1	PLG
25-11-2200		> Grab rail, 45 deg, Safety Yellow, rear entrance doors, (2)	1	PLG
25-49-S041	X <	Grab Rail, 16, Safety Yellow Location:Side Entrance Door .Rgt Frnt CabineT	1	
<b>SEAT BELTS</b>			1	PLG
25-50-2000		Seat belt, attendant seat, Qty (1)	1	PLG
25-51-1100	< >	Patient restraint strap, squad bench, Qty (3), for use with six point seat belts Feasibility of this option is based on seat positions and options in squad bench face. Patient restraint straps are not provided on bench with length shorter than 72".	1	PLG
25-51-2020	<	(2) Six point Seat Belt Harnesses - Curbside Seating Qty: (2) Loc: (2) Curbside Seating	1	PLG
25-51-2030	<	(1) Six point Seat Belt Harness - Street Side Seat Qty: (1) Loc: Streetside Seating	1	PLG
<b>COT MOUNT and COT MODEL</b>			1	PLG
26-35-1000	<	Power Load Fastening System w/Floor Plate, NO Mini Rail (SAE Compliant) Stryker Power Load All components provided by PL Custom. PL Custom will supply and install a Stryker Power Load Cot Fastening System w/inductive charging, and Floor Plate. Does not include Mini Rail or Mass Casualty Floor Plate for Mini Rail. Does not include cutout in the floor for the installation of a Mini Rail Plate. Requires 15 amp Battery Charging circuit. The Power Load charging circuit will be wired 12V hot unless otherwise specified.	1	PLG
<b>I.V. HOLDER</b>			1	PLG
26-50-1M10		Rubber I.V. holder, dual, recessed, over cot	1	PLG
26-50-2100		Rubber I.V. holder, dual, recessed, over squad bench	1	PLG
<b>INTERIOR COLORS</b>			1	PLG
27-10-1000		Ceiling, white Thermoplastic	1	PLG
27-10-1510		Upper Laminate - High Gloss Fashion Grey D381-01	1	PLG
27-10-4210		Lower Laminate - High Gloss Fashion Grey D381-01	1	PLG
<b>INTERIOR UPHOLSTERY</b>			1	PLG
27-20-5000		Upholstery, Flat-Seamless	1	PLG
27-20-6050		Upholstery Color: Canyon Red	1	PLG
<b>ATTENDANT SEAT</b>			1	PLG
27-36-3130		Canyon Red, Attn Seat, EVS 18703,w/Child Seat,3 Pt. Harness,ABS Back,Swivel,Sewn	1	PLG
27-37-0130		** Confirm Seat color** -CANYON RED is the vehicle upholstery color	1	PLG
<b>FLOORING</b>			1	PLG
27-53-2000		Lonplate II, diamond plate, Gun Metal (#424)	1	PLG
27-55-2000		Flooring rolled up side walls 3"	1	PLG
<b>CAB CONSOLE</b>			1	PLG



PART NO	S	DESCRIPTION	QTY	ID
27-72-1010	<	Type I, Floor Mnt, switches, siren/radio - (2017+ F-Series) NOTE: (2) Cup holders are NOT included in the console. The cupholders are part of the map-box (See PDF)	1	PLG
27-75-0140	< >	Cut (1) Hole for Customer/Dealer suppld Radio, in Radio/Siren Console Specify Radio Model _____	1	PLG
27-75-2050	< >	Map Box, Type I, Behind Cab Console, (2) pockets - (2017+ F-Series) includes (1) lexan divider  See PDF	1	PLG
27-90-S000	X <	Install Customer Supplied MDT Mount Allowances.	1	
<b>MISCELLANEOUS INTERIOR</b>			1	PLG
28-50-1000		Fasten Seat Belt/No Smoking Sign	1	PLG
<b>OXYGEN AND SUCTION</b>			1	PLG
30-10-1000		Oxygen Outlet, Amico, dual, Life Support Station Switch Pod	1	PLG
30-10-2000		Oxy Outlet, Amico, single, right side- In Overhead Cabinet	1	PLG
30-10-4500	>	Oxygen Outlet, Amico, single, ceiling raceway, front (additional)	1	PLG
30-20-1000		Oxygen Solenoid, Amico, w/ manual override & switch	1	PLG
30-30-1000		Suction pump, electric, Sscor, Switch in Rear Main Switch Panel	1	PLG
30-30-2400		Collection Bottle, SSCOR Disp.w/ canister clip, White Regulator (KKK Compliant)	1	PLG
30-50-3005	< >	O2 Carrier, ZICO, Quick-Release Oxygen Tank Lift System With ZICO hand-held switch mounted in compartment. ZICO tank lift comes with hydraulic ram that can be "back driven." This prevents the ram from being damaged if it is extended, and the air ride is lowered	1	PLG
30-50-3850	<	***Attention: Please Specify Tank Letter Size used within this shop note Oxygen Tank Size is: M  (example; M tank steel, M tank aluminum, H tank steel)  This will allow the factory to preset the mounts for your customer.	1	PLG
30-60-4000		Regulator, Oxygen, Large Tank, (PLC-9662)	1	PLG
30-80-1100	<	Wrench, Oxy Cylinder -(for EZE Loader) Oxygen wrench to be attached to compartment door	1	PLG
<b>ELECTRICAL</b>			1	PLG
40-00-0500	<	Electrical System Warranty The Electrical System shall be warranted for the life of the unit, as long as the original purchaser shall own it.	1	PLG
40-00-1200		Electrical 12 VDC, Classic-Series	1	PLG
40-00-1900		Electrical 12 VDC Specifications	1	PLG
<b>CAB ELECTRICAL</b>			1	PLG
41-10-0100		Alternator, Dual with 355 amp combined output, OEM Ford F-Series	1	PLG
41-20-0800		Batteries, Dual Ford OEM, 1500CCA -(under hood)	1	PLG
41-30-3750		Module Activation, Ignition Switch	1	PLG
41-50-1000		Cab Under hood & Fender Electrical Connectors - Deutsch Type	1	PLG
<b>SWITCH PANEL</b>			1	PLG
42-10-1000		Voltmeter, Analog, 8 to 18 volt, lighted	1	PLG
42-10-2400		Low Voltage Alarm & Indicator	1	PLG
42-15-2500	>	Rocker Switches, Carling Contura V	1	PLG
42-20-0500		Battery On indicator light	1	PLG
42-20-1000		Warning Indicator, Door open, Red	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
42-20-2000		Warning Indicator, Compt open, Amber	1	PLG
42-20-3000		Warning Indicator, Audible alarm, Door/Compt	1	PLG
42-20-4200		Warning Ind/Audible, Parking Brake, Dual-Mode Alarm	1	PLG
42-21-0900		** Gooseneck Light Not Included with Vehicle **	1	PLG
42-25-6000	<	High Idle Activation, Ford OEM - F-Series Activated by front console switch, requires park brake to be applied	1	PLG
42-30-1000		Back-up alarm, w/resetting cancel switch	1	PLG
42-45-2200	< >	Load Manager/Sequencer, PL Custom/Kussmaul (full time) RESPONSE AND SCENE AMPS CANNOT EXCEED 230 AMP  FULL TIME Load Management of Emergency Lights	1	PLG
42-60-2400		Air Horn, (2) Buell 1062, bumper valance mount, 1/4 hp compressor	1	PLG
42-60-5000	<	Air Horn activation, Carling Momentary in Front Switch Panel Switch will have white rocker for easy identification.  Requires PL provided air horn system or 42-60-2800 PL Activation of chassis supplied air horns.	1	PLG
42-65-1300		Pwr Lock Switch, Entrance, OEM Door switch- (if applicable)	1	PLG
42-65-1310		Door Lock Interface Module for F-Series	1	PLG
42-65-1500	< >	Remote Keyless Entry w/Chassis Power Door Lock Control OEM door switches control cab & body doors.	1	PLG
42-65-2200	< >	Pwr Door Lock Concealed Override Switch, Grille-(KKK) Located in front grille area. This switch location is KKK compliant	1	PLG
EMERGENCY WARNING EQUIPMENT			1	PLG
43-01-1000	<	Install Customer Supplied 3M Opticom, surface mount Provide circuitry and install customer supplied equipment. Location: Front of body  The Opticom is to be tied into the sequencer and NOT the load manager. It will have its own switch in the front console and is to deactivate when not in a drive gear.  The Opticom will be surface mounted, not recessed.	1	PLG
SIREN			1	PLG
43-20-4G50	>	Siren, Whelen 295SLSA1, w/diag.	1	PLG
43-20-5000		Siren-Horn Switch	1	PLG
SIREN SPEAKERS			1	PLG
43-31-4300		Thru Bumper Speakers, CPI SAD/P 3800 Series, (2) F-Series, 2020-on	1	PLG
FRONT LIGHT BAR			1	PLG
43-40-0500		-No front Lightbar required-	1	PLG
REAR LIGHT BAR			1	PLG
43-50-1000		-No rear Lightbar required-	1	PLG
43-50-8000	< >	Whelen Traffic Advisor, Low Profile TAL85 (8) LED (46") Rear Body Lights to be 700 Series w/No Rear Light Bar	1	PLG
CAB MOUNTED LIGHTS			1	PLG
43-68-A200	>	Whelen Independent CAB Flashing Lights, CLEAR Lens package	1	PLG
43-68-A210		** (4) Whelen 500/TIR6/WION Grille Lights Package	1	PLG
43-71-1300		(2) Upper Whelen WION LED Grille Light-(2)Red, CLEAR LENS, Chrome Flange	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
43-71-1623	<	*** Flange included with WION Light *** No Grille Flange Provided	1	PLG
43-71-3610		(2) Lower Whelen ION LED Grille Light-(2)Red, CLEAR LENS, Chrome Flange	1	PLG
43-71-3627	<	*** Flange included with WION Light *** No Grille Flange Provided	1	PLG
43-71-432C		(2) Whelen M7 Sup-LED, Red -Fender	1	PLG
43-71-7501	<	*** Flange included with WION Light *** No Fender Flange Provided	1	PLG
43-72-0000		* Please Verify Correct Grille/Fender Light Housing For Appropriate Light Size * BODY LIGHTING -(Full Catalog PDF here)>	1	PLG
43-A2-0050		* FRONT BODY LIGHTING -w/NO LIGHTBAR (PDF>)	1	PLG
43-A2-0200	<	** (7) Front Upper Lights The (4) lights, outboard of the Center light position, shall operate from (1) console switch.	1	PLG
43-A4-2440		*** M9 -Whelen Independent Front & Side Body Flashing Lights, CLEAR Lens package	1	PLG
43-A5-0030	< >	Independent - Flash - No Vehicle Flasher All lightheades are flashed randomly using internal flashing program, without light to light synchronization.	1	PLG
43-A5-0060	<	Program Flashing Lights to "Action Scan" Whelen flash pattern Lighthead will scroll through all available patterns and repeat	1	PLG
	>	FRONT BODY WARNING LIGHTS	1	PLG
43-A7-1100	<	All Whelen M9 Flanges, Chrome -(M9FC) M9 vehicle lights shall be equipped with a Whelen M9FC Chrome flange	1	PLG
43-B0-A100		M9-Whelen, Sup-LED, Red, Front - (Loc: F1)	1	PLG
43-B0-A900		M9-Whelen, Sup-LED, Red, Front - (Loc: F2)	1	PLG
43-B0-B250		M9-Whelen, Sup-LED, Red, Front - (Loc: F3)	1	PLG
43-B0-B500		M9-Whelen, Sup-LED, White, Front - (Loc: F4)	1	PLG
43-B0-C600		M9-Whelen, Sup-LED, Red, Front - (Loc: F5)	1	PLG
43-B0-C850		M9-Whelen, Sup-LED, Red, Front - (Loc: F6)	1	PLG
43-B0-D200		M9-Whelen, Sup-LED, Red, Front - (Loc: F7) M9 -Whelen Primary Side Light package-(Clear Lens) (PDF>)	1	PLG
43-F0-C100		M9-Whelen, Sup-LED, Red, Left Side - (Loc: LS1)	1	PLG
43-F0-D100		M9-Whelen, Sup-LED, Red, Left Side - (Loc: LS4)	1	PLG
43-F4-C100		M9-Whelen, Sup-LED, Red, Right Side - (Loc: RS1)	1	PLG
43-F4-D100		M9-Whelen, Sup-LED, Red, Right Side - (Loc: RS4)	1	PLG
		REAR BODY WARNING (Flashing) LIGHTS	1	PLG
43-H1-0500		**M9 -Whelen Independent, Rear Body Flashing Lights - CLEAR Lens	1	PLG
		M9 -REAR LIGHT LAYOUT -(w/Traffic Advisor)-No Lightbar (PDF>)	1	PLG
43-L4-C120		(3) Rear Upper Lights & Traffic Advisor & (2) Window Level Lights	1	PLG
43-S1-0100		M9-Whelen, Sup-LED, Red, Rear - (Loc: R1)	1	PLG
43-S1-1150		M7-Whelen, Sup-LED, Amber, Rear - (Loc: R4B)	1	PLG
43-S1-1850		M9-Whelen, Sup-LED, Red, Rear - (Loc: R7)	1	PLG
		M9 -Rear Lights at Window Level	1	PLG
43-S1-C350		M9-Whelen Sup-LED, Red, Rear - (Loc: R10B)	1	PLG
43-S1-D100		M9-Whelen Sup-LED, Red, Rear - (Loc: R11B)	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
<b>SECONDARY (miscellaneous) BODY MOUNTED WARNING LIGHTS</b>			<b>1</b>	<b>PLG</b>
43-T5-1930		M7 -Whelen, Red, Super LED, w/Flange, (2) Over Rear Wheel, CLEAR LENS	1	PLG
43-T5-3400	<	Whelen LED Strip Lights (6) Red - In "C" Channel Rub-Rails - (See Photo)	1	PLG
		Three on each side, Red with Red Lens		
		Whelen PSR00FRR		
<b>REAR NON-EMERGENCY LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-10-1000	< >	Stop/Tail and Turn Signal -Light heads with color lenses	1	PLG
		Exterior vehicle Rear Stop/Tail & Turn light heads will have Color Lenses.		
44-26-0100		Stop/Tail, (2) M6 -Whelen Super LED -(color Lens) w/Flange	1	PLG
44-26-0300		Back-up, (2) M6 - Whelen Super LED w/Flange	1	PLG
44-26-0500		Directional, (2) Whelen M6 Super LED -(color Lens) Populated Arrow	1	PLG
44-27-1000		Exterior lights, vertical stack I/L/O standard layout	1	PLG
<b>AUXILIARY NON-EMERGENCY LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-30-1000	>	HD Mini Oval Marker/Clearance Lts, LED Front, Rear, (2) Sides	1	PLG
44-30-3000	>	Lower Side Marker, Flash w/Directionals, (2) ea side	1	PLG
<b>FLOOD LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-50-22B0		(2) M9 - Whelen, Super LED Scenelight, (2) , Left side-(Loc:LS2, LS3)	1	PLG
44-50-24B0		(2) M9 - Whelen, Super LED Scenelight, (2) , Right side-(Loc:RS2, RS3)	1	PLG
<b>REAR FLOOD LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-52-0300		(2) M6 -Whelen Sup-LED- Scene Lights, w/15 degree Bezel, Rear (Loc: R12B, R13B)	1	PLG
44-60-1000		Right Side Scene Lights on with Side Door & Switch in Console	1	PLG
44-60-2000		Left Side Scene Lights w/On-Off Switch Console	1	PLG
44-60-3000		Rear Scene Lights on w/Rear Door Open/Reverse	1	PLG
44-60-4000	<	Rear Scene Lights, On-Off Switch in Console	1	PLG
		Rear floods switch shall also activate reverse lights.		
44-60-5000		Right Side Scene Light Cancel Switch	1	PLG
44-60-6000		Rear Door Scene Light Cancel Switch	1	PLG
44-60-7000		Left/Right & Rear Flood Lights, On In Reverse	1	PLG
<b>CLIMATE CONTROL</b>			<b>1</b>	<b>PLG</b>
45-10-1000		Ventilation, Flow-Thru, (2) Speed, Cast Products Rear Cowl	1	PLG
45-20-3550	< >	Model 109 Auxiliary Air Conditioning Condenser 12V, Front body -(MED/CLSC)	1	PLG
		For use with 12V, Heat A/C unit.		
45-30-1Q00	<	Ducted Heater/Air Cond, Digital Thermostat -F-Series	1	PLG
		System ties into Ford OEM A/C Compressor.		
		Includes Intermotive Module B-CVC502-A which allows the rear A/C to operate independent of cab A/C.		
		For best performance it is recommended to run front A/C when rear A/C is active.		
45-35-1100		Auxiliary Coolant Pump Climate Control System	1	PLG
45-38-1050		109 Condenser Front Body Mounted on Standard PL Tray Bracket ( no lights)	1	PLG
45-39-1010		** Front Body Condenser to be Painted to Match Body Color	1	PLG
<b>CEILING CONFIGURATION</b>			<b>1</b>	<b>PLG</b>
45-99-0100		Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers	1	PLG
<b>INTERIOR LIGHTS</b>			<b>1</b>	<b>PLG</b>



02/04/2022

Page 10

PART NO	S	DESCRIPTION	QTY	ID
46-10-1L00		(6) Dome Lights, Whelen Multi-LED, Hi-Lo, Qty (#80C0EHCR)	1	PLG
46-10-2000		Dome Lights Switched to LOW Mode w/Door Open	1	PLG
<b>EXTERIOR COMPARTMENT LIGHTS</b>			1	PLG
46-20-1075	<	Lghts, Ext. Compartments, TecNiq LED E44 Strip Lights (Vertical Linear Lights)	1	PLG
46-20-1350		Oxygen Compartment Light Switch, Located in Rear Main Switch Panel	1	PLG
<b>AUXILIARY INTERIOR LIGHTING</b>			1	PLG
46-20-2000		Heavy Duty LED panel Light, (Life Support Station Area)	1	PLG
46-20-2550		Panel Light (Life Support Station) Switch, Located in Rear Main Switch Panel	1	PLG
46-30-1100		Stepwell Light, LED, Located at Side Entrance Door	1	PLG
46-40-1P00		TecNiq E30, 42 LED Rectangular Ceiling Lights Qty (4)	1	PLG
46-40-3M00	<	Windup "checkout" Timer, Side Door, Shoreline only 60 minute windup timer at side door, active with shoreline only	1	PLG
46-40-4000		Rectangular Lights on "Checkout" Timer Circuit	1	PLG
46-50-1000		Dome Light Switch, (1) Left, (1) Right	1	PLG
<b>MEDICAL OUTLETS</b>			1	PLG
47-20-1000		12 volt Medical Outlet, Power Point, Loc: LSS Wall	1	PLG
47-20-2000		12 volt Medical Outlet, Power Point, Loc: Right Front In/out	1	PLG
47-20-2600		Delete 12 volt Medical Outlet, Power Point, Loc: Left Rear	1	PLG
<b>ANTENNA/COMMUNICATION RADIO</b>			1	PLG
47-60-0300	<	(3) Antenna Leads, Body Roof - (See PDF) Unless otherwise specified, lead will route to: (1) Front console (1) LSS (1) Behind Driver's Seat	1	PLG
47-60-6200	< >	Radio Power Lead, Rear Main Switch Panel Includes: (1) Red 10 gauge marked radio 12 volt Hot, 30 amp, (1) Black 10 gauge marked radio ground, (1) Orange 12 gauge marked 12 volt switched, 20 amp.	1	PLG
47-60-6500	< >	Radio Power Lead 30 Amp, 10 ga. Cab Console Includes: (1) 12 volt Hot wire with 30 amp circuit protection, (1) 12 volt switched wire with 20 amp circuit protection.	1	PLG
47-60-7000	< >	Radio Power Lead w/40 Amp Fuse, 8 ga. Behind driver seat Includes: (1) 12 volt Hot wire w/fuse holder & 40 amp fuse, (1) 12 volt switched wire w/fuse holder and 40 amp fuse.	1	PLG
<b>MISCELLANEOUS 12 VOLT ELECTRICAL</b>			1	PLG
48-15-V044	X <	Hanscom K One (1) Camera Backup System HK-7211 Backup camera system, with 7" monitor.  To be mounted on windshield, with rear view mirror removed.	1	
48-20-2000	>	Speakers, Stereo Volume Control Rear Sw Panel	1	PLG
48-40-2250	< >	Stream Lite, Vulcan, Halogen, Orange Qty: (2)  Location: Compartment B	2	PLG
48-50-3050	<	Intellitec, Clock over rear doors i/l/o LSS Location: Above rear entry doors, centered under raceway.	1	PLG
48-60-3690		Liquid Spring Control Left Rear Door Open w/ NO Override switch	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
<b>ELECTRICAL 115 VOLT AC</b>			<b>1</b>	<b>PLG</b>
51-20-5000		Shoreline, Super Auto-Eject 20 amp, Left Side, Above Compt. "B", WHITE	1	PLG
51-30-1500	<	Shoreline/ Battery Charging Dual Indicator Lights	1	PLG
		Shoreline - Amber Indicator		
		Battery Charger - Green Indicator		
51-32-2000		Power Distr Box, 115v, w/20 amp Circuit Bkr	1	PLG
52-10-1400	>	Hospital Grade 115V Outlet with (2) USB Ports, Location: L/S/S Wall	1	PLG
52-10-2000	< >	Hospital Grade Lighted Outlet, Location: Left Rear	1	PLG
		Outlet mounted 14" above the rear counter		
52-10-3000		Hospital Grade Lighted Outlet, Location: Right Front In/out	1	PLG
52-10-5500	< >	Hospital Grade Lighted Outlet, Exterior Compt., Location:	1	PLG
		Qty: (1)		
		Loc: Compartment B		
<b>BATTERY CHARGER / INVERTER CHARGER</b>			<b>1</b>	<b>PLG</b>
55-10-1225	< >	Inverter/ Charger, Vanner LSC12-1100 Pure Sine Inverter/ 55A Battery Charger	1	PLG
		Deletes standard battery charger		
		Deletes GFCI receptacle at LSS (GFCI is integral to inverter)		
		Includes activation switch in rear switch panel (Standard Electric)) or Button on rear Vista Screen (VMUX Electric)		
<b>PAINT LUSTRE</b>			<b>1</b>	<b>PLG</b>
60-00-0005		Ten Year Paint Warranty (Paint Lustre)	1	PLG
60-00-0007		Paint Adhesion Testing	1	PLG
<b>BODY AND CAB PRIMARY PAINT</b>			<b>1</b>	<b>PLG</b>
60-10-0210		*Body and Cab Same Single Color	1	PLG
60-10-1800	<	**Modular Body Paint Color Other Than Unit Standard White	1	PLG
		Provide Paint Code _____		
60-10-1995	< >	Paint Rear Body Primary Color Only (for Chevron Application)	1	PLG
		Note: With "Chevron" striping selected, the rear of the vehicle will be painted, the solid single, primary color. -(for Chevron application)-		
60-13-0900	<	Modular Body Paint Color Red	1	PLG
		Provide Paint Code _____		
60-15-100B	<	Re-Paint Cab, Single Color, w/ Door Jambs (Classic 2 door)	1	PLG
		Provide Paint Code _____		
60-15-1505		Cab Paint Color Same as Body	1	PLG
60-20-1010		** Front Body Condenser to be Painted to Match Body Color	1	PLG
<b>ADDITIONAL VEHICLE PAINT, SECONDARY</b>			<b>1</b>	<b>PLG</b>
61-05-0008		No Additional Paint Required	1	PLG
61-80-2210		Polycoated Compt & Entr Door Sills, Compt Floors, Area Behind Rub Rails (*Note*)	1	PLG
<b>LETTERING</b>			<b>1</b>	<b>PLG</b>
65-15-2000	S	Imitation Gold Leaf Lettering	1	PLG
<b>REFLECTIVE VINYL BELTLINE STRIPING</b>			<b>1</b>	<b>PLG</b>
65-39-0300		6" Vinyl Beltline Stripe	1	PLG
65-40-1080		Vinyl Main Stripe Color, Gold -(reflective)	1	PLG
65-40-2020		Vinyl Beltline Stripe to have Z on Body	1	PLG
65-40-3200	S < >	Vinyl Beltline Location Other	1	PLG
		Location: Lower Cab Door		



PART NO	S	DESCRIPTION	QTY	ID
<b>REFLECTIVE VINYL STRIPING MISC.</b>			<b>1</b>	<b>PLG</b>
65-50-0050	S	< > Reflective Tape Stripe 1/2" Location: Each side of 6" beltline stripe. Qty (2)  Color: Gold, reflective.	2	PLG
65-50-4020		< > Reflective White Tape Stripe, 3/4" Outline, on interior of Entrance Doors Reflective White 3/4" Outline  This provides the 60 sq.inch required for both general safety and KKK.	1	PLG
<b>REFLECTIVE CHEVRONS</b>			<b>1</b>	<b>PLG</b>
65-65-0320		< > Reflexite 6" Chevron Rear Body +Upper CTR panel, no doors. Red & Fluor Lime The two colors are V-98 for red and fluor green. Note: **does not include any curved surfaces, such as the coves, or door trim	1	PLG
<b>TECHNICAL RADIO INSTALLATION</b>			<b>1</b>	<b>PLG</b>
70-10-0500		No Technical Radio Installation	1	PLG
<b>CHASSIS EQUIPMENT</b>			<b>1</b>	<b>PLG</b>
75-10-1110		Stainless Steel Wheel Inserts, DELETE	1	PLG
75-30-1100	<	Liquid Spring Suspension System (F550) Liq Spring for F550 with 18,000 GVW - DS147FS3	1	PLG
75-45-3550	>	Reserve Air Tank 5 Gallon	1	PLG
75-55-1200	<	Mirrors, Ford OEM F-Series Trailer Tow w/Power-Heated Glass Include Integrated clearance lights and turn signals.	1	PLG
75-60-1000		Mud Flaps, Rear, Light Duty Chassis	1	PLG
75-95-2500		Ford Series Front End-Caster Camber Align	1	PLG
79-90-S001	X <	Grill Guard, Full Width, Go Industries, Stainless Finish Ref: 79-90-V013	1	
<b>EQUIPMENT</b>			<b>1</b>	<b>PLG</b>
80-35-2K30	<	Fire Extinguisher, ABC, 5lb, Qty:(2) w/Amerex #861 H Bracket (SAEJ3043 Comp)  Shipped loose. Includes #861H Amerex Mounts	1	PLG
80-42-3400	< >	INSTALL- Customer Supplied - Defib. Bracket (Non SAE) Specify: Make _____ Model _____ Bracket, Dimensions _____ Location: _____	1	PLG
80-43-4250	< >	Bottle Brackets, Zico-Quick-Release, Strapless (2) , (D Bottle) Model QR-D-2 Located in the recessed stepwell area Qty (2)	1	PLG
80-50-1000		Prep, Clean & Detail Vehicle for Delivery	1	PLG
<b>CHASSIS</b>			<b>1</b>	<b>PLG</b>
95-12-225L	<	2022 FORD F550-Super Duty, 4x4, 108" CA, XLT - Diesel Ford F550 Chassis Cab Four Wheel Drive Wheelbase 193" - 108" CA Dual Rear G.V.W. 18,000 lbs.  Powertrain/Functional: Engine: 6.7L "Powerstroke" Turbo Diesel V8 300 hp @2800 RPM, 660 lbs torque @1600 RPM	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
		<p>Single Stage Turbo Charger</p> <p>Instant Start Glow Plugs for quick engine starts</p> <p>Diesel Emissions Fluid 6 gallon tank - mounted behind frame rail on drivers side</p> <p>Intelligent Oil Life Monitor</p> <p>Engine block heater</p> <p>Water Pump with 125 gallons per minute flow rate</p> <p>Transmission: Heavy Duty "TorqShift" Ten Speed Automatic with selectable drive modes; Normal, Tow Haul, Eco, Deep Sand/Snow</p> <p>Electronic Shift on the Fly with automatic locking front hubs with manual override.</p> <p>Brakes - 4 wheel Anti-lock Braking System</p> <p>Traction Control - DRW Models</p> <p>Fuel Capacity: 40 gallon single tank (aft axle)</p> <p>Front Axle: 7,000 lb. Monobeam, Dana Super 60</p> <p>Rear Axle: 13,660lb. Full Floating Dana S110</p> <p>Suspension:</p> <p>Heavy Duty Front Coil Springs</p> <p>Rear Leaf Springs, main &amp; auxiliary</p> <p>Shock absorbers, front &amp; rear 1.38"</p> <p>Stabilizer bar, front and rear</p> <p>Power Steering</p> <p>Steering Damper</p> <p>Instrumentation: multifunction switch message center -</p> <p>Gauges: Oil Pressure, Coolant Temperature, Trans Temp, w/Indicator Lights, Tachometer, Trip Odometer, Turbo boost, water in fuel warning light, low/contaminated diesel exhaust fluid warning lights, glow plug preheat indicator</p> <p>Ambulance Prep Package with EPA Special Emergency Vehicle Emissions - 47L</p> <p>Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO mode</p> <p>Operator Commanded regen allowed down to 30% of DPF filter full instead of 100%</p> <p>Stationary elevated idle control (SEIC) is built into the engine control module</p> <p>Must meet definition of Emergency Vehicle; ambulance or fire truck in the federal register</p> <p>Rear axle 4.10 Limited Slip</p> <p>Dual OEM HD Alternators (total 397 amps) 67B</p> <p>Dual 750 CCA Batteries</p> <p>Operated Commanded Regeneration (OCR) #98R</p> <p>Safety/Security:</p> <p>Driver/Passenger frontal and side air bag/curtain</p> <p>Passenger side air bag deactivation switch</p> <p>Belt-Minder - chime &amp; flashing warning light on instrument panel if belts not buckled</p> <p>Safety Belts - color coordinated with height adjustment (front outboard seating positions only)</p> <p>SOS Post-Crash Alert System</p> <p>Securi-lock Anti Theft Ignition</p> <p>Tires:</p> <p>Front &amp; Rear LT225/70R 19.5G All Position (6) #THB</p> <p>Spare Tire: LT225/70R 19.5G (All Position)</p>		



PART NO	S	DESCRIPTION	QTY	ID
		Wheels; 10 hole Disc, 19.5" x 6" Steel		
		Exterior Trim:		
		Dual Electric Horns		
		Chrome Front Bumper & Grille Surround		
		Front Tow Hooks		
		Lights - roof/marker clearance lights		
		Dual Beam Jewel Effect Headlights		
		High Mount Stop Light		
		Mirrors: Black POWER Telescoping Trailer Tow with		
		Power Heated Glass, Integrated clearance lights,		
		Turn signals, LED security approach lights,		
		Utility lighting System (LED side mirror spotlights) #54F		
		XLT Interior Cab Trim: #663A		
		Air Conditioning		
		Cloth Headliner, Map Pockets		
		AM/FM Radio w /MP3 /Clock		
		SYNC 3 8" LCD Productivity Screen in IP Cluster #913		
		Overhead Console with dual storage bin and map lights		
		Outside Temperature Display		
		Interval Windshield Wipers		
		Tilt Steering Wheel/Speed Control - steering wheel mounted		
		Power Windows/Door Locks		
		Black Vinyl Floor (No Floor Mats)		
		Headlights on audible alarm		
		Dual overhead Map Light		
		Daytime Running Lights		
		Front seats, high series cloth - 40/20/40 #3S		
		Driver Assist Technology		
		Audible Lane Departure Warning		
		Pre-Collision Assist with Automatic Emergency Braking and forward collision		
		warning		
		Automatic High Beam Headlights		
		Adjustable Pedals: gas and brake		
		Color Scheme:		
		Exterior Color: Oxford White #Z1		
		Interior Color: MEDIUM EARTH GRAY		
95-12-6100	< >	F450/F550 Aluminum Wheels Option (#64D)	1	PLG
		This option, when selected, takes precedence over the option in the standard		
		chassis spec:		
		WHEELS; 10 HOLE DISC, 19.5" x 6" POLISHED ALUMINUM #64D		
		REQUIRES SPECIAL ORDER CHASSIS		
95-12-6190		F350/F450/F550 Sync3 - Std. on XLT	1	PLG
96-32-1500		Fuel "Full Tank" -F-Series	1	PLG
		<b>COOPERATIVE PRICING</b>	1	PLG
97-10-1000	<	HGAC Cooperative Pricing Spreadsheet	1	PLG
		An HGAC STS spreadsheet to be provided with the spec		





February 4, 2022

Blairs Volunteer Fire and Rescue  
Dean Fowler, Chief  
1777 Snakepath Road  
Blairs, VA 24527

Dear Chief Fowler:

On behalf of Goodman Specialized Vehicles, LLC I am happy to provide you with the following proposal for one (1) PL Custom Classic 170" ambulance mounted on a Ford F550 4x4 chassis.

We are able to offer this unit at a price of: **\$316,321.00**

This pricing is an estimate based on your current specifications, to be used for your budget planning.

Included in this proposal is one (1) Stryker Power-Load cot retention system and one (1) Stryker Power-Pro XT cot.

Some potential price increases that could arise between now and your grant award date are:

1. Chassis model year change.
2. Raw materials price increase.
3. Component manufacturer price increases (such as Whelen, Stryker, etc.).

Thank you again for the opportunity to provide you with this quote. We look forward to having the opportunity to work with Blairs Vol. Fire and Rescue. As always, if you have any questions about the information that I have given you, feel free to contact me.

*Porter Carden*

Porter Carden  
Regional Account Manager  
Goodman Specialized Vehicles, LLC  
804-517-8411



GOODMAN SPECIALIZED VEHICLES  
17020 PATRICK HENRY HIGHWAY • PO Box 840 • AMELIA VA 23002  
PH: 804-873-2067 • TOLL FREE: 877-904-2008 • FAX: 804-561-4823  
[WWW.GOODMANSV.COM](http://WWW.GOODMANSV.COM)





## QUOTATION

Blairs Volunteer Fire and Rescue  
Dean Fowler  
1777 Snakepath Road  
Blairs, VA 24527  
434-709-3687  
deanfowler02@yahoo.com

Goodman Specialized Vehicles, LLC.  
Porter Carden  
17202 Patrick Henry Highway  
Amelia, VA 23002  
pcarden@goodmansv.com

Exp. Date: / /  
Quote No: A5792-0004  
BODY: CLSC170 Type 1 Classic, 170" 108"CA

02/04/2022		Page 1	
PART NO	S	DESCRIPTION	QTY ID
== Type 1 Classic, 170" 108"CA - 33.940 01/06/22 ==			
00-00-0100		PL Ambulance - Release 33.94 effective 01/06/22	1 PLG
00-11-7065	<	170" CLASSIC BODY, 72" Headroom, w/Drop Skirt	1 PLG
		Overall Vehicle Dimensions:	
		Length: 308"	
		Width: 99"	
		Height: 112" (+/- 2")	
		Exterior Modular Body Dimensions:	
		Length: 170"	
		Width: 97"	
		Height: 91"	
		Interior Modular Body Dimensions:	
		Length: 165"	
		Width: 90 3/4"	
		Height: 72"	
03-00-1060	< >	Chassis Type -Ford F-Series	1 PLG
		Chassis paint must be reviewed/edited when changing chassis type	
EXTERIOR			1 PLG
10-10-1100	<	Modular Body Construction	1 PLG
		SAE J3057 Compliant	
10-10-2000	<	Structural Integrity Warranty	1 PLG
		The structural integrity of the body shall be guaranteed for the life of the unit, as long as the original purchaser shall own it.	
10-10-2070		Finite Element Analysis	1 PLG
10-10-2100		Compartments, Aluminum Diamond Plate, welded	1 PLG
10-12-2020		Type I, Classic, Cab to body Walk-thru	1 PLG
10-15-4000		Body mounting, Type I, rubber donuts, L-Duty	1 PLG
10-20-3300		Lowered Body Skirts, with Intermediate Step	1 PLG
EXTERIOR DOORS, AMBULANCE			
11-10-1060	<	Trimark 1875 Paddle Handle Power Locking, Entrance. Doors Qty(3)	1 PLG
		The door system shall include emergency override latch levers in upper and lower locations of each entrance door. Levers are visible with red coating and intended for emergency use in the event of a non-functioning handle.	
11-10-3850	>	Sliding Side Entrance Door -(Classic & Titan)	1 PLG
11-10-3920	<	* Attention: Please see shop note below for Grab Rail selection, w/Sliding Door	1 PLG
		To ease entrance into the side door, please select either of the following 18"	



02/04/2022

PART NO	S	DESCRIPTION	QTY	ID
		grab-rails.		
		25-10-3420 - (use with "traditional" style squadbench).		
		25-10-3570 - (use with "Medic-In-Mind style squad seating).		
		(both are add/browse options)		
11-10-4060	<	Trimark 1875 Paddle Handle Power Locking, Std Compt Doors (6) Tied to OEM Power Door Lock Switch	1	PLG
11-20-1800	>	Gas Spring Pneumatic Door Checks -Classic & Titan	1	PLG
11-20-2020		Compartment "A" Door to Check Past 90 Degrees	1	PLG
11-20-2030		Compartment "C" Door to Check Past 90 Degrees	1	PLG
11-20-2050		Compartment "E" Door to Check Past 90 Degrees	1	PLG
11-20-3000		Compartment "D" Door to Check Past 90 Degrees	1	PLG
11-20-5000	<	Cast Products Grabber Rear Doors Hold Open, Top Mount, Polished Aluminum	1	PLG
		<b>COMPARTMENT LAYOUT</b>	1	PLG
		Exterior compartment dimensions reflect wall to wall measurements.		
12-10-2035		"A" Left Front - 20w x 86h x 21d -(w/Oxygen window)	1	PLG
12-15-100B		"B" Left Side 1/2 High -43w x 42h x 20d	1	PLG
12-20-1220	>	"C" Left Rear, 3/4 High, Upper In-Out -26w x 59h x 20d	1	PLG
12-25-100A		"D" Right Front, In-Out Access -20w x 55h x 33d above floor -20d below floor	1	PLG
12-30-150B		"E" Right Rear, with In/out to Center Aisle -24w x 83h x 21d	1	PLG
		<b>COMPARTMENT DOOR PANELS, MATS, DECKING</b>	1	PLG
13-20-1000		Compartment Door Panels, Alum, Diamond Plate	1	PLG
13-30-1P10		Polycoated Compt & Entrance Door Sills, Compt Floors, Area Behind Rub Rails, Black	1	PLG
13-30-2000		Vent Compartments to Exterior of Vehicle	1	PLG
13-40-1000		Dri-Dek, Floors of Compartment, Black	1	PLG
13-40-2500		Rubber Mat, Shelves, Exterior Compartment	1	PLG
13-40-2800		Turtle Tile Non-skid Stepwell Mat (removable)	1	PLG
		<b>COMPARTMENT CONFIGURATIONS AND EQUIPMENT</b>	1	PLG
13-41-0100		Oxygen Bracket located in Compartment A	1	PLG
13-42-0250		(1) Adjustable Shelf, for compartment "B"	1	PLG
13-43-0300		(2) Adjustable Shelves, for compartment C	1	PLG
13-47-0450	<	Full Height Divider w/(2) Adjustable Shelves, Compartment "E" Long Equipment Storage Compartment "E" Divider to be 12" off front wall w/10" shelves.	1	PLG
13-55-2000	<	(3) Glove box storage boxed into compt. "C" Single depth (3) Glove box storage boxed into compt. "C"	1	PLG
13-60-V019	X <	Refrigerator, AC/DC, free-standing, Norcold 1.7 cu. ft. Norcold NR740 1.7 cu.ft. AC/DC free-standing refrigerator unit to be installed. No enclosure to be made.  Will operate on AC when plugged into shoreline.  Location: To be installed in the "B" compartment, forward of the divider	1	
13-70-0200		Bulbous mounts for (2) backboards Compt. "E"	1	PLG
13-70-0700		Hanger for Ferno EXL or #65 Scoop Compartment "E"	1	PLG
		<b>REAR STEP BUMPER</b>	1	PLG
14-10-2700		Lift-up Rear Step, Recessed, -Lic. plate left body	1	PLG
14-20-1000		Rear Dock Bumpers, Bolted to Bumper Ends	1	PLG
		<b>ALUMINUM DIAMOND PLATE ACCESSORIES</b>	1	PLG
15-10-1000		Front Corner Stone Guards, Polished Diamond Plate	1	PLG
15-15-1000		Front Body Stone Guard, Polished Diamond Plate	1	PLG
15-20-1050	>	Rub-Rails, C-Channel, Offset, Bright-Finish	1	PLG

Page 2



02/04/2022		Page 3		
PART NO	S	DESCRIPTION	QTY	ID
15-30-2000		Running Boards, Flare type, Non-Slip Diamond Plate (F450/F550 2-Door)	1	PLG
15-52-0100		Rear Diamond Plate Panel & Corner Guards	1	PLG
EXTERIOR TRIM				
16-10-1000		Fenderettes, Rolled, Polished Stainless Steel	1	PLG
16-30-1500		License Plate Holder w/LED Lt, Cast Prod Polish, Lt Side Body	1	PLG
16-35-1010		Fuel Fill Housing, Cast products, Polished (F-Series)	1	PLG
16-36-1010		DEF Fill Housing, Cast products, Polished (F-Series)	1	PLG
EXTERIOR, MISCELLANEOUS				
17-50-1000		Undercoat Body - AudioGuard	1	PLG
BODY WINDOWS				
18-10-1000	<	Window, Side Door (18"W x 22"H), Sliding, 31% Tint Transportation Products Inc. Window.	1	PLG
18-20-2000	<	Windows, Rear Doors, (15"W x 22"H), Fixed 31% tint Transportation Products Inc. Windows.	1	PLG
18-50-1000		Privacy Tint, Mylar, Side and Rear Doors	1	PLG
INTERIOR CONSTRUCTION				
20-00-1000		Interior Construction Type - Standard Cabinets	1	PLG
INSULATION				
20-10-1200		Super Insulation Package, additional Radiant Barrier to Interior Body	1	PLG
20-10-2000		Sound Deadened Insulation, Entrance Doors	1	PLG
20-10-3000		Sound Deadened, Compartment Doors	1	PLG
20-10-5000		Sub-Floor, Expanded PVC Polymer	1	PLG
FRONT BULKHEAD				
21-10-3020	<	Type I, Classic, Walk-Thru opening (No Door) Walk-Thru Opening option only. No Walk-thru door installed	1	PLG
21-30-1000		Climate Control Unit Over Cab to Body Passage	1	PLG
21-40-1500	<	Electrical Power Distribution Cabinet, Access Panels, Black Polycoat Black polycoat cover with an access panel with flush locking trigger latches	1	PLG
RIGHT FRONT CABINET				
21-45-1015	<	Right front, upper storage w/Life Defender lift-up restocking door, 1 shelf Includes Austin Life Defender Lift Up Restocking Door.	1	PLG
21-50-1000		Right front Lower, inside/outside storage	1	PLG
21-50-2000	<	Right front Lower, (2) adjustable shelves Shelves to be lined with ribbed rubber mat.	1	PLG
21-60-1000		Right front cabinet Lower, 1/2" acrylic doors	1	PLG
RIGHT SIDE BENCH LAYOUT				
22-00-1000		Squad Bench, Right side	1	PLG
22-21-0100		Backrest, Indiv., 2-pc. Upper & Lower, used w/ 6-pt seat belt	1	PLG
22-24-0420	>	Armrest, No vinyl pouch - Recessed storage, below - (for Sliding Door)	1	PLG
22-30-2000		Squad bench lid, Positive hold down device	1	PLG
22-35-3010		Drop in sharps/trash at head of squad bench	1	PLG
22-45-0500	< >	Overhead cabinet 9 1/4" OAH-Life Defender sliding doors For KKK Rev. F, compliance - Compliance based on 72" headroom with standard seating height only. Lift-up restocking not available. Glove box storage not available. Shelf not available.	1	PLG



02/04/2022

Page 4

PART NO	S	DESCRIPTION	QTY	ID
<b>LEFT SIDE MIDDLE (Base Cabinet)</b>			<b>1</b>	<b>PLG</b>
23-10-1000		Left side attendant seat-(CPR Seat)	1	PLG
23-10-3060	>	Backrest, Individ., 2-pc. Upper & Lower, used w/ 6-pt seat belt	1	PLG
23-10-5000		Seat cushion, fixed- (Single CPR Seat)	1	PLG
<b>LIFE SUPPORT STATION</b>			<b>1</b>	<b>PLG</b>
23-30-2000		Switch pod, above counter, vinyl covered	1	PLG
23-30-2010		Rear Main Switch Panel Located in Life Support Station Switch Pod	1	PLG
23-30-2300	< >	Cut (1) Hole for Customer/Dealer supplied Radio, in Life Support Station Specify Radio Model This radio cut-out, will be on the right, lowermost area of the LSS	1	PLG
23-31-1500		Cabinet head of switch pod, hinged door, 1 shelf	1	PLG
23-32-1030	< >	(Reduced Hgt)Uppr cab.-squad off, w/Life Defender lift-up,restock door, 1 shelf The Interior Height of this cabinet will approximately be 14-1/2" High Pass thru opening approx. 11-1/2".	1	PLG
23-34-1500	>	Solid Surface counter, 1" lip, Left front, Color: Steel Gray Tempest 9194TM	1	PLG
23-34-2200		SSCOR Suction recessed below L/S/S counter (ILO above counter wall mount)	1	PLG
23-36-7000	< >	Pull-out writing surface/storage drawer, L/S/S Not Available with in/out to Compt. "B"	1	PLG
<b>LEFT REAR STORAGE CABINET</b>			<b>1</b>	<b>PLG</b>
23-40-1010	<	Left rear full cabinet, upper, Life Defender lift-up restocking door, 1 shelf Includes Austin Life Defender Lift Up Restocking Door.	1	PLG
23-40-3200	< >	Left rear half cabinet, middle hinged doors (2) in/out access 3/4 high, upper in/out to compartment "C".	1	PLG
23-42-1500	>	Solid Surface counter, 1" lip, Left rear, Color: Steel Gray Tempest 9194TM	1	PLG
23-42-2600	<	ALS Two (2) Drawer Storage Unit, Left Rear Below Counter All drawers utilize Locking Southco Polished Stainless Steel latches.	1	PLG
23-42-5000		Recessed (3) Glove box storage cabinet below counter	1	PLG
<b>RIGHT REAR CABINET</b>			<b>1</b>	<b>PLG</b>
23-70-0850	<	Right Rear In/out to Compartment "E", Facing Center Aisle In / Out: Dimensions: 8" wide 40 1/2" high - (with 72" & 75" Headroom) Dimensions: 8" wide 36 1/2" high - (with 68" Headroom) With Hinged Acrylic Door	1	PLG
<b>INTERIOR CABINET DOORS</b>			<b>1</b>	<b>PLG</b>
24-10-3M00		Cabinet doors, Polycarbonate/Acrylic, Tinted	1	PLG
24-15-1000	<	Handles, full length, sliding doors SAE J3058 Compliant	1	PLG
24-20-1000		Positive closure devices hinged doors	1	PLG
24-25-1000		Unistrut, interior cabinet shelves, "Mini"	1	PLG
<b>ENTRANCE DOORS</b>			<b>1</b>	<b>PLG</b>
24-30-2000		Ent. Door panels, 3 section	1	PLG
<b>ABOVE DOOR HEAD BUMPERS</b>			<b>1</b>	<b>PLG</b>
24-35-0100		Side Door Head Bumper	1	PLG
24-35-0500		Rear Door Head Bumper	1	PLG
<b>GRAB RAILS</b>			<b>1</b>	<b>PLG</b>



PART NO	S	DESCRIPTION	QTY	ID
25-10-1300		Safety Yellow Grab Rail, 72" length, over squad bench	1	PLG
25-10-1700		Safety Yellow Grab Rail, 72" length, over cot	1	PLG
25-10-3800		Safety Yellow Grab rail, 18", at rear entrance doors, (2)	1	PLG
25-11-2200		> Grab rail, 45 deg, Safety Yellow, rear entrance doors, (2)	1	PLG
25-49-S041	X <	Grab Rail, 16, Safety Yellow Location:Side Entrance Door .Rgt Frnt CabineT	1	
<b>SEAT BELTS</b>				<b>1 PLG</b>
25-50-2000		Seat belt, attendant seat, Qty (1)	1	PLG
25-51-1100	< >	Patient restraint strap, squad bench, Qty (3), for use with six point seat belts Feasibility of this option is based on seat positions and options in squad bench face. Patient restraint straps are not provided on bench with length shorter than 72".	1	PLG
25-51-2020	<	(2) Six point Seat Belt Harnesses - Curbside Seating Qty: (2) Loc: (2) Curbside Seating	1	PLG
25-51-2030	<	(1) Six point Seat Belt Harness - Street Side Seat Qty: (1) Loc: Streetside Seating	1	PLG
<b>COT MOUNT and COT MODEL</b>				<b>1 PLG</b>
26-35-1000	<	Power Load Fastening System w/Floor Plate, NO Mini Rail (SAE Compliant) Stryker Power Load All components provided by PL Custom. PL Custom will supply and install a Stryker Power Load Cot Fastening System w/inductive charging, and Floor Plate. Does not include Mini Rail or Mass Casualty Floor Plate for Mini Rail. Does not include cutout in the floor for the installation of a Mini Rail Plate. Requires 15 amp Battery Charging circuit. The Power Load charging circuit will be wired 12V hot unless otherwise specified.	1	PLG
<b>I.V. HOLDER</b>				<b>1 PLG</b>
26-50-1M10		Rubber I.V. holder, dual, recessed, over cot	1	PLG
26-50-2100		Rubber I.V. holder, dual, recessed, over squad bench	1	PLG
<b>INTERIOR COLORS</b>				<b>1 PLG</b>
27-10-1000		Ceiling, white Thermoplastic	1	PLG
27-10-1510		Upper Laminate - High Gloss Fashion Grey D381-01	1	PLG
27-10-4210		Lower Laminate - High Gloss Fashion Grey D381-01	1	PLG
<b>INTERIOR UPHOLSTERY</b>				<b>1 PLG</b>
27-20-5000		Upholstery, Flat-Seamless	1	PLG
27-20-6050		Upholstery Color: Canyon Red	1	PLG
<b>ATTENDANT SEAT</b>				<b>1 PLG</b>
27-36-3130		Canyon Red, Attn Seat, EVS 18703,w/Child Seat,3 Pt. Harness,ABS Back,Swivel,Sewn	1	PLG
27-37-0130		** Confirm Seat color** -CANYON RED is the vehicle upholstery color	1	PLG
<b>FLOORING</b>				<b>1 PLG</b>
27-53-2000		Lonplate II, diamond plate, Gun Metal (#424)	1	PLG
27-55-2000		Flooring rolled up side walls 3"	1	PLG
<b>CAB CONSOLE</b>				<b>1 PLG</b>



PART NO	S	DESCRIPTION	QTY	ID
27-72-1010	<	Type I, Floor Mnt, switches, siren/radio - (2017+ F-Series) NOTE: (2) Cup holders are NOT included in the console. The cupholders are part of the map-box (See PDF)	1	PLG
27-75-0140	< >	Cut (1) Hole for Customer/Dealer suppld Radio, in Radio/Siren Console Specify Radio Model _____	1	PLG
27-75-2050	< >	Map Box, Type I, Behind Cab Console, (2) pockets - (2017+ F-Series) includes (1) lexan divider  See PDF	1	PLG
27-90-S000	X <	Install Customer Supplied MDT Mount Allowances.	1	
<b>MISCELLANEOUS INTERIOR</b>			1	PLG
28-50-1000		Fasten Seat Belt/No Smoking Sign	1	PLG
<b>OXYGEN AND SUCTION</b>			1	PLG
30-10-1000		Oxygen Outlet, Amico, dual, Life Support Station Switch Pod	1	PLG
30-10-2000		Oxy Outlet, Amico, single, right side- In Overhead Cabinet	1	PLG
30-10-4500	>	Oxygen Outlet, Amico, single, ceiling raceway, front (additional)	1	PLG
30-20-1000		Oxygen Solenoid, Amico, w/ manual override & switch	1	PLG
30-30-1000		Suction pump, electric, Sscor, Switch in Rear Main Switch Panel	1	PLG
30-30-2400		Collection Bottle, SSCOR Disp.w/ canister clip, White Regulator (KKK Compliant)	1	PLG
30-50-3005	< >	O2 Carrier, ZICO, Quick-Release Oxygen Tank Lift System With ZICO hand-held switch mounted in compartment. ZICO tank lift comes with hydraulic ram that can be "back driven." This prevents the ram from being damaged if it is extended, and the air ride is lowered	1	PLG
30-50-3850	<	***Attention: Please Specify Tank Letter Size used within this shop note Oxygen Tank Size is: M  (example; M tank steel, M tank aluminum, H tank steel)  This will allow the factory to preset the mounts for your customer.	1	PLG
30-60-4000		Regulator, Oxygen, Large Tank, (PLC-9662)	1	PLG
30-80-1100	<	Wrench, Oxy Cylinder -(for EZE Loader) Oxygen wrench to be attached to compartment door	1	PLG
<b>ELECTRICAL</b>			1	PLG
40-00-0500	<	Electrical System Warranty The Electrical System shall be warranted for the life of the unit, as long as the original purchaser shall own it.	1	PLG
40-00-1200		Electrical 12 VDC, Classic-Series	1	PLG
40-00-1900		Electrical 12 VDC Specifications	1	PLG
<b>CAB ELECTRICAL</b>			1	PLG
41-10-0100		Alternator, Dual with 355 amp combined output, OEM Ford F-Series	1	PLG
41-20-0800		Batteries, Dual Ford OEM, 1500CCA -(under hood)	1	PLG
41-30-3750		Module Activation, Ignition Switch	1	PLG
41-50-1000		Cab Under hood & Fender Electrical Connectors - Deutsch Type	1	PLG
<b>SWITCH PANEL</b>			1	PLG
42-10-1000		Voltmeter, Analog, 8 to 18 volt, lighted	1	PLG
42-10-2400		Low Voltage Alarm & Indicator	1	PLG
42-15-2500	>	Rocker Switches, Carling Contura V	1	PLG
42-20-0500		Battery On indicator light	1	PLG
42-20-1000		Warning Indicator, Door open, Red	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
42-20-2000		Warning Indicator, Compt open, Amber	1	PLG
42-20-3000		Warning Indicator, Audible alarm, Door/Compt	1	PLG
42-20-4200		Warning Ind/Audible, Parking Brake, Dual-Mode Alarm	1	PLG
42-21-0900		** Gooseneck Light Not Included with Vehicle **	1	PLG
42-25-6000	<	High Idle Activation, Ford OEM - F-Series Activated by front console switch, requires park brake to be applied	1	PLG
42-30-1000		Back-up alarm, w/resetting cancel switch	1	PLG
42-45-2200	< >	Load Manager/Sequencer, PL Custom/Kussmaul (full time) RESPONSE AND SCENE AMPS CANNOT EXCEED 230 AMP  FULL TIME Load Management of Emergency Lights	1	PLG
42-60-2400		Air Horn, (2) Buell 1062, bumper valance mount, 1/4 hp compressor	1	PLG
42-60-5000	<	Air Horn activation, Carling Momentary in Front Switch Panel Switch will have white rocker for easy identification.  Requires PL provided air horn system or 42-60-2800 PL Activation of chassis supplied air horns.	1	PLG
42-65-1300		Pwr Lock Switch, Entrance, OEM Door switch- (if applicable)	1	PLG
42-65-1310		Door Lock Interface Module for F-Series	1	PLG
42-65-1500	< >	Remote Keyless Entry w/Chassis Power Door Lock Control OEM door switches control cab & body doors.	1	PLG
42-65-2200	< >	Pwr Door Lock Concealed Override Switch, Grille-(KKK) Located in front grille area. This switch location is KKK compliant	1	PLG
EMERGENCY WARNING EQUIPMENT			1	PLG
43-01-1000	<	Install Customer Supplied 3M Opticom, surface mount Provide circuitry and install customer supplied equipment. Location: Front of body  The Opticom is to be tied into the sequencer and NOT the load manager. It will have its own switch in the front console and is to deactivate when not in a drive gear.  The Opticom will be surface mounted, not recessed.	1	PLG
SIREN			1	PLG
43-20-4G50	>	Siren, Whelen 295SLSA1, w/diag.	1	PLG
43-20-5000		Siren-Horn Switch	1	PLG
SIREN SPEAKERS			1	PLG
43-31-4300		Thru Bumper Speakers, CPI SAD/P 3800 Series, (2) F-Series, 2020-on	1	PLG
FRONT LIGHT BAR			1	PLG
43-40-0500		-No front Lightbar required-	1	PLG
REAR LIGHT BAR			1	PLG
43-50-1000		-No rear Lightbar required-	1	PLG
43-50-8000	< >	Whelen Traffic Advisor, Low Profile TAL85 (8) LED (46") Rear Body Lights to be 700 Series w/No Rear Light Bar	1	PLG
CAB MOUNTED LIGHTS			1	PLG
43-68-A200	>	Whelen Independent CAB Flashing Lights, CLEAR Lens package	1	PLG
43-68-A210		** (4) Whelen 500/TIR6/WION Grille Lights Package	1	PLG
43-71-1300		(2) Upper Whelen WION LED Grille Light-(2)Red, CLEAR LENS, Chrome Flange	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
43-71-1623	<	*** Flange included with WION Light *** No Grille Flange Provided	1	PLG
43-71-3610		(2) Lower Whelen ION LED Grille Light-(2)Red, CLEAR LENS, Chrome Flange	1	PLG
43-71-3627	<	*** Flange included with WION Light *** No Grille Flange Provided	1	PLG
43-71-432C		(2) Whelen M7 Sup-LED, Red -Fender	1	PLG
43-71-7501	<	*** Flange included with WION Light *** No Fender Flange Provided	1	PLG
43-72-0000		* Please Verify Correct Grille/Fender Light Housing For Appropriate Light Size * BODY LIGHTING -(Full Catalog PDF here)>	1	PLG
43-A2-0050		* FRONT BODY LIGHTING -w/NO LIGHTBAR (PDF>)	1	PLG
43-A2-0200	<	** (7) Front Upper Lights The (4) lights, outboard of the Center light position, shall operate from (1) console switch.	1	PLG
43-A4-2440		*** M9 -Whelen Independent Front & Side Body Flashing Lights, CLEAR Lens package	1	PLG
43-A5-0030	< >	Independent - Flash - No Vehicle Flasher All lightheades are flashed randomly using internal flashing program, without light to light synchronization.	1	PLG
43-A5-0060	<	Program Flashing Lights to "Action Scan" Whelen flash pattern Lighthead will scroll through all available patterns and repeat	1	PLG
	>	<b>FRONT BODY WARNING LIGHTS</b>	1	PLG
43-A7-1100	<	All Whelen M9 Flanges, Chrome -(M9FC) M9 vehicle lights shall be equipped with a Whelen M9FC Chrome flange	1	PLG
43-B0-A100		M9-Whelen, Sup-LED, Red, Front - (Loc: F1)	1	PLG
43-B0-A900		M9-Whelen, Sup-LED, Red, Front - (Loc: F2)	1	PLG
43-B0-B250		M9-Whelen, Sup-LED, Red, Front - (Loc: F3)	1	PLG
43-B0-B500		M9-Whelen, Sup-LED, White, Front - (Loc: F4)	1	PLG
43-B0-C600		M9-Whelen, Sup-LED, Red, Front - (Loc: F5)	1	PLG
43-B0-C850		M9-Whelen, Sup-LED, Red, Front - (Loc: F6)	1	PLG
43-B0-D200		M9-Whelen, Sup-LED, Red, Front - (Loc: F7) M9 -Whelen Primary Side Light package-(Clear Lens) (PDF>)	1	PLG
43-F0-C100		M9-Whelen, Sup-LED, Red, Left Side - (Loc: LS1)	1	PLG
43-F0-D100		M9-Whelen, Sup-LED, Red, Left Side - (Loc: LS4)	1	PLG
43-F4-C100		M9-Whelen, Sup-LED, Red, Right Side - (Loc: RS1)	1	PLG
43-F4-D100		M9-Whelen, Sup-LED, Red, Right Side - (Loc: RS4)	1	PLG
		<b>REAR BODY WARNING (Flashing) LIGHTS</b>	1	PLG
43-H1-0500		**M9 -Whelen Independent, Rear Body Flashing Lights - CLEAR Lens	1	PLG
		<b>M9 -REAR LIGHT LAYOUT -(w/Traffic Advisor)-No Lightbar (PDF&gt;)</b>	1	PLG
43-L4-C120		(3) Rear Upper Lights & Traffic Advisor & (2) Window Level Lights	1	PLG
43-S1-0100		M9-Whelen, Sup-LED, Red, Rear - (Loc: R1)	1	PLG
43-S1-1150		M7-Whelen, Sup-LED, Amber, Rear - (Loc: R4B)	1	PLG
43-S1-1850		M9-Whelen, Sup-LED, Red, Rear - (Loc: R7)	1	PLG
		<b>M9 -Rear Lights at Window Level</b>	1	PLG
43-S1-C350		M9-Whelen Sup-LED, Red, Rear - (Loc: R10B)	1	PLG
43-S1-D100		M9-Whelen Sup-LED, Red, Rear - (Loc: R11B)	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
<b>SECONDARY (miscellaneous) BODY MOUNTED WARNING LIGHTS</b>			<b>1</b>	<b>PLG</b>
43-T5-1930		M7 -Whelen, Red, Super LED, w/Flange, (2) Over Rear Wheel, CLEAR LENS	1	PLG
43-T5-3400	<	Whelen LED Strip Lights (6) Red - In "C" Channel Rub-Rails - (See Photo)	1	PLG
		Three on each side, Red with Red Lens		
		Whelen PSR00FRR		
<b>REAR NON-EMERGENCY LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-10-1000	< >	Stop/Tail and Turn Signal -Light heads with color lenses	1	PLG
		Exterior vehicle Rear Stop/Tail & Turn light heads will have Color Lenses.		
44-26-0100		Stop/Tail, (2) M6 -Whelen Super LED -(color Lens) w/Flange	1	PLG
44-26-0300		Back-up, (2) M6 - Whelen Super LED w/Flange	1	PLG
44-26-0500		Directional, (2) Whelen M6 Super LED -(color Lens) Populated Arrow	1	PLG
44-27-1000		Exterior lights, vertical stack I/L/O standard layout	1	PLG
<b>AUXILIARY NON-EMERGENCY LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-30-1000	>	HD Mini Oval Marker/Clearance Lts, LED Front, Rear, (2) Sides	1	PLG
44-30-3000	>	Lower Side Marker, Flash w/Directionals, (2) ea side	1	PLG
<b>FLOOD LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-50-22B0		(2) M9 - Whelen, Super LED Scenelight, (2) , Left side-(Loc:LS2, LS3)	1	PLG
44-50-24B0		(2) M9 - Whelen, Super LED Scenelight, (2) , Right side-(Loc:RS2, RS3)	1	PLG
<b>REAR FLOOD LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-52-0300		(2) M6 -Whelen Sup-LED- Scene Lights, w/15 degree Bezel, Rear (Loc: R12B, R13B)	1	PLG
44-60-1000		Right Side Scene Lights on with Side Door & Switch in Console	1	PLG
44-60-2000		Left Side Scene Lights w/On-Off Switch Console	1	PLG
44-60-3000		Rear Scene Lights on w/Rear Door Open/Reverse	1	PLG
44-60-4000	<	Rear Scene Lights, On-Off Switch in Console	1	PLG
		Rear floods switch shall also activate reverse lights.		
44-60-5000		Right Side Scene Light Cancel Switch	1	PLG
44-60-6000		Rear Door Scene Light Cancel Switch	1	PLG
44-60-7000		Left/Right & Rear Flood Lights, On In Reverse	1	PLG
<b>CLIMATE CONTROL</b>			<b>1</b>	<b>PLG</b>
45-10-1000		Ventilation, Flow-Thru, (2) Speed, Cast Products Rear Cowl	1	PLG
45-20-3550	< >	Model 109 Auxiliary Air Conditioning Condenser 12V, Front body -(MED/CLSC)	1	PLG
		For use with 12V, Heat A/C unit.		
45-30-1Q00	<	Ducted Heater/Air Cond, Digital Thermostat -F-Series	1	PLG
		System ties into Ford OEM A/C Compressor.		
		Includes Intermotive Module B-CVC502-A which allows the rear A/C to operate independent of cab A/C.		
		For best performance it is recommended to run front A/C when rear A/C is active.		
45-35-1100		Auxiliary Coolant Pump Climate Control System	1	PLG
45-38-1050		109 Condenser Front Body Mounted on Standard PL Tray Bracket ( no lights)	1	PLG
45-39-1010		** Front Body Condenser to be Painted to Match Body Color	1	PLG
<b>CEILING CONFIGURATION</b>			<b>1</b>	<b>PLG</b>
45-99-0100		Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers	1	PLG
<b>INTERIOR LIGHTS</b>			<b>1</b>	<b>PLG</b>



02/04/2022

Page 10

PART NO	S	DESCRIPTION	QTY	ID
46-10-1L00		(6) Dome Lights, Whelen Multi-LED, Hi-Lo, Qty (#80C0EHCR)	1	PLG
46-10-2000		Dome Lights Switched to LOW Mode w/Door Open	1	PLG
<b>EXTERIOR COMPARTMENT LIGHTS</b>			1	PLG
46-20-1075	<	Lghts, Ext. Compartments, TecNiq LED E44 Strip Lights (Vertical Linear Lights)	1	PLG
46-20-1350		Oxygen Compartment Light Switch, Located in Rear Main Switch Panel	1	PLG
<b>AUXILIARY INTERIOR LIGHTING</b>			1	PLG
46-20-2000		Heavy Duty LED panel Light, (Life Support Station Area)	1	PLG
46-20-2550		Panel Light (Life Support Station) Switch, Located in Rear Main Switch Panel	1	PLG
46-30-1100		Stepwell Light, LED, Located at Side Entrance Door	1	PLG
46-40-1P00		TecNiq E30, 42 LED Rectangular Ceiling Lights Qty (4)	1	PLG
46-40-3M00	<	Windup "checkout" Timer, Side Door, Shoreline only 60 minute windup timer at side door, active with shoreline only	1	PLG
46-40-4000		Rectangular Lights on "Checkout" Timer Circuit	1	PLG
46-50-1000		Dome Light Switch, (1) Left, (1) Right	1	PLG
<b>MEDICAL OUTLETS</b>			1	PLG
47-20-1000		12 volt Medical Outlet, Power Point, Loc: LSS Wall	1	PLG
47-20-2000		12 volt Medical Outlet, Power Point, Loc: Right Front In/out	1	PLG
47-20-2600		Delete 12 volt Medical Outlet, Power Point, Loc: Left Rear	1	PLG
<b>ANTENNA/COMMUNICATION RADIO</b>			1	PLG
47-60-0300	<	(3) Antenna Leads, Body Roof - (See PDF) Unless otherwise specified, lead will route to: (1) Front console (1) LSS (1) Behind Driver's Seat	1	PLG
47-60-6200	< >	Radio Power Lead, Rear Main Switch Panel Includes: (1) Red 10 gauge marked radio 12 volt Hot, 30 amp, (1) Black 10 gauge marked radio ground, (1) Orange 12 gauge marked 12 volt switched, 20 amp.	1	PLG
47-60-6500	< >	Radio Power Lead 30 Amp, 10 ga. Cab Console Includes: (1) 12 volt Hot wire with 30 amp circuit protection, (1) 12 volt switched wire with 20 amp circuit protection.	1	PLG
47-60-7000	< >	Radio Power Lead w/40 Amp Fuse, 8 ga. Behind driver seat Includes: (1) 12 volt Hot wire w/fuse holder & 40 amp fuse, (1) 12 volt switched wire w/fuse holder and 40 amp fuse.	1	PLG
<b>MISCELLANEOUS 12 VOLT ELECTRICAL</b>			1	PLG
48-15-V044	X <	Hanscom K One (1) Camera Backup System HK-7211 Backup camera system, with 7" monitor.  To be mounted on windshield, with rear view mirror removed.	1	
48-20-2000	>	Speakers, Stereo Volume Control Rear Sw Panel	1	PLG
48-40-2250	< >	Stream Lite, Vulcan, Halogen, Orange Qty: (2)  Location: Compartment B	2	PLG
48-50-3050	<	Intellitec, Clock over rear doors i/o LSS Location: Above rear entry doors, centered under raceway.	1	PLG
48-60-3690		Liquid Spring Control Left Rear Door Open w/ NO Override switch	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
<b>ELECTRICAL 115 VOLT AC</b>			<b>1</b>	<b>PLG</b>
51-20-5000		Shoreline, Super Auto-Eject 20 amp, Left Side, Above Compt. "B", WHITE	1	PLG
51-30-1500	<	Shoreline/ Battery Charging Dual Indicator Lights	1	PLG
		Shoreline - Amber Indicator		
		Battery Charger - Green Indicator		
51-32-2000		Power Distr Box, 115v, w/20 amp Circuit Bkr	1	PLG
52-10-1400	>	Hospital Grade 115V Outlet with (2) USB Ports, Location: L/S/S Wall	1	PLG
52-10-2000	< >	Hospital Grade Lighted Outlet, Location: Left Rear	1	PLG
		Outlet mounted 14" above the rear counter		
52-10-3000		Hospital Grade Lighted Outlet, Location: Right Front In/out	1	PLG
52-10-5500	< >	Hospital Grade Lighted Outlet, Exterior Compt., Location:	1	PLG
		Qty: (1)		
		Loc: Compartment B		
<b>BATTERY CHARGER / INVERTER CHARGER</b>			<b>1</b>	<b>PLG</b>
55-10-1225	< >	Inverter/ Charger, Vanner LSC12-1100 Pure Sine Inverter/ 55A Battery Charger	1	PLG
		Deletes standard battery charger		
		Deletes GFCI receptacle at LSS (GFCI is integral to inverter)		
		Includes activation switch in rear switch panel (Standard Electric)) or Button on rear Vista Screen (VMUX Electric)		
<b>PAINT LUSTRE</b>			<b>1</b>	<b>PLG</b>
60-00-0005		Ten Year Paint Warranty (Paint Lustre)	1	PLG
60-00-0007		Paint Adhesion Testing	1	PLG
<b>BODY AND CAB PRIMARY PAINT</b>			<b>1</b>	<b>PLG</b>
60-10-0210		*Body and Cab Same Single Color	1	PLG
60-10-1800	<	**Modular Body Paint Color Other Than Unit Standard White	1	PLG
		Provide Paint Code _____		
60-10-1995	< >	Paint Rear Body Primary Color Only (for Chevron Application)	1	PLG
		Note: With "Chevron" striping selected, the rear of the vehicle will be painted, the solid single, primary color. -(for Chevron application)-		
60-13-0900	<	Modular Body Paint Color Red	1	PLG
		Provide Paint Code _____		
60-15-100B	<	Re-Paint Cab, Single Color, w/ Door Jambs (Classic 2 door)	1	PLG
		Provide Paint Code _____		
60-15-1505		Cab Paint Color Same as Body	1	PLG
60-20-1010		** Front Body Condenser to be Painted to Match Body Color	1	PLG
<b>ADDITIONAL VEHICLE PAINT, SECONDARY</b>			<b>1</b>	<b>PLG</b>
61-05-0008		No Additional Paint Required	1	PLG
61-80-2210		Polycoated Compt & Entr Door Sills, Compt Floors, Area Behind Rub Rails (*Note*)	1	PLG
<b>LETTERING</b>			<b>1</b>	<b>PLG</b>
65-15-2000	S	Imitation Gold Leaf Lettering	1	PLG
<b>REFLECTIVE VINYL BELTLINE STRIPING</b>			<b>1</b>	<b>PLG</b>
65-39-0300		6" Vinyl Beltline Stripe	1	PLG
65-40-1080		Vinyl Main Stripe Color, Gold -(reflective)	1	PLG
65-40-2020		Vinyl Beltline Stripe to have Z on Body	1	PLG
65-40-3200	S < >	Vinyl Beltline Location Other	1	PLG
		Location: Lower Cab Door		



PART NO	S	DESCRIPTION	QTY	ID
<b>REFLECTIVE VINYL STRIPING MISC.</b>			<b>1</b>	<b>PLG</b>
65-50-0050	S	< > Reflective Tape Stripe 1/2" Location: Each side of 6" beltline stripe. Qty (2)  Color: Gold, reflective.	2	PLG
65-50-4020		< > Reflective White Tape Stripe, 3/4" Outline, on interior of Entrance Doors Reflective White 3/4" Outline  This provides the 60 sq.inch required for both general safety and KKK.	1	PLG
<b>REFLECTIVE CHEVRONS</b>			<b>1</b>	<b>PLG</b>
65-65-0320		< > Reflexite 6" Chevron Rear Body +Upper CTR panel, no doors. Red & Fluor Lime The two colors are V-98 for red and fluor green. Note: **does not include any curved surfaces, such as the coves, or door trim	1	PLG
<b>TECHNICAL RADIO INSTALLATION</b>			<b>1</b>	<b>PLG</b>
70-10-0500		No Technical Radio Installation	1	PLG
<b>CHASSIS EQUIPMENT</b>			<b>1</b>	<b>PLG</b>
75-10-1110		Stainless Steel Wheel Inserts, DELETE	1	PLG
75-30-1100	<	Liquid Spring Suspension System (F550) Liq Spring for F550 with 18,000 GVW - DS147FS3	1	PLG
75-45-3550	>	Reserve Air Tank 5 Gallon	1	PLG
75-55-1200	<	Mirrors, Ford OEM F-Series Trailer Tow w/Power-Heated Glass Include Integrated clearance lights and turn signals.	1	PLG
75-60-1000		Mud Flaps, Rear, Light Duty Chassis	1	PLG
75-95-2500		Ford Series Front End-Caster Camber Align	1	PLG
79-90-S001	X <	Grill Guard, Full Width, Go Industries, Stainless Finish Ref: 79-90-V013	1	
<b>EQUIPMENT</b>			<b>1</b>	<b>PLG</b>
80-35-2K30	<	Fire Extinguisher, ABC, 5lb, Qty:(2) w/Amerex #861 H Bracket (SAEJ3043 Comp)  Shipped loose. Includes #861H Amerex Mounts	1	PLG
80-42-3400	< >	INSTALL- Customer Supplied - Defib. Bracket (Non SAE) Specify: Make _____ Model _____ Bracket, Dimensions _____ Location: _____	1	PLG
80-43-4250	< >	Bottle Brackets, Zico-Quick-Release, Strapless (2) , (D Bottle) Model QR-D-2 Located in the recessed stepwell area Qty (2)	1	PLG
80-50-1000		Prep, Clean & Detail Vehicle for Delivery	1	PLG
<b>CHASSIS</b>			<b>1</b>	<b>PLG</b>
95-12-225L	<	2022 FORD F550-Super Duty, 4x4, 108" CA, XLT - Diesel Ford F550 Chassis Cab Four Wheel Drive Wheelbase 193" - 108" CA Dual Rear G.V.W. 18,000 lbs.  Powertrain/Functional: Engine: 6.7L "Powerstroke" Turbo Diesel V8 300 hp @2800 RPM, 660 lbs torque @1600 RPM	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
		<p>Single Stage Turbo Charger</p> <p>Instant Start Glow Plugs for quick engine starts</p> <p>Diesel Emissions Fluid 6 gallon tank - mounted behind frame rail on drivers side</p> <p>Intelligent Oil Life Monitor</p> <p>Engine block heater</p> <p>Water Pump with 125 gallons per minute flow rate</p> <p>Transmission: Heavy Duty "TorqShift" Ten Speed Automatic with selectable drive modes; Normal, Tow Haul, Eco, Deep Sand/Snow</p> <p>Electronic Shift on the Fly with automatic locking front hubs with manual override.</p> <p>Brakes - 4 wheel Anti-lock Braking System</p> <p>Traction Control - DRW Models</p> <p>Fuel Capacity: 40 gallon single tank (aft axle)</p> <p>Front Axle: 7,000 lb. Monobeam, Dana Super 60</p> <p>Rear Axle: 13,660lb. Full Floating Dana S110</p> <p>Suspension:</p> <p>Heavy Duty Front Coil Springs</p> <p>Rear Leaf Springs, main &amp; auxiliary</p> <p>Shock absorbers, front &amp; rear 1.38"</p> <p>Stabilizer bar, front and rear</p> <p>Power Steering</p> <p>Steering Damper</p> <p>Instrumentation: multifunction switch message center -</p> <p>Gauges: Oil Pressure, Coolant Temperature, Trans Temp, w/Indicator Lights, Tachometer, Trip Odometer, Turbo boost, water in fuel warning light, low/contaminated diesel exhaust fluid warning lights, glow plug preheat indicator</p> <p>Ambulance Prep Package with EPA Special Emergency Vehicle Emissions - 47L</p> <p>Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO mode</p> <p>Operator Commanded regen allowed down to 30% of DPF filter full instead of 100%</p> <p>Stationary elevated idle control (SEIC) is built into the engine control module</p> <p>Must meet definition of Emergency Vehicle; ambulance or fire truck in the federal register</p> <p>Rear axle 4.10 Limited Slip</p> <p>Dual OEM HD Alternators (total 397 amps) 67B</p> <p>Dual 750 CCA Batteries</p> <p>Operated Commanded Regeneration (OCR) #98R</p> <p>Safety/Security:</p> <p>Driver/Passenger frontal and side air bag/curtain</p> <p>Passenger side air bag deactivation switch</p> <p>Belt-Minder - chime &amp; flashing warning light on instrument panel if belts not buckled</p> <p>Safety Belts - color coordinated with height adjustment (front outboard seating positions only)</p> <p>SOS Post-Crash Alert System</p> <p>Securi-lock Anti Theft Ignition</p> <p>Tires:</p> <p>Front &amp; Rear LT225/70R 19.5G All Position (6) #THB</p> <p>Spare Tire: LT225/70R 19.5G (All Position)</p>		



PART NO	S	DESCRIPTION	QTY	ID
		Wheels; 10 hole Disc, 19.5" x 6" Steel		
		Exterior Trim:		
		Dual Electric Horns		
		Chrome Front Bumper & Grille Surround		
		Front Tow Hooks		
		Lights - roof/marker clearance lights		
		Dual Beam Jewel Effect Headlights		
		High Mount Stop Light		
		Mirrors: Black POWER Telescoping Trailer Tow with		
		Power Heated Glass, Integrated clearance lights,		
		Turn signals, LED security approach lights,		
		Utility lighting System (LED side mirror spotlights) #54F		
		XLT Interior Cab Trim: #663A		
		Air Conditioning		
		Cloth Headliner, Map Pockets		
		AM/FM Radio w /MP3 /Clock		
		SYNC 3 8" LCD Productivity Screen in IP Cluster #913		
		Overhead Console with dual storage bin and map lights		
		Outside Temperature Display		
		Interval Windshield Wipers		
		Tilt Steering Wheel/Speed Control - steering wheel mounted		
		Power Windows/Door Locks		
		Black Vinyl Floor (No Floor Mats)		
		Headlights on audible alarm		
		Dual overhead Map Light		
		Daytime Running Lights		
		Front seats, high series cloth - 40/20/40 #3S		
		Driver Assist Technology		
		Audible Lane Departure Warning		
		Pre-Collision Assist with Automatic Emergency Braking and forward collision		
		warning		
		Automatic High Beam Headlights		
		Adjustable Pedals: gas and brake		
		Color Scheme:		
		Exterior Color: Oxford White #Z1		
		Interior Color: MEDIUM EARTH GRAY		
95-12-6100	< >	F450/F550 Aluminum Wheels Option (#64D)	1	PLG
		This option, when selected, takes precedence over the option in the standard		
		chassis spec:		
		WHEELS; 10 HOLE DISC, 19.5" x 6" POLISHED ALUMINUM #64D		
		REQUIRES SPECIAL ORDER CHASSIS		
95-12-6190		F350/F450/F550 Sync3 - Std. on XLT	1	PLG
96-32-1500		Fuel "Full Tank" -F-Series	1	PLG
		<b>COOPERATIVE PRICING</b>	1	PLG
97-10-1000	<	HGAC Cooperative Pricing Spreadsheet	1	PLG
		An HGAC STS spreadsheet to be provided with the spec		



February 4, 2022

Blairs Volunteer Fire and Rescue  
Dean Fowler, Chief  
1777 Snakepath Road  
Blairs, VA 24527

Dear Chief Fowler:

On behalf of Goodman Specialized Vehicles, LLC I am happy to provide you with the following proposal for one (1) PL Custom Classic 170" ambulance mounted on a Ford F550 4x4 chassis.

We are able to offer this unit at a price of: **\$316,321.00**

This pricing is an estimate based on your current specifications, to be used for your budget planning.

Included in this proposal is one (1) Stryker Power-Load cot retention system and one (1) Stryker Power-Pro XT cot.

Some potential price increases that could arise between now and your grant award date are:

1. Chassis model year change.
2. Raw materials price increase.
3. Component manufacturer price increases (such as Whelen, Stryker, etc.).

Thank you again for the opportunity to provide you with this quote. We look forward to having the opportunity to work with Blairs Vol. Fire and Rescue. As always, if you have any questions about the information that I have given you, feel free to contact me.

*Porter Carden*

Porter Carden  
Regional Account Manager  
Goodman Specialized Vehicles, LLC  
804-517-8411



GOODMAN SPECIALIZED VEHICLES  
17020 PATRICK HENRY HIGHWAY • PO Box 840 • AMELIA VA 23002  
PH: 804-873-2067 • TOLL FREE: 877-904-2008 • FAX: 804-561-4823  
[WWW.GOODMANSV.COM](http://WWW.GOODMANSV.COM)







## QUOTATION

Blairs Volunteer Fire and Rescue  
Dean Fowler  
1777 Snakepath Road  
Blairs, VA 24527  
434-709-3687  
deanfowler02@yahoo.com

Goodman Specialized Vehicles, LLC.  
Porter Carden  
17202 Patrick Henry Highway  
Amelia, VA 23002  
pcarden@goodmansv.com

Exp. Date: / /  
Quote No: A5792-0004  
BODY: CLSC170 Type 1 Classic, 170" 108"CA

02/04/2022		Page 1	
PART NO	S	DESCRIPTION	QTY ID
		<b>== Type 1 Classic, 170" 108"CA - 33.940 01/06/22 ==</b>	1 PLG
00-00-0100		PL Ambulance - Release 33.94 effective 01/06/22	1 PLG
00-11-7065	<	170" CLASSIC BODY, 72" Headroom, w/Drop Skirt	1 PLG
		Overall Vehicle Dimensions:	
		Length: 308"	
		Width: 99"	
		Height: 112" (+/- 2")	
		Exterior Modular Body Dimensions:	
		Length: 170"	
		Width: 97"	
		Height: 91"	
		Interior Modular Body Dimensions:	
		Length: 165"	
		Width: 90 3/4"	
		Height: 72"	
03-00-1060	< >	Chassis Type -Ford F-Series	1 PLG
		Chassis paint must be reviewed/edited when changing chassis type	
		<b>EXTERIOR</b>	1 PLG
10-10-1100	<	Modular Body Construction	1 PLG
		SAE J3057 Compliant	
10-10-2000	<	Structural Integrity Warranty	1 PLG
		The structural integrity of the body shall be guaranteed for the life of the unit, as long as the original purchaser shall own it.	
10-10-2070		Finite Element Analysis	1 PLG
10-10-2100		Compartments, Aluminum Diamond Plate, welded	1 PLG
10-12-2020		Type I, Classic, Cab to body Walk-thru	1 PLG
10-15-4000		Body mounting, Type I, rubber donuts, L-Duty	1 PLG
10-20-3300		Lowered Body Skirts, with Intermediate Step	1 PLG
		<b>EXTERIOR DOORS, AMBULANCE</b>	
11-10-1060	<	Trimark 1875 Paddle Handle Power Locking, Entrance. Doors Qty(3)	1 PLG
		The door system shall include emergency override latch levers in upper and lower locations of each entrance door. Levers are visible with red coating and intended for emergency use in the event of a non-functioning handle.	
11-10-3850	>	Sliding Side Entrance Door -(Classic & Titan)	1 PLG
11-10-3920	<	* Attention: Please see shop note below for Grab Rail selection, w/Sliding Door	1 PLG
		To ease entrance into the side door, please select either of the following 18"	



02/04/2022

PART NO	S	DESCRIPTION	QTY	ID
		grab-rails.		
		25-10-3420 - (use with "traditional" style squadbench).		
		25-10-3570 - (use with "Medic-In-Mind style squad seating).		
		(both are add/browse options)		
11-10-4060	<	Trimark 1875 Paddle Handle Power Locking, Std Compt Doors (6) Tied to OEM Power Door Lock Switch	1	PLG
11-20-1800	>	Gas Spring Pneumatic Door Checks -Classic & Titan	1	PLG
11-20-2020		Compartment "A" Door to Check Past 90 Degrees	1	PLG
11-20-2030		Compartment "C" Door to Check Past 90 Degrees	1	PLG
11-20-2050		Compartment "E" Door to Check Past 90 Degrees	1	PLG
11-20-3000		Compartment "D" Door to Check Past 90 Degrees	1	PLG
11-20-5000	<	Cast Products Grabber Rear Doors Hold Open, Top Mount, Polished Aluminum	1	PLG
		<b>COMPARTMENT LAYOUT</b>	1	PLG
		Exterior compartment dimensions reflect wall to wall measurements.		
12-10-2035		"A" Left Front - 20w x 86h x 21d -(w/Oxygen window)	1	PLG
12-15-100B		"B" Left Side 1/2 High -43w x 42h x 20d	1	PLG
12-20-1220	>	"C" Left Rear, 3/4 High, Upper In-Out -26w x 59h x 20d	1	PLG
12-25-100A		"D" Right Front, In-Out Access -20w x 55h x 33d above floor -20d below floor	1	PLG
12-30-150B		"E" Right Rear, with In/out to Center Aisle -24w x 83h x 21d	1	PLG
		<b>COMPARTMENT DOOR PANELS, MATS, DECKING</b>	1	PLG
13-20-1000		Compartment Door Panels, Alum, Diamond Plate	1	PLG
13-30-1P10		Polycoated Compt & Entrance Door Sills, Compt Floors, Area Behind Rub Rails, Black	1	PLG
13-30-2000		Vent Compartments to Exterior of Vehicle	1	PLG
13-40-1000		Dri-Dek, Floors of Compartment, Black	1	PLG
13-40-2500		Rubber Mat, Shelves, Exterior Compartment	1	PLG
13-40-2800		Turtle Tile Non-skid Stepwell Mat (removable)	1	PLG
		<b>COMPARTMENT CONFIGURATIONS AND EQUIPMENT</b>	1	PLG
13-41-0100		Oxygen Bracket located in Compartment A	1	PLG
13-42-0250		(1) Adjustable Shelf, for compartment "B"	1	PLG
13-43-0300		(2) Adjustable Shelves, for compartment C	1	PLG
13-47-0450	<	Full Height Divider w/(2) Adjustable Shelves, Compartment "E" Long Equipment Storage Compartment "E" Divider to be 12" off front wall w/10" shelves.	1	PLG
13-55-2000	<	(3) Glove box storage boxed into compt. "C" Single depth (3) Glove box storage boxed into compt. "C"	1	PLG
13-60-V019	X <	Refrigerator, AC/DC, free-standing, Norcold 1.7 cu. ft. Norcold NR740 1.7 cu.ft. AC/DC free-standing refrigerator unit to be installed. No enclosure to be made.  Will operate on AC when plugged into shoreline.  Location: To be installed in the "B" compartment, forward of the divider	1	
13-70-0200		Bulbous mounts for (2) backboards Compt. "E"	1	PLG
13-70-0700		Hanger for Ferno EXL or #65 Scoop Compartment "E"	1	PLG
		<b>REAR STEP BUMPER</b>	1	PLG
14-10-2700		Lift-up Rear Step, Recessed, -Lic. plate left body	1	PLG
14-20-1000		Rear Dock Bumpers, Bolted to Bumper Ends	1	PLG
		<b>ALUMINUM DIAMOND PLATE ACCESSORIES</b>	1	PLG
15-10-1000		Front Corner Stone Guards, Polished Diamond Plate	1	PLG
15-15-1000		Front Body Stone Guard, Polished Diamond Plate	1	PLG
15-20-1050	>	Rub-Rails, C-Channel, Offset, Bright-Finish	1	PLG

Page 2



02/04/2022		Page 3		
PART NO	S	DESCRIPTION	QTY	ID
15-30-2000		Running Boards, Flare type, Non-Slip Diamond Plate (F450/F550 2-Door)	1	PLG
15-52-0100		Rear Diamond Plate Panel & Corner Guards	1	PLG
EXTERIOR TRIM				
16-10-1000		Fenderettes, Rolled, Polished Stainless Steel	1	PLG
16-30-1500		License Plate Holder w/LED Lt, Cast Prod Polish, Lt Side Body	1	PLG
16-35-1010		Fuel Fill Housing, Cast products, Polished (F-Series)	1	PLG
16-36-1010		DEF Fill Housing, Cast products, Polished (F-Series)	1	PLG
EXTERIOR, MISCELLANEOUS				
17-50-1000		Undercoat Body - AudioGuard	1	PLG
BODY WINDOWS				
18-10-1000	<	Window, Side Door (18"W x 22"H), Sliding, 31% Tint Transportation Products Inc. Window.	1	PLG
18-20-2000	<	Windows, Rear Doors, (15"W x 22"H), Fixed 31% tint Transportation Products Inc. Windows.	1	PLG
18-50-1000		Privacy Tint, Mylar, Side and Rear Doors	1	PLG
INTERIOR CONSTRUCTION				
20-00-1000		Interior Construction Type - Standard Cabinets	1	PLG
INSULATION				
20-10-1200		Super Insulation Package, additional Radiant Barrier to Interior Body	1	PLG
20-10-2000		Sound Deadened Insulation, Entrance Doors	1	PLG
20-10-3000		Sound Deadened, Compartment Doors	1	PLG
20-10-5000		Sub-Floor, Expanded PVC Polymer	1	PLG
FRONT BULKHEAD				
21-10-3020	<	Type I, Classic, Walk-Thru opening (No Door) Walk-Thru Opening option only. No Walk-thru door installed	1	PLG
21-30-1000		Climate Control Unit Over Cab to Body Passage	1	PLG
21-40-1500	<	Electrical Power Distribution Cabinet, Access Panels, Black Polycoat Black polycoat cover with an access panel with flush locking trigger latches	1	PLG
RIGHT FRONT CABINET				
21-45-1015	<	Right front, upper storage w/Life Defender lift-up restocking door, 1 shelf Includes Austin Life Defender Lift Up Restocking Door.	1	PLG
21-50-1000		Right front Lower, inside/outside storage	1	PLG
21-50-2000	<	Right front Lower, (2) adjustable shelves Shelves to be lined with ribbed rubber mat.	1	PLG
21-60-1000		Right front cabinet Lower, 1/2" acrylic doors	1	PLG
RIGHT SIDE BENCH LAYOUT				
22-00-1000		Squad Bench, Right side	1	PLG
22-21-0100		Backrest, Indiv., 2-pc. Upper & Lower, used w/ 6-pt seat belt	1	PLG
22-24-0420	>	Armrest, No vinyl pouch - Recessed storage, below - (for Sliding Door)	1	PLG
22-30-2000		Squad bench lid, Positive hold down device	1	PLG
22-35-3010		Drop in sharps/trash at head of squad bench	1	PLG
22-45-0500	< >	Overhead cabinet 9 1/4" OAH-Life Defender sliding doors For KKK Rev. F, compliance - Compliance based on 72" headroom with standard seating height only. Lift-up restocking not available. Glove box storage not available. Shelf not available.	1	PLG



02/04/2022

Page 4

PART NO	S	DESCRIPTION	QTY	ID
<b>LEFT SIDE MIDDLE (Base Cabinet)</b>			<b>1</b>	<b>PLG</b>
23-10-1000		Left side attendant seat-(CPR Seat)	1	PLG
23-10-3060	>	Backrest, Individ., 2-pc. Upper & Lower, used w/ 6-pt seat belt	1	PLG
23-10-5000		Seat cushion, fixed- (Single CPR Seat)	1	PLG
<b>LIFE SUPPORT STATION</b>			<b>1</b>	<b>PLG</b>
23-30-2000		Switch pod, above counter, vinyl covered	1	PLG
23-30-2010		Rear Main Switch Panel Located in Life Support Station Switch Pod	1	PLG
23-30-2300	< >	Cut (1) Hole for Customer/Dealer supplied Radio, in Life Support Station Specify Radio Model This radio cut-out, will be on the right, lowermost area of the LSS	1	PLG
23-31-1500		Cabinet head of switch pod, hinged door, 1 shelf	1	PLG
23-32-1030	< >	(Reduced Hgt)Uppr cab.-squad off, w/Life Defender lift-up,restock door, 1 shelf The Interior Height of this cabinet will approximately be 14-1/2" High Pass thru opening approx. 11-1/2".	1	PLG
23-34-1500	>	Solid Surface counter, 1" lip, Left front, Color: Steel Gray Tempest 9194TM	1	PLG
23-34-2200		SSCOR Suction recessed below L/S/S counter (ILO above counter wall mount)	1	PLG
23-36-7000	< >	Pull-out writing surface/storage drawer, L/S/S Not Available with in/out to Compt. "B"	1	PLG
<b>LEFT REAR STORAGE CABINET</b>			<b>1</b>	<b>PLG</b>
23-40-1010	<	Left rear full cabinet, upper, Life Defender lift-up restocking door, 1 shelf Includes Austin Life Defender Lift Up Restocking Door.	1	PLG
23-40-3200	< >	Left rear half cabinet, middle hinged doors (2) in/out access 3/4 high, upper in/out to compartment "C".	1	PLG
23-42-1500	>	Solid Surface counter, 1" lip, Left rear, Color: Steel Gray Tempest 9194TM	1	PLG
23-42-2600	<	ALS Two (2) Drawer Storage Unit, Left Rear Below Counter All drawers utilize Locking Southco Polished Stainless Steel latches.	1	PLG
23-42-5000		Recessed (3) Glove box storage cabinet below counter	1	PLG
<b>RIGHT REAR CABINET</b>			<b>1</b>	<b>PLG</b>
23-70-0850	<	Right Rear In/out to Compartment "E", Facing Center Aisle In / Out: Dimensions: 8" wide 40 1/2" high - (with 72" & 75" Headroom) Dimensions: 8" wide 36 1/2" high - (with 68" Headroom) With Hinged Acrylic Door	1	PLG
<b>INTERIOR CABINET DOORS</b>			<b>1</b>	<b>PLG</b>
24-10-3M00		Cabinet doors, Polycarbonate/Acrylic, Tinted	1	PLG
24-15-1000	<	Handles, full length, sliding doors SAE J3058 Compliant	1	PLG
24-20-1000		Positive closure devices hinged doors	1	PLG
24-25-1000		Unistrut, interior cabinet shelves, "Mini"	1	PLG
<b>ENTRANCE DOORS</b>			<b>1</b>	<b>PLG</b>
24-30-2000		Ent. Door panels, 3 section	1	PLG
<b>ABOVE DOOR HEAD BUMPERS</b>			<b>1</b>	<b>PLG</b>
24-35-0100		Side Door Head Bumper	1	PLG
24-35-0500		Rear Door Head Bumper	1	PLG
<b>GRAB RAILS</b>			<b>1</b>	<b>PLG</b>



PART NO	S	DESCRIPTION	QTY	ID
25-10-1300		Safety Yellow Grab Rail, 72" length, over squad bench	1	PLG
25-10-1700		Safety Yellow Grab Rail, 72" length, over cot	1	PLG
25-10-3800		Safety Yellow Grab rail, 18", at rear entrance doors, (2)	1	PLG
25-11-2200		> Grab rail, 45 deg, Safety Yellow, rear entrance doors, (2)	1	PLG
25-49-S041	X <	Grab Rail, 16, Safety Yellow Location:Side Entrance Door .Rgt Frnt CabineT	1	
<b>SEAT BELTS</b>				<b>1 PLG</b>
25-50-2000		Seat belt, attendant seat, Qty (1)	1	PLG
25-51-1100	< >	Patient restraint strap, squad bench, Qty (3), for use with six point seat belts Feasibility of this option is based on seat positions and options in squad bench face. Patient restraint straps are not provided on bench with length shorter than 72".	1	PLG
25-51-2020	<	(2) Six point Seat Belt Harnesses - Curbside Seating Qty: (2) Loc: (2) Curbside Seating	1	PLG
25-51-2030	<	(1) Six point Seat Belt Harness - Street Side Seat Qty: (1) Loc: Streetside Seating	1	PLG
<b>COT MOUNT and COT MODEL</b>				<b>1 PLG</b>
26-35-1000	<	Power Load Fastening System w/Floor Plate, NO Mini Rail (SAE Compliant) Stryker Power Load All components provided by PL Custom. PL Custom will supply and install a Stryker Power Load Cot Fastening System w/inductive charging, and Floor Plate. Does not include Mini Rail or Mass Casualty Floor Plate for Mini Rail. Does not include cutout in the floor for the installation of a Mini Rail Plate. Requires 15 amp Battery Charging circuit. The Power Load charging circuit will be wired 12V hot unless otherwise specified.	1	PLG
<b>I.V. HOLDER</b>				<b>1 PLG</b>
26-50-1M10		Rubber I.V. holder, dual, recessed, over cot	1	PLG
26-50-2100		Rubber I.V. holder, dual, recessed, over squad bench	1	PLG
<b>INTERIOR COLORS</b>				<b>1 PLG</b>
27-10-1000		Ceiling, white Thermoplastic	1	PLG
27-10-1510		Upper Laminate - High Gloss Fashion Grey D381-01	1	PLG
27-10-4210		Lower Laminate - High Gloss Fashion Grey D381-01	1	PLG
<b>INTERIOR UPHOLSTERY</b>				<b>1 PLG</b>
27-20-5000		Upholstery, Flat-Seamless	1	PLG
27-20-6050		Upholstery Color: Canyon Red	1	PLG
<b>ATTENDANT SEAT</b>				<b>1 PLG</b>
27-36-3130		Canyon Red, Attn Seat, EVS 18703,w/Child Seat,3 Pt. Harness,ABS Back,Swivel,Sewn	1	PLG
27-37-0130		** Confirm Seat color** -CANYON RED is the vehicle upholstery color	1	PLG
<b>FLOORING</b>				<b>1 PLG</b>
27-53-2000		Lonplate II, diamond plate, Gun Metal (#424)	1	PLG
27-55-2000		Flooring rolled up side walls 3"	1	PLG
<b>CAB CONSOLE</b>				<b>1 PLG</b>



PART NO	S	DESCRIPTION	QTY	ID
27-72-1010	<	Type I, Floor Mnt, switches, siren/radio - (2017+ F-Series) NOTE: (2) Cup holders are NOT included in the console. The cupholders are part of the map-box (See PDF)	1	PLG
27-75-0140	< >	Cut (1) Hole for Customer/Dealer suppld Radio, in Radio/Siren Console Specify Radio Model _____	1	PLG
27-75-2050	< >	Map Box, Type I, Behind Cab Console, (2) pockets - (2017+ F-Series) includes (1) lexan divider  See PDF	1	PLG
27-90-S000	X <	Install Customer Supplied MDT Mount Allowances.	1	
<b>MISCELLANEOUS INTERIOR</b>			1	PLG
28-50-1000		Fasten Seat Belt/No Smoking Sign	1	PLG
<b>OXYGEN AND SUCTION</b>			1	PLG
30-10-1000		Oxygen Outlet, Amico, dual, Life Support Station Switch Pod	1	PLG
30-10-2000		Oxy Outlet, Amico, single, right side- In Overhead Cabinet	1	PLG
30-10-4500	>	Oxygen Outlet, Amico, single, ceiling raceway, front (additional)	1	PLG
30-20-1000		Oxygen Solenoid, Amico, w/ manual override & switch	1	PLG
30-30-1000		Suction pump, electric, Sscor, Switch in Rear Main Switch Panel	1	PLG
30-30-2400		Collection Bottle, SSCOR Disp.w/ canister clip, White Regulator (KKK Compliant)	1	PLG
30-50-3005	< >	O2 Carrier, ZICO, Quick-Release Oxygen Tank Lift System With ZICO hand-held switch mounted in compartment. ZICO tank lift comes with hydraulic ram that can be "back driven." This prevents the ram from being damaged if it is extended, and the air ride is lowered	1	PLG
30-50-3850	<	***Attention: Please Specify Tank Letter Size used within this shop note Oxygen Tank Size is: M  (example; M tank steel, M tank aluminum, H tank steel)  This will allow the factory to preset the mounts for your customer.	1	PLG
30-60-4000		Regulator, Oxygen, Large Tank, (PLC-9662)	1	PLG
30-80-1100	<	Wrench, Oxy Cylinder -(for EZE Loader) Oxygen wrench to be attached to compartment door	1	PLG
<b>ELECTRICAL</b>			1	PLG
40-00-0500	<	Electrical System Warranty The Electrical System shall be warranted for the life of the unit, as long as the original purchaser shall own it.	1	PLG
40-00-1200		Electrical 12 VDC, Classic-Series	1	PLG
40-00-1900		Electrical 12 VDC Specifications	1	PLG
<b>CAB ELECTRICAL</b>			1	PLG
41-10-0100		Alternator, Dual with 355 amp combined output, OEM Ford F-Series	1	PLG
41-20-0800		Batteries, Dual Ford OEM, 1500CCA -(under hood)	1	PLG
41-30-3750		Module Activation, Ignition Switch	1	PLG
41-50-1000		Cab Under hood & Fender Electrical Connectors - Deutsch Type	1	PLG
<b>SWITCH PANEL</b>			1	PLG
42-10-1000		Voltmeter, Analog, 8 to 18 volt, lighted	1	PLG
42-10-2400		Low Voltage Alarm & Indicator	1	PLG
42-15-2500	>	Rocker Switches, Carling Contura V	1	PLG
42-20-0500		Battery On indicator light	1	PLG
42-20-1000		Warning Indicator, Door open, Red	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
42-20-2000		Warning Indicator, Compt open, Amber	1	PLG
42-20-3000		Warning Indicator, Audible alarm, Door/Compt	1	PLG
42-20-4200		Warning Ind/Audible, Parking Brake, Dual-Mode Alarm	1	PLG
42-21-0900		** Gooseneck Light Not Included with Vehicle **	1	PLG
42-25-6000	<	High Idle Activation, Ford OEM - F-Series Activated by front console switch, requires park brake to be applied	1	PLG
42-30-1000		Back-up alarm, w/resetting cancel switch	1	PLG
42-45-2200	< >	Load Manager/Sequencer, PL Custom/Kussmaul (full time) RESPONSE AND SCENE AMPS CANNOT EXCEED 230 AMP  FULL TIME Load Management of Emergency Lights	1	PLG
42-60-2400		Air Horn, (2) Buell 1062, bumper valance mount, 1/4 hp compressor	1	PLG
42-60-5000	<	Air Horn activation, Carling Momentary in Front Switch Panel Switch will have white rocker for easy identification.  Requires PL provided air horn system or 42-60-2800 PL Activation of chassis supplied air horns.	1	PLG
42-65-1300		Pwr Lock Switch, Entrance, OEM Door switch- (if applicable)	1	PLG
42-65-1310		Door Lock Interface Module for F-Series	1	PLG
42-65-1500	< >	Remote Keyless Entry w/Chassis Power Door Lock Control OEM door switches control cab & body doors.	1	PLG
42-65-2200	< >	Pwr Door Lock Concealed Override Switch, Grille-(KKK) Located in front grille area. This switch location is KKK compliant	1	PLG
<b>EMERGENCY WARNING EQUIPMENT</b>			1	PLG
43-01-1000	<	Install Customer Supplied 3M Opticom, surface mount Provide circuitry and install customer supplied equipment. Location: Front of body  The Opticom is to be tied into the sequencer and NOT the load manager. It will have its own switch in the front console and is to deactivate when not in a drive gear.  The Opticom will be surface mounted, not recessed.	1	PLG
<b>SIREN</b>			1	PLG
43-20-4G50	>	Siren, Whelen 295SLSA1, w/diag.	1	PLG
43-20-5000		Siren-Horn Switch	1	PLG
<b>SIREN SPEAKERS</b>			1	PLG
43-31-4300		Thru Bumper Speakers, CPI SAD/P 3800 Series, (2) F-Series, 2020-on	1	PLG
<b>FRONT LIGHT BAR</b>			1	PLG
43-40-0500		-No front Lightbar required-	1	PLG
<b>REAR LIGHT BAR</b>			1	PLG
43-50-1000		-No rear Lightbar required-	1	PLG
43-50-8000	< >	Whelen Traffic Advisor, Low Profile TAL85 (8) LED (46") Rear Body Lights to be 700 Series w/No Rear Light Bar	1	PLG
<b>CAB MOUNTED LIGHTS</b>			1	PLG
43-68-A200	>	Whelen Independent CAB Flashing Lights, CLEAR Lens package	1	PLG
43-68-A210		** (4) Whelen 500/TIR6/WION Grille Lights Package	1	PLG
43-71-1300		(2) Upper Whelen WION LED Grille Light-(2)Red, CLEAR LENS, Chrome Flange	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
43-71-1623	<	*** Flange included with WION Light *** No Grille Flange Provided	1	PLG
43-71-3610		(2) Lower Whelen ION LED Grille Light-(2)Red, CLEAR LENS, Chrome Flange	1	PLG
43-71-3627	<	*** Flange included with WION Light *** No Grille Flange Provided	1	PLG
43-71-432C		(2) Whelen M7 Sup-LED, Red -Fender	1	PLG
43-71-7501	<	*** Flange included with WION Light *** No Fender Flange Provided	1	PLG
43-72-0000		* Please Verify Correct Grille/Fender Light Housing For Appropriate Light Size * BODY LIGHTING -(Full Catalog PDF here)>	1	PLG
43-A2-0050		* FRONT BODY LIGHTING -w/NO LIGHTBAR (PDF>)	1	PLG
43-A2-0200	<	** (7) Front Upper Lights The (4) lights, outboard of the Center light position, shall operate from (1) console switch.	1	PLG
43-A4-2440		*** M9 -Whelen Independent Front & Side Body Flashing Lights, CLEAR Lens package	1	PLG
43-A5-0030	< >	Independent - Flash - No Vehicle Flasher All lightheades are flashed randomly using internal flashing program, without light to light synchronization.	1	PLG
43-A5-0060	<	Program Flashing Lights to "Action Scan" Whelen flash pattern Lighthead will scroll through all available patterns and repeat	1	PLG
	>	<b>FRONT BODY WARNING LIGHTS</b>	1	PLG
43-A7-1100	<	All Whelen M9 Flanges, Chrome -(M9FC) M9 vehicle lights shall be equipped with a Whelen M9FC Chrome flange	1	PLG
43-B0-A100		M9-Whelen, Sup-LED, Red, Front - (Loc: F1)	1	PLG
43-B0-A900		M9-Whelen, Sup-LED, Red, Front - (Loc: F2)	1	PLG
43-B0-B250		M9-Whelen, Sup-LED, Red, Front - (Loc: F3)	1	PLG
43-B0-B500		M9-Whelen, Sup-LED, White, Front - (Loc: F4)	1	PLG
43-B0-C600		M9-Whelen, Sup-LED, Red, Front - (Loc: F5)	1	PLG
43-B0-C850		M9-Whelen, Sup-LED, Red, Front - (Loc: F6)	1	PLG
43-B0-D200		M9-Whelen, Sup-LED, Red, Front - (Loc: F7) M9 -Whelen Primary Side Light package-(Clear Lens) (PDF>)	1	PLG
43-F0-C100		M9-Whelen, Sup-LED, Red, Left Side - (Loc: LS1)	1	PLG
43-F0-D100		M9-Whelen, Sup-LED, Red, Left Side - (Loc: LS4)	1	PLG
43-F4-C100		M9-Whelen, Sup-LED, Red, Right Side - (Loc: RS1)	1	PLG
43-F4-D100		M9-Whelen, Sup-LED, Red, Right Side - (Loc: RS4)	1	PLG
		<b>REAR BODY WARNING (Flashing) LIGHTS</b>	1	PLG
43-H1-0500		**M9 -Whelen Independent, Rear Body Flashing Lights - CLEAR Lens	1	PLG
		<b>M9 -REAR LIGHT LAYOUT -(w/Traffic Advisor)-No Lightbar (PDF&gt;)</b>	1	PLG
43-L4-C120		(3) Rear Upper Lights & Traffic Advisor & (2) Window Level Lights	1	PLG
43-S1-0100		M9-Whelen, Sup-LED, Red, Rear - (Loc: R1)	1	PLG
43-S1-1150		M7-Whelen, Sup-LED, Amber, Rear - (Loc: R4B)	1	PLG
43-S1-1850		M9-Whelen, Sup-LED, Red, Rear - (Loc: R7)	1	PLG
		<b>M9 -Rear Lights at Window Level</b>	1	PLG
43-S1-C350		M9-Whelen Sup-LED, Red, Rear - (Loc: R10B)	1	PLG
43-S1-D100		M9-Whelen Sup-LED, Red, Rear - (Loc: R11B)	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
<b>SECONDARY (miscellaneous) BODY MOUNTED WARNING LIGHTS</b>			<b>1</b>	<b>PLG</b>
43-T5-1930		M7 -Whelen, Red, Super LED, w/Flange, (2) Over Rear Wheel, CLEAR LENS	1	PLG
43-T5-3400	<	Whelen LED Strip Lights (6) Red - In "C" Channel Rub-Rails - (See Photo)	1	PLG
		Three on each side, Red with Red Lens		
		Whelen PSR00FRR		
<b>REAR NON-EMERGENCY LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-10-1000	< >	Stop/Tail and Turn Signal -Light heads with color lenses	1	PLG
		Exterior vehicle Rear Stop/Tail & Turn light heads will have Color Lenses.		
44-26-0100		Stop/Tail, (2) M6 -Whelen Super LED -(color Lens) w/Flange	1	PLG
44-26-0300		Back-up, (2) M6 - Whelen Super LED w/Flange	1	PLG
44-26-0500		Directional, (2) Whelen M6 Super LED -(color Lens) Populated Arrow	1	PLG
44-27-1000		Exterior lights, vertical stack I/L/O standard layout	1	PLG
<b>AUXILIARY NON-EMERGENCY LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-30-1000	>	HD Mini Oval Marker/Clearance Lts, LED Front, Rear, (2) Sides	1	PLG
44-30-3000	>	Lower Side Marker, Flash w/Directionals, (2) ea side	1	PLG
<b>FLOOD LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-50-22B0		(2) M9 - Whelen, Super LED Scenelight, (2) , Left side-(Loc:LS2, LS3)	1	PLG
44-50-24B0		(2) M9 - Whelen, Super LED Scenelight, (2) , Right side-(Loc:RS2, RS3)	1	PLG
<b>REAR FLOOD LIGHTS</b>			<b>1</b>	<b>PLG</b>
44-52-0300		(2) M6 -Whelen Sup-LED- Scene Lights, w/15 degree Bezel, Rear (Loc: R12B, R13B)	1	PLG
44-60-1000		Right Side Scene Lights on with Side Door & Switch in Console	1	PLG
44-60-2000		Left Side Scene Lights w/On-Off Switch Console	1	PLG
44-60-3000		Rear Scene Lights on w/Rear Door Open/Reverse	1	PLG
44-60-4000	<	Rear Scene Lights, On-Off Switch in Console	1	PLG
		Rear floods switch shall also activate reverse lights.		
44-60-5000		Right Side Scene Light Cancel Switch	1	PLG
44-60-6000		Rear Door Scene Light Cancel Switch	1	PLG
44-60-7000		Left/Right & Rear Flood Lights, On In Reverse	1	PLG
<b>CLIMATE CONTROL</b>			<b>1</b>	<b>PLG</b>
45-10-1000		Ventilation, Flow-Thru, (2) Speed, Cast Products Rear Cowl	1	PLG
45-20-3550	< >	Model 109 Auxiliary Air Conditioning Condenser 12V, Front body -(MED/CLSC)	1	PLG
		For use with 12V, Heat A/C unit.		
45-30-1Q00	<	Ducted Heater/Air Cond, Digital Thermostat -F-Series	1	PLG
		System ties into Ford OEM A/C Compressor.		
		Includes Intermotive Module B-CVC502-A which allows the rear A/C to operate independent of cab A/C.		
		For best performance it is recommended to run front A/C when rear A/C is active.		
45-35-1100		Auxiliary Coolant Pump Climate Control System	1	PLG
45-38-1050		109 Condenser Front Body Mounted on Standard PL Tray Bracket ( no lights)	1	PLG
45-39-1010		** Front Body Condenser to be Painted to Match Body Color	1	PLG
<b>CEILING CONFIGURATION</b>			<b>1</b>	<b>PLG</b>
45-99-0100		Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers	1	PLG
<b>INTERIOR LIGHTS</b>			<b>1</b>	<b>PLG</b>



02/04/2022

Page 10

PART NO	S	DESCRIPTION	QTY	ID
46-10-1L00		(6) Dome Lights, Whelen Multi-LED, Hi-Lo, Qty (#80C0EHCR)	1	PLG
46-10-2000		Dome Lights Switched to LOW Mode w/Door Open	1	PLG
<b>EXTERIOR COMPARTMENT LIGHTS</b>			1	PLG
46-20-1075	<	Lghts, Ext. Compartments, TecNiq LED E44 Strip Lights (Vertical Linear Lights)	1	PLG
46-20-1350		Oxygen Compartment Light Switch, Located in Rear Main Switch Panel	1	PLG
<b>AUXILIARY INTERIOR LIGHTING</b>			1	PLG
46-20-2000		Heavy Duty LED panel Light, (Life Support Station Area)	1	PLG
46-20-2550		Panel Light (Life Support Station) Switch, Located in Rear Main Switch Panel	1	PLG
46-30-1100		Stepwell Light, LED, Located at Side Entrance Door	1	PLG
46-40-1P00		TecNiq E30, 42 LED Rectangular Ceiling Lights Qty (4)	1	PLG
46-40-3M00	<	Windup "checkout" Timer, Side Door, Shoreline only 60 minute windup timer at side door, active with shoreline only	1	PLG
46-40-4000		Rectangular Lights on "Checkout" Timer Circuit	1	PLG
46-50-1000		Dome Light Switch, (1) Left, (1) Right	1	PLG
<b>MEDICAL OUTLETS</b>			1	PLG
47-20-1000		12 volt Medical Outlet, Power Point, Loc: LSS Wall	1	PLG
47-20-2000		12 volt Medical Outlet, Power Point, Loc: Right Front In/out	1	PLG
47-20-2600		Delete 12 volt Medical Outlet, Power Point, Loc: Left Rear	1	PLG
<b>ANTENNA/COMMUNICATION RADIO</b>			1	PLG
47-60-0300	<	(3) Antenna Leads, Body Roof - (See PDF) Unless otherwise specified, lead will route to: (1) Front console (1) LSS (1) Behind Driver's Seat	1	PLG
47-60-6200	< >	Radio Power Lead, Rear Main Switch Panel Includes: (1) Red 10 gauge marked radio 12 volt Hot, 30 amp, (1) Black 10 gauge marked radio ground, (1) Orange 12 gauge marked 12 volt switched, 20 amp.	1	PLG
47-60-6500	< >	Radio Power Lead 30 Amp, 10 ga. Cab Console Includes: (1) 12 volt Hot wire with 30 amp circuit protection, (1) 12 volt switched wire with 20 amp circuit protection.	1	PLG
47-60-7000	< >	Radio Power Lead w/40 Amp Fuse, 8 ga. Behind driver seat Includes: (1) 12 volt Hot wire w/fuse holder & 40 amp fuse, (1) 12 volt switched wire w/fuse holder and 40 amp fuse.	1	PLG
<b>MISCELLANEOUS 12 VOLT ELECTRICAL</b>			1	PLG
48-15-V044	X <	Hanscom K One (1) Camera Backup System HK-7211 Backup camera system, with 7" monitor.  To be mounted on windshield, with rear view mirror removed.	1	
48-20-2000	>	Speakers, Stereo Volume Control Rear Sw Panel	1	PLG
48-40-2250	< >	Stream Lite, Vulcan, Halogen, Orange Qty: (2)  Location: Compartment B	2	PLG
48-50-3050	<	Intellitec, Clock over rear doors i/o LSS Location: Above rear entry doors, centered under raceway.	1	PLG
48-60-3690		Liquid Spring Control Left Rear Door Open w/ NO Override switch	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
<b>ELECTRICAL 115 VOLT AC</b>			<b>1</b>	<b>PLG</b>
51-20-5000		Shoreline, Super Auto-Eject 20 amp, Left Side, Above Compt. "B", WHITE	1	PLG
51-30-1500	<	Shoreline/ Battery Charging Dual Indicator Lights	1	PLG
		Shoreline - Amber Indicator		
		Battery Charger - Green Indicator		
51-32-2000		Power Distr Box, 115v, w/20 amp Circuit Bkr	1	PLG
52-10-1400	>	Hospital Grade 115V Outlet with (2) USB Ports, Location: L/S/S Wall	1	PLG
52-10-2000	< >	Hospital Grade Lighted Outlet, Location: Left Rear	1	PLG
		Outlet mounted 14" above the rear counter		
52-10-3000		Hospital Grade Lighted Outlet, Location: Right Front In/out	1	PLG
52-10-5500	< >	Hospital Grade Lighted Outlet, Exterior Compt., Location:	1	PLG
		Qty: (1)		
		Loc: Compartment B		
<b>BATTERY CHARGER / INVERTER CHARGER</b>			<b>1</b>	<b>PLG</b>
55-10-1225	< >	Inverter/ Charger, Vanner LSC12-1100 Pure Sine Inverter/ 55A Battery Charger	1	PLG
		Deletes standard battery charger		
		Deletes GFCI receptacle at LSS (GFCI is integral to inverter)		
		Includes activation switch in rear switch panel (Standard Electric)) or Button on rear Vista Screen (VMUX Electric)		
<b>PAINT LUSTRE</b>			<b>1</b>	<b>PLG</b>
60-00-0005		Ten Year Paint Warranty (Paint Lustre)	1	PLG
60-00-0007		Paint Adhesion Testing	1	PLG
<b>BODY AND CAB PRIMARY PAINT</b>			<b>1</b>	<b>PLG</b>
60-10-0210		*Body and Cab Same Single Color	1	PLG
60-10-1800	<	**Modular Body Paint Color Other Than Unit Standard White	1	PLG
		Provide Paint Code _____		
60-10-1995	< >	Paint Rear Body Primary Color Only (for Chevron Application)	1	PLG
		Note: With "Chevron" striping selected, the rear of the vehicle will be painted, the solid single, primary color. -(for Chevron application)-		
60-13-0900	<	Modular Body Paint Color Red	1	PLG
		Provide Paint Code _____		
60-15-100B	<	Re-Paint Cab, Single Color, w/ Door Jambs (Classic 2 door)	1	PLG
		Provide Paint Code _____		
60-15-1505		Cab Paint Color Same as Body	1	PLG
60-20-1010		** Front Body Condenser to be Painted to Match Body Color	1	PLG
<b>ADDITIONAL VEHICLE PAINT, SECONDARY</b>			<b>1</b>	<b>PLG</b>
61-05-0008		No Additional Paint Required	1	PLG
61-80-2210		Polycoated Compt & Entr Door Sills, Compt Floors, Area Behind Rub Rails (*Note*)	1	PLG
<b>LETTERING</b>			<b>1</b>	<b>PLG</b>
65-15-2000	S	Imitation Gold Leaf Lettering	1	PLG
<b>REFLECTIVE VINYL BELTLINE STRIPING</b>			<b>1</b>	<b>PLG</b>
65-39-0300		6" Vinyl Beltline Stripe	1	PLG
65-40-1080		Vinyl Main Stripe Color, Gold -(reflective)	1	PLG
65-40-2020		Vinyl Beltline Stripe to have Z on Body	1	PLG
65-40-3200	S < >	Vinyl Beltline Location Other	1	PLG
		Location: Lower Cab Door		



PART NO	S	DESCRIPTION	QTY	ID
<b>REFLECTIVE VINYL STRIPING MISC.</b>			<b>1</b>	<b>PLG</b>
65-50-0050	S	< > Reflective Tape Stripe 1/2" Location: Each side of 6" beltline stripe. Qty (2)  Color: Gold, reflective.	2	PLG
65-50-4020		< > Reflective White Tape Stripe, 3/4" Outline, on interior of Entrance Doors Reflective White 3/4" Outline  This provides the 60 sq.inch required for both general safety and KKK.	1	PLG
<b>REFLECTIVE CHEVRONS</b>			<b>1</b>	<b>PLG</b>
65-65-0320		< > Reflexite 6" Chevron Rear Body +Upper CTR panel, no doors. Red & Fluor Lime The two colors are V-98 for red and fluor green. Note: **does not include any curved surfaces, such as the coves, or door trim	1	PLG
<b>TECHNICAL RADIO INSTALLATION</b>			<b>1</b>	<b>PLG</b>
70-10-0500		No Technical Radio Installation	1	PLG
<b>CHASSIS EQUIPMENT</b>			<b>1</b>	<b>PLG</b>
75-10-1110		Stainless Steel Wheel Inserts, DELETE	1	PLG
75-30-1100	<	Liquid Spring Suspension System (F550) Liq Spring for F550 with 18,000 GVW - DS147FS3	1	PLG
75-45-3550	>	Reserve Air Tank 5 Gallon	1	PLG
75-55-1200	<	Mirrors, Ford OEM F-Series Trailer Tow w/Power-Heated Glass Include Integrated clearance lights and turn signals.	1	PLG
75-60-1000		Mud Flaps, Rear, Light Duty Chassis	1	PLG
75-95-2500		Ford Series Front End-Caster Camber Align	1	PLG
79-90-S001	X <	Grill Guard, Full Width, Go Industries, Stainless Finish Ref: 79-90-V013	1	
<b>EQUIPMENT</b>			<b>1</b>	<b>PLG</b>
80-35-2K30	<	Fire Extinguisher, ABC, 5lb, Qty:(2) w/Amerex #861 H Bracket (SAEJ3043 Comp)  Shipped loose. Includes #861H Amerex Mounts	1	PLG
80-42-3400	< >	INSTALL- Customer Supplied - Defib. Bracket (Non SAE) Specify: Make _____ Model _____ Bracket, Dimensions _____ Location: _____	1	PLG
80-43-4250	< >	Bottle Brackets, Zico-Quick-Release, Strapless (2) , (D Bottle) Model QR-D-2 Located in the recessed stepwell area Qty (2)	1	PLG
80-50-1000		Prep, Clean & Detail Vehicle for Delivery	1	PLG
<b>CHASSIS</b>			<b>1</b>	<b>PLG</b>
95-12-225L	<	2022 FORD F550-Super Duty, 4x4, 108" CA, XLT - Diesel Ford F550 Chassis Cab Four Wheel Drive Wheelbase 193" - 108" CA Dual Rear G.V.W. 18,000 lbs.  Powertrain/Functional: Engine: 6.7L "Powerstroke" Turbo Diesel V8 300 hp @2800 RPM, 660 lbs torque @1600 RPM	1	PLG



PART NO	S	DESCRIPTION	QTY	ID
		<p>Single Stage Turbo Charger</p> <p>Instant Start Glow Plugs for quick engine starts</p> <p>Diesel Emissions Fluid 6 gallon tank - mounted behind frame rail on drivers side</p> <p>Intelligent Oil Life Monitor</p> <p>Engine block heater</p> <p>Water Pump with 125 gallons per minute flow rate</p> <p>Transmission: Heavy Duty "TorqShift" Ten Speed Automatic with selectable drive modes; Normal, Tow Haul, Eco, Deep Sand/Snow</p> <p>Electronic Shift on the Fly with automatic locking front hubs with manual override.</p> <p>Brakes - 4 wheel Anti-lock Braking System</p> <p>Traction Control - DRW Models</p> <p>Fuel Capacity: 40 gallon single tank (aft axle)</p> <p>Front Axle: 7,000 lb. Monobeam, Dana Super 60</p> <p>Rear Axle: 13,660lb. Full Floating Dana S110</p> <p>Suspension:</p> <p>Heavy Duty Front Coil Springs</p> <p>Rear Leaf Springs, main &amp; auxiliary</p> <p>Shock absorbers, front &amp; rear 1.38"</p> <p>Stabilizer bar, front and rear</p> <p>Power Steering</p> <p>Steering Damper</p> <p>Instrumentation: multifunction switch message center -</p> <p>Gauges: Oil Pressure, Coolant Temperature, Trans Temp, w/Indicator Lights, Tachometer, Trip Odometer, Turbo boost, water in fuel warning light, low/contaminated diesel exhaust fluid warning lights, glow plug preheat indicator</p> <p>Ambulance Prep Package with EPA Special Emergency Vehicle Emissions - 47L</p> <p>Engine Calibration significantly reduces the possibility of depower mode when in stationary PTO mode</p> <p>Operator Commanded regen allowed down to 30% of DPF filter full instead of 100%</p> <p>Stationary elevated idle control (SEIC) is built into the engine control module</p> <p>Must meet definition of Emergency Vehicle; ambulance or fire truck in the federal register</p> <p>Rear axle 4.10 Limited Slip</p> <p>Dual OEM HD Alternators (total 397 amps) 67B</p> <p>Dual 750 CCA Batteries</p> <p>Operated Commanded Regeneration (OCR) #98R</p> <p>Safety/Security:</p> <p>Driver/Passenger frontal and side air bag/curtain</p> <p>Passenger side air bag deactivation switch</p> <p>Belt-Minder - chime &amp; flashing warning light on instrument panel if belts not buckled</p> <p>Safety Belts - color coordinated with height adjustment (front outboard seating positions only)</p> <p>SOS Post-Crash Alert System</p> <p>Securi-lock Anti Theft Ignition</p> <p>Tires:</p> <p>Front &amp; Rear LT225/70R 19.5G All Position (6) #THB</p> <p>Spare Tire: LT225/70R 19.5G (All Position)</p>		



PART NO	S	DESCRIPTION	QTY	ID
		Wheels; 10 hole Disc, 19.5" x 6" Steel		
		Exterior Trim:		
		Dual Electric Horns		
		Chrome Front Bumper & Grille Surround		
		Front Tow Hooks		
		Lights - roof/marker clearance lights		
		Dual Beam Jewel Effect Headlights		
		High Mount Stop Light		
		Mirrors: Black POWER Telescoping Trailer Tow with		
		Power Heated Glass, Integrated clearance lights,		
		Turn signals, LED security approach lights,		
		Utility lighting System (LED side mirror spotlights) #54F		
		XLT Interior Cab Trim: #663A		
		Air Conditioning		
		Cloth Headliner, Map Pockets		
		AM/FM Radio w /MP3 /Clock		
		SYNC 3 8" LCD Productivity Screen in IP Cluster #913		
		Overhead Console with dual storage bin and map lights		
		Outside Temperature Display		
		Interval Windshield Wipers		
		Tilt Steering Wheel/Speed Control - steering wheel mounted		
		Power Windows/Door Locks		
		Black Vinyl Floor (No Floor Mats)		
		Headlights on audible alarm		
		Dual overhead Map Light		
		Daytime Running Lights		
		Front seats, high series cloth - 40/20/40 #3S		
		Driver Assist Technology		
		Audible Lane Departure Warning		
		Pre-Collision Assist with Automatic Emergency Braking and forward collision		
		warning		
		Automatic High Beam Headlights		
		Adjustable Pedals: gas and brake		
		Color Scheme:		
		Exterior Color: Oxford White #Z1		
		Interior Color: MEDIUM EARTH GRAY		
95-12-6100	< >	F450/F550 Aluminum Wheels Option (#64D)	1	PLG
		This option, when selected, takes precedence over the option in the standard		
		chassis spec:		
		WHEELS; 10 HOLE DISC, 19.5" x 6" POLISHED ALUMINUM #64D		
		REQUIRES SPECIAL ORDER CHASSIS		
95-12-6190		F350/F450/F550 Sync3 - Std. on XLT	1	PLG
96-32-1500		Fuel "Full Tank" -F-Series	1	PLG
		<b>COOPERATIVE PRICING</b>	1	PLG
97-10-1000	<	HGAC Cooperative Pricing Spreadsheet	1	PLG
		An HGAC STS spreadsheet to be provided with the spec		